BARR & SUGDEN'S DESCRIPTIVE SPRING CATALOGUE

CHOICE SEEDS

FLOWER & KITCHEN GARDER

WITH A COMPREHENSIVE AND CLASSIFIED DESCRIPTIVE LIST OF GLADIOLI, LILIES, IRIS, &c.



BARR & SUGDEN,

12, KING STREET, COVENT GARDENEL

"A useful manual for the amateur in the selection of lowers for the adornment of the garden, and vegetables for the use of the table."

SIMMONS & BOTTEN, PRINTERS, SHOE LANE, RIFET STRE

H. Bailey Hortorium by the Missouri Botanical Garden, 1972 Presented to the L.

- I. The germination of seeds we test under glass, the purity of the "stocks" we prove at our Experimental Grounds.
- 11. Our Novelty List has, as usual, been carefully compiled, and fairly represents the introductions of merit.
- III. The Gladioli List, p. 67, is given in a classified form, to assist the amateur when selecting.
- IV. Our collection of Lilies, p. 68, represents every variety of merit, and consists of representatives from China, Japan, the Himalayas, the Neilgherries, Cashmere, California, Canada, the United States, British Columbia, the Caucasus, Siberia, the Pyrenees, the Maritime Alps, European Turkey, the Levant. &c.
- V. Our List of Iris, p. 71, is arranged in natural groups to facilitate purchasers in making selections. The varieties of Iris Barbata are grand decorative plants for the margins of lakes, ponds, and such places, while for wild gardens, shrubberies, and woodland walks they are unrivalled, and as cut flowers for vases unsurpassed.
- VI. Miscellaneous Plants and Bulbs are enumerated, p. 74, and a few specialities on pages 11, 12, and 40. are quoted on account of their general importance.
- VII. Carriage is allowed on orders amounting to 215, and upwards, to any principal Railway Station in England and Wales, to Edinburgh and Glasgow, and to any principal Station on the North British, Caledonian and Scottish Central Lines, and to Dublin and Belfast. Also to Cork and Waterford, if by steamboat from London, but only as far as Bristol if by railway, en route for Ireland. We prefer sending by rail, as it is more expeditious, and, therefore, unless otherwise instructed, we shall forward via Bristol.
- VIII. Carriage to be deducted at settlement in accordance with conditions, Par. VII. Formerly our custom was to pay carriage in London; but we were compelled to relinquish this practice, in consequence of our "Carriage Paid" packages not being delivered with the same promptitude as those not prepaid, and, also, on account of continual complaints from our customers that they also had to pay carriage before they could get the goods. We mention this as the reason why we abandoned a practice followed by us for so many years.
 - IX. Orders which are paid in advance, if in accordance with Par. VII., can either be sent carriage paid, or a liberal equivalent in goods added. This latter course wilt be adopted unless we are otherwise instructed.
 - X. Seeds quoted by us in the Catalogue as at "per packet," we forward post-paid; or if sent by rail, however small the amount, the carriage may be deducted from the remittance at settlement,
 - X1. A small charge is made for packages, and, if returned within a fortnight, allowance will be made for the same. It is, however, necessary that the dispatch of the returned empty is notified and the name of the sender written on the label for identification.
- XII. Fruit and Forest Trees, Shrubs, Plants in Pots, Soils, Watson's Lawn Sand, Wirework, Plant Cases and Stands, Gilbert's Hand Lights, Barr's Portable Cut Flower and Bouquet Transmission Cases, Heated Frames, Garden Engines and Water Barrows, Flower Boxes, Jardinets, and Terra Cotta, Rustic, China, and Glass goods—on these we do not allow carriage.
- XIII. Five per cent, may be deducted from accounts paid within one month from date of invoice,
- XIV. Post Office Orders to be made payable at King Street Post Office, Covent Garden, W.C. All cheques to be crossed, adding the words "and Co." Small amounts may be paid in Postage Stamps, or coin may be sent in a registered letter; when convenient, however, it is safer to send a Post Office Order. The Postmaster-General cmphatically advises the registration of letters containing valuables or important communications.
 - XV. The Royal Horticultural Society awarded to us the following Medals:—
 Large Gilt Silver Floral Medal for a large Collection of Daffodils, specifically named,
 Silver Banksian Medal for Plant Cases furnished with Plants.
 Silver Banksian Medal for Window Decorations.

 - Commemorative Medals of Her Majesty's opening the Exhibition at South Kensington—viz.:

 Gold Banksian Medals for a large Collection of Daffodils, including the "Leeds' Seedlings,"

 Silver Banksian Medal for Plant Cases furnished with Plants.

 Bronze Banksian Medal for Window Decorations.

 - Silver Banksian Medal for a large Collection of Iris, Silver Banksian Medal for a Collection of Lilies.

 - Bronze Lonksian Medal for a Collection of Double Pyrethrums.
 - Society awarded to us when we exhibited— The Royal Botanic
 - - for the best 12 pots of Tulips.
- for the best 12 pots of Polyanthus Narcissus.
 for the largest and finest Collection of Hyacinths.

NOTICES TO FOREIGN AND COLONIAL CORRESPONDENTS.

- XVI. To insure attention, orders must be accompanied by a remittance, a draft, or an "order to pay," on a London agent. The remittance must be sufficient to cover the expense of cases, and also of carriage, if the freight is required to be paid in advance.
- XVII. Seeds can now be despatched to India, at the rate of 1s. per lb., in hermetically sealed tin cases, through the Indian Parcels Post, and also in waterproof bags by the ordinary mail at 1s. 4d. per lb. Our Indian Customers will kindly notify by which service they wish their postal parcels sent.
- XVIII. In shipping plants to India, great care is exercised by us in selecting, preparing, and properly packing the same, and our consignments have, on the whole, been very successful. Still, there are so many contingencies, that we cannot, in any way, hold ourselves responsible for the condition in which the plants or bulbs reach their destination.
 - XIX, Our successful shipments of seeds to India have induced several of the Agricultural and Horticultural Societies there to entrust us with the execution of their orders for distribution amongst the members.

DIVISION 1.	-FLOWER SEI	EDS, FROM P	AGE 4 TO 50.	
The enumeration of Annuals,	Perennials, Page			Page
Ornamental Foliage Plants, &c Climbers, hardy, half-hardy, and	tender 45	Confections of	Morning Glory Pelargoniums, in 6 classes	9
Collections of Asters, in 10 classes			Pentstemons	10 9
Antirrhinums, in 3	classes 8	,,	Petunias	0
Balsams, in 3 classe Carnations, in 11 cl	s 8	,,	Phlox Drummondii	9
Cockscombs, in 2 ch	asses 10	,,	Plcotees, in 3 classes	IO
,, Convolvulus Major		"	Portulacas, in 2 classes	9
" Everlastings, in 5 c	lasses 8	۶, دو	Stocks, in 8 classes	9
,, Geraniums, Zonale	and Nosegay 10	٠, ٠, ١	Fropæolums	9
Gourds, in 3 classes Grasses, in 5 classes		"	Wallflowers, in 2 classes	8
Hollyhocks	9	Flower Seeds by	y Weight	50
,, Ipomœas, in 2 classe	s 9 1	General Collect	ions selected for Amateurs	13
,, Larkspurs, in 3 class ,, Marigolds	ses 9	Ornamental Gr	peclalitles for 1879	4
Barr's New Heated Fram		Coode and	Asses	II
Preserving Plants in	Winter See	Illustrations and	Prices on page 76.	
		EEDS EPAR	PAGE 52 TO 66.	
I. General List of Leguminous F	lants, that is Peas	Beans &c		50
ii. ,, Edible-leaved	and Edible-nowered	d Plants, that is, t	Cauliflower Caphage Spinach &cc	52 54
TALL ,, LEUIDIE-LOOKEU	Plants, that is, Beet	Carrol, Onion.	Turnib. Nc.	57
	that is Celery Lettn	cumoer, Metan, 19 we Radish Must	omato, Vegetable Marrow, &c ard, Cress, &c	60
va. ,, meros, that is,	Basii, Savory, Mai	rjoram, Parslev, d	£'C	62 64
TALL II ROUDS, FIAMUS.	OGC THAT IS. PARATARC	1 CD/2 2 (7 (7 (7)) C A 2 (2)	Challes Ser hale Stranghamies Pan	65
General Collections of Vegetable S	eeds for Small or L	arge Families		51
ALPHAE	ETICAL LIS	T OF VEGE	ETABLES.	
Artichoke, Globe 54	Endlye		Pumpkins, Gourds, or Squashes	
,, ,, Plants 65	French Beans	53	Radish	64
Jerusalem Roots 65	Garlic	66	Ramplon	59
Asparagus Seed 54 ,, Roots 66	Garnishing Herbs		Rape	64
Barbe de Capucin 62	Gooseberry Seed Gourds, Pumpkins	RorSquashes 61	Raspberry Seed	62
Beans, Broad, French & Runners 53	Herb Seeds, swee	tand pot 64	Roots	66
Beet, edible leaved 54	" Plants	66	Runner Beans	54
Borecole, Kale, or Greens 54		64	Savoy Cabbage	57
,, Garnishing 64	Ice Plant		Salsify (Vegetable Oyster) Scarlet Runners	59
Broccoli 55	Knol Kohl (Kohl F	Rabl) 56	Scorzonera	FO
Brussels Sprouts 56	Leek	58	Sea-Kale Seed	57
Cabbage 56	Lettuce		,, Roots	66
Capsicum and Chili	Love Apple (Toma Mallow, Curled	61	Beet	54
Cardoon 56	Marrow, Vegetabl	le 6r	Shallots	66
Carrot 58	Martynia, for Plcl	kling 61	Skirret	50
Cauliflower 57 Celery 62	Melon Mushroom Spawn	6o	Sorrel	64
Chervil 62	Books	on The 66	Spinach	57
Corn Salad (Lamb's Lettuce) 62	Mustard	6.1	Squashes, Gourds, or Pumpkins	61
Chives 66 Couve Tronchuda (Sea-Kale	Nasturtlum, for P	lckling 61	Strawberry Seed	62
Cabbage) 57	Onion	Jnderground 66	Tarragon, Roots	66
Gress, Plain, Curled, Amerl-		59	Tomato (Love Apple)	01
can, Australian, &c 62	Parsley	64	Turnip	59
Cucumber, Frame	Parsnip	59	Vegetable Marrow	6r
Currant Seed 62	Peas	65	Vines, 7s. 6d. to 15s. each	60
Dandelion 62	Potato Onlon	66	Yams, Chinese	65
Egg Plant (Aubergine) 60				. 3
Mixture of Grasses for Lawns,	Croquet and Cricke	et Grounds, Orna	mental Parks, &cpage 66	
mixture of Grasses for Perman	ent Pasture Meado	we &c	- 46	
Weed-destroying Lawn Sand for	or eradicating Dais	les, Dandellons,	Plantains, &c, 66	
Beet 65 Chlcory	III.—FARM 8	Mangold Wurzel	PAGE 66 66 Sainfoin	66
Broom 66 Furze	661	Mustard	66 Sunflower, for Poultry	00
Buckwheat 66 Gorse	66	Parslev	. 66 and Game	
Carrot 66 Lucern 66 Kohl Ra	66	Parsnip	66 Turnin	
DIVISION IV.—BULBS, TUBI	VER BY 43'000 TO	TO DAGRE OF	00	10
Hepatica 12 Lilles	68 8	Schlzostylis	40 Potentilles	
Christmas Rose 12 Lily of t	ho Valley 74 I	Delphlnlums	75 Funkias	75
Helleborus 12 Tlgridla	S 12 I	Pyrethrums, Dou'	ble II Anemones	75
Gladioli 67 Tuberos Cyclamen 12 Pæonies	9S 12 F	Phlox, Perennial	New 75 Flowering Plants	75
Herbace	ous Plants 75 I	vles	40 Foliage Plants	05
Chimbers and Twiners 49 Chrysan	themums 75 \	/lrginlan Creene	cs 40 Clematls	40
spring Flowering Plants, Ajuga	. Arabls. Aubrletia	. Auricula Chei	ranthus Daisy Forget-Me-Not	77
Iberis, Pansy, Phlox, Polyanthi	is, Primrose, Vlola,	Wallflower, etc.	See Bulb Catalogue, page 41.	
			A	

NOVELTIES AND SPECIALITIES FOR 1879.

The height is given in inches or feet.

1	Per pkt.— Amaranthus nobilis pyramidalis. Grown as a single specimen, this is an attractive plant, rising	S	d,
	to a height of 3 feet, and forming a compact pyramidal bush, clowded from the buse	I	6
2	" caudatus gibbosus, a new variety of Love Lies Bleeding, remarkable for diooping	r	٥
3	Antirrhinum Tom Thumb, jellow, crimson, Galathee, and delicate rose; four new varieties of this beautiful, dwarf, bushy bedding plant. Each variety, 15.; or the 4 for	3	0
4	Tom Thumb improved a fine selection from many beautiful colours, 1 it	I	0
5	Majus, extra fine striped varieties, carefully selected		
7	of the hothouse, large terminal racemes of brilliant orange, tinted carmine-scarter howers.	0	6
8	Arctium edule. In Japan this plant is cultivated for medicinal purposes, its culture is recom-	I	0
9	Aster Washington, silver-grey, white tinted with rose, lazuline blue, white, and pink; five varieties of this splendid new Aster, with flowers from 5 to 6 inches in diameter, the plant of a fine		
	reduct branching habit height off	4	0
10	dwarf paony perfection, black-blue, rose, and white; three varieties of this fine dwarf compact Aster, flowers incurved and faultless, height 1 ft Each variety, 1s.; or the 3 for	2	6
11	Balsam, Barr's "Criterion," in many colours, sell, spotted and striped; the nowers are large, very	3	6
12	Begonia, new bedding varieties, embracing all the newest and finest English and foreign. From seed sown in spring the plants are decorative the same season, and few plants can be		
	compared with these for conservatory decoration	5	6
13	not plants and for hedding	2	6
14	" Roezlii, a grand winter-blooming Mexican species, with large included to have been to March expanding large numbels of luminous dark red flowers, height 20 in, 13. &	2	6
15	" robusta perfecta, a splendid new variety, of a sturdy foldist glowth, with howers of mine toylure brilliant cinnabar-scarlet, shading to delicate rose, height 1 ft	2	6
16	Rex hybrids, saved from a choice collection of about 30 handsome varieties Bobartia aurantiaca, a charming hardy bulbous plant, producing for months in succession beautiful	2	6
17	Tigridia-like yellow flowers, and succeeding in any light soil. 6d. & Calcolaria crenatifiora, half hardy perennial, with large yellow, spotted crimson flowers 14 ft.	I	0
18 19	Victoria Prize. The flowers of this fine exhibition variety are very large, of good form, and in many colours, self and spotted; the habit is dwarf and compact.	2	6
20	delegative above warieties: these combine extreme heavily Will the most striking characteristics	I	0
21	to be found amongst flowers; perfectly hardy, and admirable for select fockwork		
22	panula, and those who are fond of remarkable flowers should cultivate this fine annual, 15 inches Carnation grenadin, a splendid very early variety, of dwarf compact growth, profusely covered with		0
23	brilliant double scarlet flowers	2	
	bracts, the outer half of which is brilliant red, the rest green, a good plant for poss and rolleds	2	6
24	rative for many months; cuttings taken in July are nandsome plants at christians	1 2	_
25 26	pyramidalis, Yeates's supero varieties Celsia cretica, a beautiful half hardy biennial attaining a height of 4 to 5 feet, surmounted by a	0	_
27	long terminal spike of large yellow blossoms with protons by both spikes of large yellow blossoms with protons for mixed borders and large flower to the protons of the spikes of the sp		
28	beds; it is perfectly hardy, and exceedingly effective		C
		I	C
29	The Sultan, also as described by the raiser—" Of a very rich crimson-maroon, with gold-coloured rim, and fine brown centre" Cineraria, Covent Garden varieties; the flowers of this fine cherking are remarkable for their rich	I	C
30	and diversified colours, large well-formed flowers, and line busing in busing in the fit, and of robust pyramidal	2	: 6
31	arough migalling in effect the gigantic t arture of Algiers	1	
32 33	developed Porsion large-flowered varieties, the colours range from the purest water to the		
34	richest magenta, with the flowers thrown well above the lonage		
	this species is considered the finest of the perential Larkspur, from the Himalayas at an eleva-		E C
35	tion of 17,000 ft.; grows in a dwarf compact bush, with raige of the howers	1	2 (
36 37	" annual due importate fluit a colondid new variety of the Imperial double branching		I (
38	planthus high idua semperflorens a cross between the Chinese Pink and Caination, blooms the		
89	first year from seed; producing abundantly fine nowers of an interinction contains the first year from seed; producing abundantly fine nowers of an interinction contains a first year from seed; producing abundantly fine nowers of an interinction for the first year from seed; producing abundantly fine nowers of an interinction for the first year from seed; producing abundantly fine nowers of an interinction for the first year from seed; producing abundantly fine nowers of an interinction for the first year from seed; producing abundantly fine nowers of an interinction for the first year from seed; producing abundantly fine nowers of an interinction for the first year from seed; producing abundantly fine nowers of an interior from the first year from the fir	•• •	Α,
40			1

	5 de la company		
42 43	Erysimum pulchellum, a fine dwarf plant for rockwork, it is of spracing close-tufted habit, and with pleasing green foliage, profusely studded with congress willows the property of the process of the p	I	d.
44		I	0
45			6
46		2	6
47			U
	and from its must fiscs teathery hower spikes 2 to 4 feet high	т	6
48		Î	o
49	Turbotan to the state of the st		
	macopoliti. It is a tate pidlit ill fulforeab collections and this is the first time that said has been		
50		I	0
51		I	0
52	distributed of Sains picture, page vertone, Dassing to months with dark continue control of fi	I	0
53	11 Samuratia makama, a grand hardy perennial variety	I	0
54	11 productions, scarter, with light centre, very showy 14 ft	I	0
55	Geranium thericum a because herden parallel centre, very handsome, 12 ft.	I	0
56	Geranium ibericum, a beautiful hardy perennial border plant, with fine blue flowers Gymnolomia Porteri, a rare plant from the Georgian Mountains, of a dwarf compact growth,	I	0
	surmounted with small Helianthus-like flowers; recommended for pot culture		
57	Herniaria hirsuta, a fine plant for the groundwork of carpet beds; it is of a close spreading growth,	2	0
	and its maignificant nowers have a crystal-like sparkle in the cup's rave		_
58		T	O
	fully surmounted by numerous pendant bell-shaped snow-while flowers. In the conservatory few		
	fully surmounted by numerous pendant bell-shaped sanctive flowers. In the conservatory few plants are more decorative, and a graceful plant in the flower border	т	0
59		•	
	stellis stelluct, and of a violet tini, leaves deeply lobed, the plant covered with frem accorded flow and	I	0
60	***** ********************************	I	0
61 62		I	0
63	The brost of the Markager family	I	0
64	22 votita, modesta, a tipe greenhouse plant. With elegant pendulous vellors blossoms	I	0
65	Lobelia coronopifolia, a neat greenhouse plant, with fine blue and white flowers.	I	0
66	pumila grandiflora, saved from very carefully selected plants, \(\frac{1}{3}\) ft	2	6
67	magnifica, deep lilac-blue, a first-class variety, 4 ft	2	6
68	"The Pride" aved from very select plants, \(\frac{1}{2}\) it	2	6
69	II SUC DITUE. THE SAVED From a very pure etrain ctill come of the coodlings	2	0
	will revert to the blue. If ft.	2	6
70	will revert to the blue, \(\frac{1}{2} \) ft. \(\frac{1}{2} \) & "White Perfection," saved from a very clean stock, still some of the seedlings will revert to the blue, \(\frac{1}{2} \) ft.	~	•
	TO VOIT TO THE DILLE. T. II	2	6
71 72	by chills industrial at 10-sanguinea, flowers intense hand-red throughout the outumn months - fr	I	0
14	material bicolor, "a charming dwarf annual, carpeting the ground with its fine green foliage pro-		
73	rusely covered with pure white nowers See Gardeners Chronicle Sept 21st 1878	I	0
13	strigosa, a new annual sent from Afghanistan by Dr. Aitehison; of dwart compact growth,		
	flowering when about 2 inches high; the flower-shoots soon assume somewhat the		
	appearance of Primula japonica in the floral arrangement, the flowers are deep lavender-		
74	grey; it is expected to be a first-class plant for flower-pots and borders Mignonette, Garaway's white, recommended for pot culture to flower during winter and spring	I	0
75	Miles' new spiral, a very fine robust profuse flowering variety	2	6
76	", "New victoria crimson-nowered, a fine dwarf variety for not culture	I	0
77	,, pumila efecta, dwarf, robust, and with dense flower spikes, fine not plant	I	0
78	pyramidata gigantea. This is the highest type of the cultivated Microsoffe flowers	_	•
FO	very large and attractive, the finest of all for not culture	2	6
79	musuus multimora, fully described in our Novelty List of 1878 : it differs from the ordinary Maryel		
80	of term in its training habit and mauve-coloured from ea-like Howers	I	0
81	Montbretia Pottsii, a handsome Cape bulb, with large, bright deep yellow funnel shaped flowers	I	0
82	Moriua longifolia, a grand showy hardy perennial, with crimson flowers, outside of which is white Niotiana suaveolens, remarkable for its profuse-blooming and deliciously fragrant flowers	I	0
83	Papaver umbrosa, a charming hardy annual, with flowers of intense crimson, each petal having a	I	0
	conspicuous glittering black spot; an exceedingly effective plant almost always in bloom, x ft. 6d. &		_
84	removement leading a nine dwarf branched hardy species with beautiful terminal raceme, like manicles	7	0
85	returna, new double enoice hypitas, saved by Mr. Smith, of Tollington Nursery, and warranted by	•	•
	min to yield to per cent, of double and semi-double flowers on plants of a fine dwarf		
	compact growth. The seed to be sown in March or April and the plants notted on and		
	noweled in 40 pots for the conservatory. As soon as the weather will permit the plants		
00	should be turned out of doors, as Petunias get very weedy in summer under glass	2	6
86 87	", grandinora n. pi , new double Petunias of large size and fine form	2 (6
01	" grandiflora fimbriata fl. pl. About 25 per cent. of large double beautifully fringed flowers		
88	may be expected from the seed offered of these new double Petunias	2 (6
-	new large flowered varieties; the seed offered has been saved with great care from flowers		_
89	of a great size and of many brautiful colours	2 (5
	" new large flowered fringed varieties, these are extremely elegant varieties, and very effective	2 6	
90	,, nana compacta multiflora; this new compact densely branched variety is valuable for pot	5 6	,
	culture and tor bedding. It attains a height of 5 to 8 inches, and about the same in diameter.		
	covered with flowers of a prevailing brilliant there wared regularly starred subits are 6d &	2 6	5
91	range from monait grandinora, chamots rose, with white eye, a new large-flowered variety, I ft	1 (
92	rien dark crimson-burble large flowers, i ft		
93	nana atropurpurea, a fine compact variety, covered with bright dark purple		
0.4	flowers in a dense bouquet, $\frac{3}{2}$ ft	2 6	5
94	", compacta punicea, recommended for its fine compact globular bushes,		
95	which are covered by brilliant cinnabar-scarlet flowers, & ft 15. &	2 6)
30	Primula capitata, a beautiful hardy species from the Himalayas, with large globular heads of dark		
	blue or violet flowers	2 ()

	Per pkt.—		A
	Per put.	ъ.	a.
96	Primula Stuartii, a magnificent hardy species from Nepal, with large stout leaves and bright golden		6
30	and the state of t	2	6
	glyconds Covent Garden varleties, including the most beautifully-fringed sorts 2s. 6d. &	3	
97	Primula Stuartii, a magnificent hardy species from repai, with large seed test with the species from repai, with large seed test with the species from repair, with large seed test with the species from repair, with large seed test with larg	2	6
98	rinessis, Covent Garden varieties, including the most beautifully larger in & Primrose, choicest mixed, rich coloured varieties		
99	Romneya Coulteri, a single specimen of this transformation	I	0
	white salver-shaped flowers are of a Romulea (Trichonema) mixed varieties, a graceful hardy bulbous plant, the flowers are of a Romulea (Trichonema) mixed varieties, a graceful hardy bulbous plant, the flowers are of a Romulea (Trichonema) mixed varieties, a graceful hardy bulbous plant, the flowers are of a Romulea (Trichonema) mixed varieties, a graceful hardy bulbous plant, the flowers are of a Romulea (Trichonema) mixed varieties, a graceful hardy bulbous plant, the flowers are of a Romulea (Trichonema) mixed varieties, a graceful hardy bulbous plant, the flowers are of a Romulea (Trichonema) mixed varieties, a graceful hardy bulbous plant, the flowers are of a Romulea (Trichonema) mixed varieties, a graceful hardy bulbous plant, the flowers are of a Romulea (Trichonema) mixed varieties, a graceful hardy bulbous plant, the flowers are of a Romulea (Trichonema) mixed varieties, a graceful hardy bulbous plant, the flowers are of a Romulea (Trichonema) mixed varieties, a graceful hardy bulbous plant, the flowers are of a Romulea (Trichonema) mixed varieties, a graceful hardy bulbous plant, the flowers are of a Romulea (Trichonema) mixed varieties, a graceful hardy bulbous plant, the flowers are of a Romulea (Trichonema) mixed varieties, a graceful hardy bulbous plant, the flowers are of a Romulea (Trichonema) mixed varieties, a graceful hardy bulbous plant, the flowers are of a Romulea (Trichonema) mixed varieties and the flowers are of a Romulea (Trichonema) mixed varieties and the flowers are of a Romulea (Trichonema) mixed varieties and the flowers are of a Romulea (Trichonema) mixed varieties and the flowers are of a Romulea (Trichonema) mixed varieties and the flowers are of a Romulea (Trichonema) mixed varieties and the flowers are of a Romulea (Trichonema) mixed varieties and the flowers are of a Romulea (Trichonema) mixed varieties and the flowers are of a Romulea (Trichonema) mixed varieties and the flowers are of a Romulea (Trichonema) mixed varieties and the flowers are of a Romulea (Trichonema) mix		
100	Romulea (Trichonema) mixed varieties, a graceful the follogs most elegant	I	0
	Romulea (Trichonema) mixed varieties, a gracetta hardy leading most clegant		
101			
		I	0
			0
102			
103			
103		_	6
		2	0
101		I	0
		2	6
105		0	6
106	Stock, Giant Scarlet Brompton, extra selected variety	I	0
107	Stock, Giant Scarlet Brom promotived flowering: the raiser states that this Stock yields spikes of		
108			
	and, sufficient room being allowed, the plant branches to a great size, height I ft	1	6
	and, sufficient room being allowed, the plant of the plan		
109	and, sufficient room being anowed, the Mauve Beauty; "treated as an intermediate Stock, new wallflower-leaved pyramidal "Mauve Beauty;" treated as an intermediate Stock,		
	it should be sown in September, but for Summer and Autumn decoration sow in Spring;	I	6
	the handsome flowers are of a lustrous pale mauve colour, 13 ft	ī	0
110	new pure white Giant Brompton, remarkable for large massive spikes of double flowers	_	
111		т	0
112			0
114		1	U
113		_	
112			
			0
114		1	
115		1	
116		I	0
117	Symphiandra wanner, a nie nardy pereinnar belonging by House Leek family; is remarkably neat, of Umbilicus Sempervivum, the most characteristic of the House Leek family; is remarkably neat, of Umbilicus Sempervivum, the most characteristic of the House Leek family; is remarkably neat, of Umbilicus Sempervivum, the most characteristic of the House Leek family; is remarkably neat, of		
118			
			0
			: 6
119	Verbena, saved from all the most beautiful varieties. Viola tricolor maxima striata, a new large flowered striped Pansy, described as beautiful	2	: 6
120	Viola tricolor maxima striata, a new ringe howered which clear vellow flowers	I	
121	Wallflower Belvoir Castle dwarf yellow, a very early dwarf variety, with clear yellow flowers	I	
122			

COLLECTIONS

Of Stocks, Asters, Wallflowers, Balsams, Carnations, Pelargoniums, Etc.

DOUBLE STOCKS.

In our Experimental Grounds the following varieties of Stocks have proved to be the most distinct and decorative. They are of various heights, and suitable to the different styles of Gardening for which the Stock is so admirably adapted. All are desirable pot-plants, and are greatly prized as cut flowers, both for their diverse colours and fragrance. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to bloom. intended to bloom. Large-flowered German Ten-Week Stock, height 1 ft.

For medium or large-sized beds either of one colour, or assorted colours, this is the best variety; it is of compact, branching, robust growth, with large flowers produced in great profusion.

		compa	ici, branchi	ng, roous	t growt	r, w	nen i	arge	powers pr	ounced in grown proportion	s.	d.
301 302	16 12 12 Splendid	"		packets		2 2 I	6 0 6 6 6 6	307 308 309 310 311 312 313)))))	white, sufficient for a large bed intense crimson , , , rose, very beautiful , , brilliant crimson-rose , coppery carmine , , sulphur-yellow , , , mixed, from the colours specified	2 2 2 2	6 6 6 6 6 6
	mall or	nedium	Dwan u-sized beds,	A Bouque	iet Ger	mai ction	n Te	ines,	ek Stock	x, height 3 ft. most useful Stock; it is dwarf, common dense house	npa	ct,

neatly branched and so free-flowering, as to form a dense bouquet.

Giant Globe Pyramidal Large-Flowered German Ten-Week Stock, height 2 ft.

The massive pyramidal flower-spikes of this Stock, are generally 18 inches long, with glubular blossoms 2½ inches in diameter. It is remarkably effective in beds, mixed flower borders, and shrubberies.

12, King Street, Covent Garaen, 1079.]
Autumn-Flowering Intermediate German Stock, 1½ ft.
This is a most valuable variety. Sown with the Ten-Week Stocks, it flowers a month later than them, and
continues decorative to the end of the season; sown in July or Angust, it blooms in May as an intermediate Stock.
326 7 Splendid varieties 2 6 329 Splendid white, sufficient for a large bed 2 6 327 7 ,, smaller packets 3 30 ,, rich purple ,, ,, 2 6
328 Splendid mixed, sufficient for a large bed 2 6 331 ,, carmine ,, 2 6
Imperial or Large-Flowered Emperor German Biennial Stock, height 11 ft.
This is a splendid branching biennial Stock. Sown in March, it is valuable for late autumn blooming;
sown in June or July, it is matchless in its effect in beds, etc., the following scason, continuing in flower
throughout the summer.
332 10 Splendid varieties
333 to ,, smaller packets r 6 336 ,, white ,, ,, 2 6
334 Splendid mixed, sufficient for a large bed 2 6 337 ,, intense crimson ,, 2 6
Brompton, or Winter German Stock, height 2 ft.
A fine robust branching biennial Stock, which is sown in June or July to flower the following summer, and is
exceedingly decorative in mixed flower borders and shrubberies.
338 12 Splendid varieties
340 Splendid mixed, sufficient for a large bed 2 6 343 ,, white ,, ,, 2 6
Covent Garden Intermediate Stock, height 1 ft.
This Stock is of a fine dwarf habit. It is sown in July and August by the growers for Covent Garden Market,
and is extensively used for furnishing jardinets, window boxes, flower beds, etc., during "the London Season."
It coun in Shring if forms a natuable energesion to the Ten. Week Stocks for autumn namerius.
344 Scarlet, English saved I o 348 White, English saved I o
345 ,, extra fine, Foreign saved 2 6 349 ,, extra fine, Foreign saved 2 6
346 Purple, English saved r o 350 Mixed, English saved r
344 Scarlet, English saved I o 348 White, English saved
East Lothian Stock, height 1 It.
This greatly prized Stock is remarkable for its fine branching habit, profusion and duration of bloom. For
summer flowering sow in July or August for autumn decoration, sow early in spring.
352 Splendid purple 15, & 2 6 355 Splendid rose-carmine 15, & 2 6 353 ,, white 15, & 2 6 356 ,, scarlet 5, & 2 6
353 , white
354 , intense crimson
ASTERS.
In our Experimental Grounds we have grown a complete collection of Asters to ascertain the merits of
In our Experimental Grounds we have grown a complete collection of Asters to ascertain the merits of recent introductions, and have rejected the "Humboldt," the "Shakespeare," the "Bismarck," the Improved
Rose, the "Schiller," and the "Grace" Asters, as having no distinctive value, and of less merit than those
offered in our list.
For large beds, the Pæony Perfection Hamburgh Prize, the Victoria, the Cockade, and the Hedgehog, are
the most desirable. For medium-sized beds, ribbons, etc., the Dwarf Chrysanthemum, the Dwarf Victoria, the
Rouguet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum.
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first swings under glass, the later sowings may be made where the blants are intended to flower.
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—"Aster crop generally good.
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent growth may be expected from the harvest of 1878. The two calamitous
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent growth may be expected from the harvest of 1878. The two calamitous seasons of 1876 and 1877 were exceedingly destructive to the Aster crop."
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. From our Continuental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent growth may be expected from the harvest of 1878. The two calamitous seasons of 1876 and 1877 were exceedingly destructive to the Aster crop." Pæony Perioction Hamburgh Prize Aster, height 1½ ft. This is the highest type of the Peony Section as recognized by the Royal Horticultural Society. The habit
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent growth may be expected from the harvest of 1878. The two calamitous seasons of 1876 and 1877 were exceedingly destructive to the Aster crop." Pæony Periection Hamburgh Prize Aster, height 1½ ft. This is the highest type of the Pæony Section as recognized by the Royal Horticultural Society. The habit of the plant is excellent: the flowers are remarkable for their fine quality and perfect form, their large size, and
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent growth may be expected from the harvest of 1878. The two calamitous seasons of 1876 and 1877 were exceedingly destructive to the Aster crop." Promy Periection Hamburgh Prize Aster, height 1½ ft. This is the highest type of the Promy Section as recognized by the Royal Horticultural Society. The habit of the plant is excellent: the flowers are remarkable for their fine quality and perfect form, their large size, and rich pure colours. For exhibition purposes these are indispensable, being the finest of the incurved globular
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent growth may be expected from the harvest of 1878. The two calamitous seasons of 1876 and 1877 were exceedingly destructive to the Aster crop." Promy Periection Hamburgh Prize Aster, height 1½ ft. This is the highest type of the Promy Section as recognized by the Royal Horticultural Society. The habit of the plant is excellent: the flowers are remarkable for their fine quality and perfect form, their large size, and rich pure colours. For exhibition purposes these are indispensable, being the finest of the incurved globular flowered Asters, and were awarded the Prize at the Hamburgh Exhibition, where there was the keenest possible
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent growth may be expected from the harvest of 1878. The two calamitous seasons of 1876 and 1877 were exceedingly destructive to the Aster crop." Pæony Periection Hamburgh Prize Aster, height 1½ ft. This is the highest type of the Pæony Section as recognized by the Royal Horticultural Society. The habit of the plant is excellent: the flowers are remarkable for their fine quality and perfect form, their large size, and rich pure colours. For exhibition purposes these are indispensable, being the finest of the incurved globular flowered Asters, and were awarded the Prize at the Hamburgh Exhibition, where there was the keenest possible competition by the most celebrated growers. s. d.
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent growth may be expected from the harvest of 1878. The two calamitous seasons of 1876 and 1877 were exceedingly destructive to the Aster crop." Pæony Perioetion Hamburgh Prize Aster, height 1½ ft. This is the highest type of the Pæony Section as recognized by the Royal Horticultural Society. The habit of the plant is excellent: the flowers are remarkable for their fine quality and perfect form, their large size, and rich pure colours. For exhibition purposes these are indispensable, being the finest of the incurved globular flowered Asters, and were awarded the Prize at the Hamburgh Exhibition, where there was the keenest possible competition by the most celebrated growers. 8. d. 5. d. 36 362 Splendid crimson, sufficient for a large bed.
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent growth may be expected from the harvest of 1878. The two calamitous seasons of 1876 and 1877 were exceedingly destructive to the Aster crop." Pæony Periection Hamburgh Prize Aster, height 1½ ft. This is the highest type of the Pæony Section as recognized by the Royal Horticultural Society. The habit of the plant is excellent: the flowers are remarkable for their fine quality and perfect form, their large size, and rich pure colours. For exhibition purposes these are indispensable, being the finest of the incurved globular flowered Asters, and were awarded the Prize at the Hamburgh Exhibition, where there was the keenest possible competition by the most celebrated growers. 5. d. 588 16 Splendid varieties
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent growth may be expected from the harvest of 1878. The two calamitous seasons of 1876 and 1877 were exceedingly destructive to the Aster crop." Pwony Perfection Hamburgh Prize Aster, height 1½ ft. This is the highest type of the Paony Section as recognized by the Royal Horticultural Society. The habit of the plant is excellent: the flowers are remarkable for their fine quality and perfect form, their large size, and rich pure colours. For exhibition purposes these are indispensable, being the finest of the incurved globular flowered Asters, and were awarded the Prize at the Hamburgh Exhibition, where there was the keenest possible competition by the most celebrated growers. 3 6 362 Splendid crimson, sufficient for a large bed. 2 6 360 Splendid mixed, sufficient for a large bed. 2 6 360 Splendid mixed, sufficient for a large bed. 2 6 360 Splendid mixed, sufficient for a large bed. 2 6 360 Splendid mixed, sufficient for a large bed.
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent growth may be expected from the harvest of 1878. The two calamitous seasons of 1876 and 1877 were exceedingly destructive to the Aster crop." Pwony Perfection Hamburgh Prize Aster, height 1½ ft. This is the highest type of the Paony Section as recognized by the Royal Horticultural Society. The habit of the plant is excellent: the flowers are remarkable for their fine quality and perfect form, their large size, and rich pure colours. For exhibition purposes these are indispensable, being the finest of the incurved globular flowered Asters, and were awarded the Prize at the Hamburgh Exhibition, where there was the keenest possible competition by the most celebrated growers. 3 6 362 Splendid crimson, sufficient for a large bed. 2 6 360 Splendid mixed, sufficient for a large bed. 2 6 360 Splendid mixed, sufficient for a large bed. 2 6 360 Splendid mixed, sufficient for a large bed. 2 6 360 Splendid mixed, sufficient for a large bed.
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent growth may be expected from the harvest of 1878. The two calamitous seasons of 1876 and 1877 were exceedingly destructive to the Aster crop." Pwony Perfection Hamburgh Prize Aster, height 1½ ft. This is the highest type of the Paony Section as recognized by the Royal Horticultural Society. The habit of the plant is excellent: the flowers are remarkable for their fine quality and perfect form, their large size, and rich pure colours. For exhibition purposes these are indispensable, being the finest of the incurved globular flowered Asters, and were awarded the Prize at the Hamburgh Exhibition, where there was the keenest possible competition by the most celebrated growers. 3 6 362 Splendid crimson, sufficient for a large bed. 2 6 363 ., purple ,
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent growth may be expected from the harvest of 1878. The two calamitous seasons of 1876 and 1877 were exceedingly destructive to the Aster crop." Pæony Periection Hamburgh Prize Aster, height 1½ ft. This is the highest type of the Pæony Section as recognized by the Royal Horticultural Society. The habit of the plant is excellent: the flowers are remarkable for their fine quality and perfect form, their large size, and rich pure colours. For exhibition purposes these are indispensable, being the finest of the incurved globular flowered Asters, and were awarded the Prize at the Hamburgh Exhibition, where there was the keenest possible competition by the most celebrated growers. 3 6 362 Splendid crimson, sufficient for a large bed. 2 6 365 , mixed, from the four colours 2 6 360 Splendid nixed, sufficient for a large bed. 2 6 365 , mixed, from the four colours 2 6 361 , mixed, from the four colours 2 6 361 , mixed, from the four colours 2 6 362 11 is impossible to speak too highly of this magnificently imbricated Aster, flowers large and distinguished by
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent growth may be expected from the harvest of 1878. The two calamitous seasons of 1876 and 1877 were exceedingly destructive to the Aster crop." Pæony Perioetion Hamburgh Prize Aster, height 1½ ft. This is the highest type of the Pæony Section as recognized by the Royal Horticultural Society. The habit of the plant is excellent: the flowers are remarkable for their fine quality and perfect form, their large size, and rich pure colours. For exhibition purposes these are indispensable, being the finest of the incurved globular flowered Asters, and were awarded the Prize at the Hamburgh Exhibition, where there was the keenest possible competition by the most celebrated growers. 3 6 362 Splendid crimson, sufficient for a large bed. 2 6 363 1, purple 3 6 364 purple 3 6 365 purple 3 6 365 purple 3 6 367 purple 3 6 367 purple 3 6 368 purple 3 6 369
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent growth may be expected from the harvest of 1878. The two calamitous seasons of 1876 and 1877 were exceedingly destructive to the Aster crop." Pæony Perfection Hamburgh Prize Aster, height 1½ ft. This is the highest type of the Pæony Section as recognized by the Royal Horticultural Society. The habit of the plant is excellent: the flowers are remarkable for their fine quity and prifet form, their large size, and rich pure colours. For exhibition purposes these are indispensable, being the finest of the incurved globular flowered Asters, and were awarded the Prize at the Hamburgh Exhibition, where there was the keenest possible competition by the most celebrated growers. 3 6 362 Splendid crimson, sufficient for a large bed. 2 6 364 , pure rose ,
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent growth may be expected from the harvest of 1878. The two calamitous seasous of 1876 and 1877 were exceedingly destructive to the Aster crop." Pæony Perfection Hamburgh Prize Aster, height 1½ ft. This is the highest type of the Pæony Section as recognized by the Royal Horticultural Society. The habit of the plant is excellent: the flowers are remarkable for their fine quality and perfect form, their large size, and rich pure colours. For exhibition purposes these are indispensable, being the finest of the incurved globular flowered Asters, and were awarded the Prize at the Hamburgh Exhibition, where there was the keenest possible competition by the most celebrated growers. 3 6 362 Splendid crimson, sufficient for a large bed. 2 6 364 , pure rose ,
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent growth have be expected from the harvest of 1878. The two calamitous seasons of 1876 and 1877 were exceedingly destructive to the Aster crop." Pæony Periection Hamburgh Prize Aster, height 1½ ft. This is the highest type of the Pæony Section as recognized by the Royal Horticultural Society. The habit of the plant is excellent: the flowers are remarkable for their fine quality and perfect form, their large size, and rich pure colours. For exhibition purposes these are indispensable, being the finest of the incurved globular flowered Asters, and were awarded the Prize at the Hamburgh Exhibition, where there was the keenest possible competition by the most celebrated growers. 3 6 362 Splendid crimson, sufficient for a large bed. 2 6 363 ", purple ", "
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent growth may be expected from the harvest of 1878. The two calamitous seasons of 1876 and 1877 were exceedingly destructive to the Aster crop." Promy Perioction Hamburgh Prize Aster, height 1½ ft. This is the highest type of the Peony Section as recognized by the Royal Horticultural Society. The habit of the plant is excellent: the flowers are remarkable for their fine quality and perfect form, their large size, and rich pure colours. For exhibition purposes these are indispensable, being the finest of the incurved globular flowered Asters, and were awayeded the Prize at the Hamburgh Exhibition, where there was the keenest possible competition by the most celebrated growers. 3. d. 363 (362 Splendid crimson, sufficient for a large bed. 2 6 (363 " purple " " " 2 6 (365 " mixed, from the four colours 2 6 (366 " purple " " " 2 6 (367 " purple " " " " 2 6 (367 " purple " " " " 2 6 (367 " purple " " " " 2 6 (367 " purple " " " " " 2 6 (367 " purple " " " " " 2 6 (367 " purple " " " " " 2 6 (367 " purple " " " " " " 2 6 (368 Splendid mixed, sufficient for a large bed 2 6 (368 Splendid mixed, sufficient for a large bed
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent growth hay be expected from the harvest of 1878. The two calamitous seasons of 1876 and 1877 were exceedingly destructive to the Aster crop." Pæony Periection Hamburgh Prize Aster, height 1½ ft. This is the highest type of the Pæony Section as recognized by the Royal Horticultural Society. The habit of the plant is excellent: the flowers are remarkable for their fine quality and perfect form, their large size, and rich pure colours. For exhibition purposes these are indispensable, being the finest of the incurved globular flowered Asters, and were awarded the Prize at the Hamburgh Exhibition, where there was the keenest possible competition by the most celebrated growers. 3 6 362 Splendid varieties
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent growth hay be expected from the harvest of 1878. The two calamitous seasons of 1876 and 1877 were exceedingly destructive to the Aster crop." Pæony Periection Hamburgh Prize Aster, height 1½ ft. This is the highest type of the Pæony Section as recognized by the Royal Horticultural Society. The habit of the plant is excellent: the flowers are remarkable for their fine quality and perfect form, their large size, and rich pure colours. For exhibition purposes these are indispensable, being the finest of the incurved globular flowered Asters, and were awarded the Prize at the Hamburgh Exhibition, where there was the keenest possible competition by the most celebrated growers. 3 6 362 Splendid varieties
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened welt; an excellent growth may be expected from the harvest of 1878. The two calamitous seasons of 1876 and 1877 were exceedingly destructive to the Aster crop." Pæony Periection Hamburgh Prize Aster, height 1½ ft. This is the highest type of the Pæony Section as recognized by the Royal Horticultural Society. The habit of the plant is excellent: the flowers are remarkable for their fine quality and perfect form, their large size, and rich pure colours. For exhibition purposes these are indispensable, being the finest of the incurved globular flowered Asters, and were awarded the Prize at the Hamburgh Exhibition, where there was the keenest possible competition by the most celebrated growers. 3. d. 36 362 Splendid crimson, sufficient for a large bed. 2 6 363 pie 6, , smaller packets. 2 0 363 , purple,
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent growth may be expected from the harvest of 1878. The two calamitous seasons of 1876 and 1877 were exceedingly destructive to the Aster crop." Promy Pericetion Hamburgh Prize Aster, height 1½ ft. This is the highest type of the Paony Section as recognized by the Royal Horticultural Society. The habit of the plant is excellent: the flowers are remarkable for their fine quality and perfect form, their large size, and rich pure colours. For exhibition purposes these are indispensable, being the finest of the incurved globular flowered Asters, and were awarded the Prize at the Hamburgh Exhibition, where there was the keenest possible competition by the most celebrated growers. 3 6 362 Splendid crimson, sufficient for a large bed. 2 6 363 in purple in 2 6 364 pure rose in 363 purple in 2 6 365 mixed, from the four colours 2 6 365 mixed, from the four colours 2 6 366 purple in 366 purple, sufficient for a large bed. 2 6 367 12 mixed and regular overlapping of the petals, giving to the flower a character distinctive from the Peony Aster; growth that of an elegant pyramid, with from 10 to 20 flowers on a plant; indispensable for exhibition. New Imbrique Pompon Aster, height 1½ ft. The flowers are small, elegant, and perfect in form; to cut for b
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent growth may be expected from the harvest of 1878. The two calamitous seasous of 1876 and 1877 were exceedingly destructive to the Aster crop." Promy Perfection Hamburgh Prize Aster, height 1½ ft. This is the highest type of the Paony Section as recognized by the Royal Horticultural Society. The habit of the plant is excellent: the flowers are remarkable for their fine quality and perfect form, their large size, and rich pure colours. For exhibition purposes these are indispensable, being the finest of the incurved globular flowered Asters, and were awarded the Prize at the Hamburgh Exhibition, where there was the keenest possible competition by the most celebrated growers. 3 6 362 Splendid crimson, sufficient for a large bed. 2 6 365 purple
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent growth may be expected from the harvest of 1878. The two calamitous seasons of 1876 and 1877 were exceedingly destructive to the Aster crop." Pæony Periection Hamburgh Prize Aster, height 13 ft. This is the highest type of the Pæony Section as recognized by the Royal Horticultural Society. The habit of the plant is excellent: the flowers are remarkable for their fine quality and perfect form, their large size, and rich pure colours. For exhibition purposes these are indispensable, being the finest of the incurved globular flowered Asters, and were awarded the Prize at the Hamburgh Exhibition, where there was the keenest possible competition by the most celebrated growers. 3 6 362 Splendid crimson, sufficient for a large bed. 3 6 362 Splendid mixed, sufficient for a large bed. 2 6 363 p. mixed, from the four colours. 2 6 360 Splendid mixed, sufficient for a large bed. 3 6 364 pure rose New Victoria large-flowered Aster, height 13 ft. 1 is impossible to speak too highly of this magnificently imbricated Aster, flowers large and distinguished by the elegant and regular overlapping of the petals, giving to the flower a character distinctive from the Pæony Aster; growth that of an elegant prannid, with from 10 to 20 flowers on a plant; ind
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent growth may be expected from the harvest of 1878. The two calamitous seasous of 1876 and 1877 were exceedingly destructive to the Aster crop." Pæony Perfection Hamburgh Prize Aster, height 13 ft. This is the highest type of the Peony Section as recognized by the Royal Horticultural Society. The habit of the plant is excellent: the flowers are remarkable for their fine quality and perfect form, their large size, and rich pure colours. For exhibition purposes these are indispensable, being the finest of the incurved globular flowered Asters, and were awarded the Prize at the Hamburgh Exhibition, where there was the keenest possible competition by the most celebrated growers. 3 6 362 Splendid varieties 3 6 363 Splendid mixed, sufficient for a large bed 2 6 364 purple 3 6 363 purple 3 6 363 purple 3 6 364 purple 3 6 365 pendid mixed, sufficient for a large bed 2 6 367 12 3 maller packets 2 0 368 Splendid mixed, sufficient for a large bed 2 6 370 purple, sufficient for a large bed 2 6 371 mixed, from the four colours 3 6 369 Splendid purple, sufficient for a large bed 2 6 372 y smaller packets 3 6 375 Splendid varieties 3 6 376 purple, sufficient for a large bed 2 6 377 12 3 589 Splendid mixed, sufficient for a large bed 2 6 37
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—" Aster crop generally good. Seeds have ripened well; an excellent growth may be expected from the harvest of 1878. The two catamitous seasons of 1876 and 1877 were exceedingly destructive to the Aster crop." Paeony Periection Hamburgh Prize Aster, height 14 ft. This is the highest type of the Paony Section as recognized by the Royal Horticultural Society. The habit of the plant is excellent: the flowers are remarkable for their fine quality and perfect form, their large size, and rich pure colours. For exhibition purposes these are indispensable, being the finest of the incurved globular flowered Asters, and were awarded the Prize at the Hamburgh Exhibition, where there was the keenest possible competition by the most celebrated growers. s. d. 368 16 Splendid varieties
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent growth may be expected from the harvest of 1878. The two calamitous seasons of 1876 and 1877 were exceedingly destructive to the Aster crop." Pæony Perfection Hamburgh Prize Aster, height 1½ ft. This is the highest type of the Paony Section as recognized by the Royal Horticultural Society. The habit of the plant is excellent: the flowers are remarkable for their fine quality and perfect form, their large size, and rich pure colours. For exhibition purposes these are indispensable, being the finest of the incurved globular flowered Asters, and were awarded the Prize at the Hamburgh Exhibition, where there was the keenst possible competition by the most celebrated growers. 5. d. 388 16 Splendid varieties. 5. d. 360 Splendid mixed, sufficient for a large bed. 26 365 16, smaller packets. 20 363, purple 360 Splendid mixed, sufficient for halve perfect in form in to 20 flowers on a plant; indispensable for exhibition. 180 New Victoria large-flowered Aster, height 1½ ft. 181 is impossible to speak too highly of this magnificently imbrinated Aster, flowers large and distinguished by the elegant and regular overlapping of the petals, giving to the flower a character distinctive from the Peony Aster; growth that of an elegant pyramid, with from to to 20 flowers on a plant
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent growth may be expected from the harvest of 1878. The two calamitous seasons of 1876 and 1877 were exceedingly destructive to the Aster crop." Pæony Perfection Hamburgh Prize Aster, height 1½ ft. This is the highest type of the Pæony Section as recognized by the Royal Horticultural Society. The habit of the plant is excellent: the flowers are remarkable for their fine quality and perfect form, their large size, and rich pure colours. For exhibition purposes these are indispensable, being the finest of the incurved globular flowered Asters, and were awarded the Prize at the Hamburgh Exhibition, where there was the keenest possible competition by the most celebrated growers. 3 6 362 Splendid varieties where the part of the incurved globular flowered Aster, flowers are small, elegant packets 2 0 363 purple 1, 2 6 365 mixed, from the four colours 2 6 366 pure rose 1, 2 6 366 mixed, sufficient for a large bed 2 6 367 12 mixed, from the four colours 2 6 367 12 mixed from the four colours 2 6 367 12 mixed from the four colours 2 6 367 12 mixed from the four colours 2 6 367 2 mixed from the four colours 2 6 368 Splendid varieties 2 6 367 3 mixed from the four colours 2
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent growth may be expected from the harvest of 1878. The two calamitous seasons of 1876 and 1877 were exceedingly destructive to the Aster crop." Peomy Pertection Hamburgh Prize Aster, height 1½ ft. This is the highest type of the Paony Section as recognized by the Royal Horticultural Society. The habit of the plant is excellent: the flowers are remarkable for their fine quality and perfect form, their large size, and rich pure colours. For exhibition purposes these are indispensable, being the finest of the incurved globular flowered Asters, and were awarded the Prize at the Hamburgh Exhibition, where there was the keenest possible competition by the most celebrated growers. 4. d. 388 16 Splendid varieties 36 362 Splendid crimson, sufficient for a large bed. 2 6 364 pure rose 1 2 6 365 mixed, from the four colours 2 6 365 mixed, from the four colours 2 6 366 mixed, from the four colours 2 6 367 mixed, from the four colours 2 6 367 mixed, from the four colours 2 6 368 Splendid nixed, sufficient for a large bed 2 6 369 Splendid varieties 3 6 369 Splendid purple, sufficient for a large bed 2 6 371 mixed, sufficient for a large bed 2 6 371 mixed, sufficient for
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, Oearnel their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, polled, and used for conservatory decoration. For a continuous succession of bloom, seed should be soon at intervals from the beginning of March to the end of May; the first sowings under glass. The later sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent growth may be expected from the harvest of 1878. The two calamitous seasons of 1876 and 1877 were exceedingly destructive to the Aster crop;" Prom our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent growth may be expected from the harvest of 1878. The two calamitous seasons of 1876 and 1877 were exceedingly destructive to the Aster crop;" Prom our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent seasons period to the Aster crop." Prom our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent seasons of 1876 and 1877 were exceedingly destructive to the Aster crop." Prom our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened and the Harver of the Promp Seeds of the following communication:—"Aster crop; 1878. The two calamitous seasons of 1876 and 1877 vere exceedingly as excellent in the following communication.—"Aster crop; 1878. This is the highest type of the Promp Seeding and 1879 very feet of the following continuents of the following co
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent growth may be expected from the harvest of 1878. The two calamitous seasons of 1876 and 1877 were exceedingly destructive to the Aster crop." Peomy Perfection Hamburgh Prize Aster, height 1½ ft. This is the highest type of the Paony Section as recognized by the Royal Horticultural Society. The habit of the plant is excellent: the flowers are remarkable for their fine quality and perfect form, their large size, and rich pure colours. For exhibition purposes these are indispensable, being the finest of the incurved globular flowered Asters, and were awarded the Prize at the Hamburgh Exhibition, where there was the keenest possible competition by the most celebrated growers. 4. d. 58 16 Splendid varieties
Bouquet Eleganissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Eleganissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, potted, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—" Aster crop generally good. Seeds have ripened well; an excellent growth may be expected from the harvest of 1878. The two calamitous seasons of 1876 and 1877 were exceedingly destructive to the Aster crop." Prom our Continental Grower exceedingly destructive to the Aster crop." Prom our Continental Grower exceedingly destructive to the Aster crop." Prom our Continental Grower exceedingly destructive to the Aster crop." Prom our Continental Grower exceedingly destructive to the Aster crop." Prom our Continental Grower exceedingly destructive to the Aster crop." Prom our Continental Grower exceedingly destructive to the Aster crop." Prom our Continental Grower exceedingly destructive to the Aster crop." Prom our Continental Grower exceedingly destructive to the Aster crop." This is the highest type of the Promy Section as recognized by the Royal Horticultural Society. The habit of the plant is excellent; and the plant is excellent. This is the highest type of the Promy Section as recognized by the Royal Horticultural Society. The habit of the plant is excellent as excellent as excellent as excellent as excellent. Aster Splendid varieties and a section as excellent as exc
Bouquet Elegantissima, and the German Emperor are the finest, being compact, and of even growth, bearing their flowers conspicuously above the foliage. To cut for bouquets, the Imbrique Pompon, and the Dwarf Bouquet Elegantissima, are most exquisite, the flowers ranging from the size of a Daisy to that of a Pompon Chrysanthemum. The Aster, when in bloom, is by many lifted, polled, and used for conservatory decoration. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May; the first sowings under glass, the later sowings may be made where the plants are intended to flower. From our Continental Grower we have received the following communication:—"Aster crop generally good. Seeds have ripened well; an excellent growth may be expected from the harvest of 1878. The two calamitous seasons of 1876 and 1877 were exceedingly destructive to the Aster crop." Pamp Perrection Emmburgh Prize Aster, neight 1½ ft. This is the highest type of the Pamy Section as recognized by the Royal Horticultural Society. The habit of the plant is excellent: the flowers are remarkable for their fine quality and perfect from, their large size, and rich pure colours. For exhibition purposes these are indispensable, being the finest of the incurved globular flowered Asters, and were awarded the Prize at the Hamburgh Exhibition, where there was the keenest possible competition by the most celebrated growers. 4. d. 358 16 Splendid varieties 3 6 362 Splendid crimson, sufficient for a large bed. 2 6 363 purple 363 purple 364 purp cross 365 mixed, from the four colours 365 365 mixed, from the four colours 366 366 purple, sufficient for a large bed 367 2 6 367 purple 368 Splendid warieties 369 370 crimson 360 389 splendid varieties 371 mixed, sufficient for a large bed 372 2 6 371 mixed, sufficient for a large bed 373 2 mixed, sufficient for a large bed 374 2 mixed, sufficient for a large bed 375 2 mixed, sufficie

New Dwarf Chrysanthemum-flowered Aster, height 10 in. This fine Aster grows to the uniform height of to inches. Its large flowers are produced so profusely as entirely to hide the foliage; it is the lotest flowering Aster, and is involuable for carrying the succession of flowers B. Q. to the end of the seoson. Dwarf Bouquet Elegantissima Aster, height 1/2 ft. DOUBLE GERMAN WALLFLOWERS. EVERLASTING FLOWERS FOR CHURCH DECORATION. Fine border plants, also much esteemed for pot culture. The dried flowers are much sought after, to form devices for church decoration. The flowers are equally valuable, fresh or dried, for table bouquets and filling vases.

428 15 Splendid varieties of Everlasting flowers, 3s. 6d.; to ditto, 2s. 6d.; 6ditto, 1s. 6d.

429 Helichrysum compositum maximum, the large-flowered Everlasting, in mixed colours, ...large packet 1 o namun, the dwarf large flowered Everlasting
431 Acroclinium, white and rose, mixed, a charming Everlasting for bouquets...... 431 Acroclinium, white and rose, maxea, a charming leverhanding for bouquets

432 Rhodanthe, the most beautiful of Everlastings for bouquets Y 0 r 0 433 Waitzia, a most beautiful Everlasting for bouquets 434 Xcranthemum, a valuable Everlasting for bouquets ZINNIA ELEGANS. These are splendid summer and autumn-flowering plants, combining with richness and diversity of colour duration and profusion of bloom. The varieties of DOUBLE ZINNIA are remarkable for the large size, symmetry, and beauty of their flowers. The PUMILA or dwarf double varieties, are equally beautiful, and well adapted for flower beds and for pot culture. 435 10 Splendid double varietics:..... 3 6 | 440 Mixed double varieties, for a large bed 1s. & 441 Mixed double Darwinli varieties ,, 15. & 2 6 15. & 2 Pumila ,, single varieties 31 ANTIRRHINUM MAJUS OR SNAPDRAGON. Elegant and showy summer and antumn-blowning plants. The Tom Thumb varieties are dwarf, bushy, and profuse-flowering, valuable for h wer beds and edgings. Sown in March or April, for summer flowering, and in July to flower the following year. 445 12 newest and best varieties ... 446 12 ,, BALSAMS. Magnificent plants for conservatory or ont-door decoration, producing gorgeous masses of flowers of the most brilliant and beautiful self-colours, spotted, blotched, and striped in the most striking manner. Large-flowered Improved English Double Balsams, very choice. COCKSCOMBS.

12, King Street, Covent Garden, 1879.] 9
IPOMŒA, OR THE INDIAN MORNING GLORY.
This climber is of rapid growth, with rich dazzling colours, and large haudsome flowers, and is unrivalled for the adornment of the conservatory, stove, and flower-garden.
461 12 Splendid half-hardy varieties
CONVOLVULUS MAJOR, OR THE AMERICAN MORNING GLORY.
Whether covering a trellis, a verandah, or rambling amongst the branches of shrubs, or festooning the hedgerows, alone, or with other climbers, such as Troppeolum Canariense (Canary Creeper), Clematis, etc., the beauty of Convolvulus Major is conspicuous, and the effect of its fresh rich pleasing colours is most charming. In floral walks, pyramids of twiggy faggots, covered with Convolvulus, Sweet Peas, and Canary Creeper intermungled, give a fine effect. 465 12 Splendid varieties. 2 6 466 Splendid mixed
LARKSPURS.
These are universal favourites, and of considerable value in the flower garden. The dwarf varieties are very effective in beds and ribbons; the taller growing kinds are exceedingly decorative in mixed hower and shrubbery borders, and to cut for bouquets and vases they are invaluable. On light soils, where plants get burnt up in summer, we recommend that seed be sown in autumn; so treated they will bloom throughout the following summer in spite of the severest drought, and out flowers may be gathered freely from them the whole of the season.
New Dwarf Stock-flowered Rocket Larkspur, height 1 ft.
The finest type of the dwarf Rocket Larkspur, when well cultivated, producing large handsome flower spikes. 467 to Splendid varieties
A new distinct race of dwarf branching Larkspurs, very floriferous, and valuable for beds, ribbons, etc.
469 6 Splendid varieties
New Tall Stock-flowered Larkspur, height 21/2 ft.
In mixed flower borders these are attractive, and in shrubbery borders most valuable; also to cut for bouquets. 471 8 Splendid varieties
HOLLYHOCKS.
The Isollyhock, with its distinctive character and massive beauty, is unrivalled for a picturesque relief to the dark back-ground of evergreen shrubs. In large groups, for distant effect, it is matchless, and forms an effective outline in flower borders, and an admirable boundary line for extensive avenues in park scenery.
473 12 Beautiful varietics 3 6 475 6 Beautiful varieties 1 6 474 12 ,, ,, smaller packets 2 6 476 Splendid mixed 15 & 2 6
MARIGOLDS.
Elegant profuse-slowering summer and autumn annuals, suitable for the various styles of gardening. 477 12 Splendid varieties
PENTSTEMONS.
All the Pentstemons are exceedingly decorative, the taller kinds in mixed flower and shrubbery borders; the dwarf English hybrids with their large flowers, rich colours, and fine spikes of bloom, are admirably adapted for filling flower beds, for lines in the borders, and to cut for vases and bouquets; they bloom throughout the season. 479 8 Splendid varieties
PETUNIAS.
The Petunia in the flower garden is an effective plant, blooming profusely till late in autumn. When planted in large beds it should be trained over a frame-work of boughs; and in the flower borders, against twiggy faggots. But perhaps the plant is most telling in effect when trained against a rustic fence, on espatiers, or against a wall. In rustic baskets on the lawn, for rockwork, or elevated situations, where plants are required to droop over, as in the fissures of rock formations, this plant is invaluable.
481 12 Splendid varieties
PHLOX DRUMMONDII.
This is deservedly a popular plant. Its rich brilliant colours, and profuse blooming make it valuable for flower beds, borders, rockwork, fissures of rock formations, and rustic baskets.
485 15 Splendid varieties 4 6 487 8 Splendid varieties 2 6 486 12 , 3 6 488 Splendid mixed, sufficient for a large bed 2 6
DOUBLE PÆONY POPPY.
Highly ornamental for large flower or shrubbery borders, woodland walks, and wilderness decoration. 489 10 Splendid varieties 2 0 490 Splendid mixed, sufficient for a large bed I 0
PORTULACAS.
These are remarkable for the dazzling brilliancy of their flowers; the colours range from white to rich rose, the brightest crimson-purple, and golden yellow. The doubleness of the new varieties intensifies the brilliant effect. On mounds, raised flower beds, sunny situations, and on gravelly soils, few plants are more effective.
491 12 Splendid varieties 3 6 494 6 Splendid new double varieties 3 6 492 12 , smaller packets 2 0 495 6 , , , smaller packets 2 0 493 Splendid mixed, sufficient for a large bed 1 0 496 Splendid mixed, double varieties 2 6
TROPÆOLUMS.

COLLECTIONS OF CHOICE CARNATION AND PICOTEE SEEDS.

Saved in the following classes by "Our Sardinian Correspondent," From one of the finest collections in Europe, yielding a large percentage of double flowere.

Carnations and Picotees are prized for their delicious fragrance and exquisite beauty. As cut flowers, they are indispensable for furnishing flower-baskets and drawing-room bouquets, and for this purpose a reserve piece of ground should be devoted to their cultivation. Socillings flower more profusely than propagated plants, therefore we recommend the following collections saved from the classes noted. No reliance, however, can be placed when the testing collections that the placed when the testing collections is a placed. upon the specific colours being reproduced.

CARNATIONS, SECTION I.

This section consists of Four Collections, each forming a distinct feature.

Coll. A.—SELFS.—One-coloured.—12 euperb varieties of 10 eeede each, 3/6.

500

501

The flowers are either striped or flaked with a distinct and brilliant colours.

Coll. B.—FLAKES.—Two-coloured.—12 superb varieties of 10 seeds each, 3/6.

The flowers are either striped or flaked with a distinct and brilliant colour.

Coll. C.—BIZARRES.—Three-coloured.—12 superb varieties of 10 seeds each, 3/6.

The flowers are either striped or flaked with two distinct and brilliant colours.

Coll. D.—FANCY.—Parti-coloured.—12 superb varieties of 10 seeds each, 3/6.

The flowers are either shaded, spotted, or mottled, with rich and peculiar hues.

YELLOW CARNATIONS, SECTION 11.

This Section comprises Three Collections which on account of the colour of the flowers, are universally admired.

503 Coll. E .- YELLOW FLAKES .- Two coloured -- 12 superb varieties of 10 seeds each, 4/6.

The flowers are either yellow or orange, striped or flaked with a distinct colour, as purple, scarlel, etc.

Coll. F.—YELLOW BIZARRES AND SELFS.—12 superb varieties of 10 seeds each, 4/6.

The flowers of the Bizarres are either yellow or orange, striped with two distinct colours.

Coll. G.—YELLOW FANCY.—Parti-coloured.—12 superb varieties of 10 seeds each, 4/6. Yellow, exquisitely variegated with every tint of the rainbow.

PERPETUAL OR TREE CARNATIONS, SECTION III.

This Section, consisting of Four Collections, is much sought after for conservatory decoration. The plants can easily be had in bloom, under glass, from November till May.

-SELFS.—One-coloured.—12 fine varieties of 10 seeds each, 3/6

507

Coll L-FLAKES.—Two-coloured.—12 fine varieties of 10 seeds each, 3/6.
Coll J.—BIZARRES.—Three coloured.—12 fins varieties of 10 seeds each, 3/6. 508 Coll. K .- FANCY .- Parti-coloured -12 fine varieties of 10 seeds each, 3/6.

PICOTEES, SECTION IV.

The Picotee is distinguished from the Carnation by the flowers being elegantly margined or fringed with scarlet, purple, rose, carmine, crimson, vermilion, etc. This Section includes Three Collections.

Coll. L.—WHITE GROUND, VARIOUSLY MARGINED.—Contains 12 superb varieties of 10 seedeeach, 3/6. Coll. M.—YELLOW GROUND, VARIOUSLY MARGINED.—Contains 12 superb varieties of 10 511

612 Coll. N.—PERPETUAL OR TREE; WHITE VARIOUSLY MARGINED.—Contains 12 fine varieties of 10 seeds each, 3/6.

PFLARGONIUM (GERANIUM) SEED.

Saved by our "SARDINIAN CORRESPONDENT" from the following classes, which include some of his newest varieties, and also the best English and French, carefully hybridized, to ensure the amateur against disappointment.

SEALED COLLECTIONS OF PELARGONIUM SEED.

513 Coll. O .- DIADEMATUM PELARGONIUM .- 12 splendid varieties, 10 sseds each, 5/6.

514 Coll. P.—FANCY PELARGONIUM.—12 splendid varieties, 10 seeds each, 4/6.
515 Coll. Q.—LARGE FLOWERED PELARGONIUM.—12 splendid varietiee, 10 seeds each, 5/6.
516 Coll. R.—SPOF ED PELARGONIUM.—12 splendid varieties, 10 seeds each, 5/6.
517 Coll. S.—ZONALE AND NOSEGAY PELARGONIUM.—12 splendid varieties, 10 seeds each, 3/6.
518 Coll. T.—FRENCH ZONALE PELARGONIUM.—12 splendid varieties, 10 seeds each, 3/6.

ORNAMENTAL GOURDS.

CUCUMIS AND CUCURBITA, Nat. Ord. Cucurbita'cea.

PICTURESQUE, CURIOUS, INTERESTING, AND BEAUTIFUL, ARE THE ORNAMENTAL GOURDS AND CUCUMBERS OF OUR INTERNATIONAL EXHIBITION FIRST PRIZE CONTINENTAL COLLECTION.

The fruits when ripe make the most splendid and interesting autumnal and winter hall ornaments.

LARGE, MEDIUM, AND MINIATURE-FRUITED GOURDS.

These, in addition to being highly ornamental, are in demand for cattle food, the seed being planted early in May where intended to grow.

		1	per pkt	5.	d.	. per pkt.—s.	d.
519	Mixed	large fruited varietics6d.,	15., &	2	6	521 Mixed miniature-fruited varieties 6d., 15., & 2	6
520		medium-fruited ,,6d.,	15., &	2	6	522 large, medium and miniature 15.& 2	6

523 Palmated-leaved Melon, an exceedingly handsome foliage plant for Sub-tropical gardening 0 6

ORNAMENTAL GRASSES,

For Winter Bouquets, Dinner-Table Decoration, Edgings, Ribbons, Centres of Eeds, Sub-tropical Gardens, Islands, Select Plantations, Shrubberies, the Sides of Rivulets, Ravines, Lakes, etc.

Some of the Grasses are singular-looking plants, others are graceful; some are neat and compact, others stately and majestic. Agrostis elegans, bedded out with Geraniums, or other flowering plants, imparts an exceedingly pleasing effect.

All the grasses are suitable for winter decoration; some are, however, better adapted for bouquets, etc., than

others, and therefore we recommend the collections as quoted for the purposes specified.

In establishments where there is much floral decoration, a piece of ground should be devoted as a GRASS GARDEN.

```
524 Collections suitable for Flower Borders, 30 varieties, 7/6; 20 ditto, 5/6; 15 ditto, 3/6; 10 ditto, 2/6.
525 , for Edgings, 10 varieties, 2/6; 6 ditto, 1/6.
526 , for Shrubberles, etc., 30 vaneties, 7/6; 20 ditto, 5/6; 15 ditto, 3/6; 10 ditto, 2/6.
527 , for Winter Bouquets, 30 varieties, 7/6; 20 ditto, 5/6; 15 ditto, 3/6; 10 ditto, 2/6.
528 , for Sub-tropical Gardens, 15 varieties, 4/6; 10 ditto, 3/6.
```

FIRST SECTION.—Most of those enumerated are useful for vases, and all are elegant in the flower border.

The price is 3d. per packet, except those marked *, which are 6d.:—

```
Agrostis. All graceful bouquet grasses.
dulcis, very elegant, 1 ft.
                                                                                                                                             Eragrostis, elegant for borders and bouquets.
cylindriflora, most graceful, 2 ft.
 529
                                                                                                                                 560
                                 elegans, exquisitely graceful, 1 ft. laxiflora, very graceful, 1 ft. nebulosa, the perfection of grace, 1½ ft. *Stevenil, graceful, 1 ft. verticillata, elegant, 1 ft.
 530
                                                                                                                                 561
                                                                                                                                                                        elegans (Love Grass), fine, 1 ft.
 531
                                                                                                                                                                  Dwarf, compact-growing grasses. pectinella, for bouquets & edgings, 1 ft.
                                                                                                                                             Festuca.
 532
                                                                                                                                562
                                                                                                                                         , pectinena, for conquets or cagings, given, rigida, elegant for bouquets, 1 ft.

, rigida, elegant for bouquets, 1 ft.

Grangea Maderaspatana, elegant & curious, 1 ft.

Hordeum jubatum, elegant for bouquets, 1 ft.

*lsolepis gracilis, elegant for jardinets, ft.

Lagurus ovatus, Hare's-tail, very elegant, 1 ft.

Lastagrostis splendens, beautiful, ft.

Lentochlea gracilis pretty, 11 ft.
 533
                                                                                                                                563
 534
                                                                                                                                564
 535
             Andropogon Ischæmum, stender growing, 1 ft.
                                                                                                                                565
 536
             Anthoxanthum gracile, elegant, & ft.
                                                                                                                                566
 537
             Avena sterilis, the Animated Oat, 23 ft.
                                                                                                                                 567
 538
             Brachypodium platystachyum, graceful, 2 ft.
                                                                                                                                568
            Briza. Charming varieties of Quaking Grass.

" compacta, very charming, 1 ft,
" major, large Quaking Grass, 1 ft.
" geniculata, spreading, 1 ft.
" gracilis, small Quaking Grass, 1 ft.
Brizopyrum Siculum, for edgings & bouquets, 3ft.
Bromus brizæformis, elegant Briza-like, 1 ft.

Bromus brizæformis, elegant Briza-like, 1 ft.
                                                                                                                                569
 539
                                                                                                                                            Leptochloa gracilis, pretty, 1½ ft.

Melica pennicilaria, graceful for bouquets, 1½ ft.

Panicum. Snitable for bouquets and borders.

capillare, most elegant, 2 ft.
                                                                                                                                570
 540
                                                                                                                                571
 541
 542
                                                                                                                                573
                                                                                                                                           ,, colonum, pretty, 1½ ft.
,, crus-galli, effective, 1½ ft.
Paspalum elegans, pretty for borders, 2 ft.
Pennisetum. All distinct and beautiful.
 543
                                                                                                                                574
 544
                                                                                                                                575
            macrostachys, fine border grass, 1½ ft.
Ceratochloa pendula, graceful, 1 ft.
Chloris. Singularly radiated, and very effective
in bouguets and borders.
 545
                                                                                                                                576
 546
                                                                                                                                577
                                                                                                                                                                        cenchroides, 1 ft.
                                                                                                                                578
                                                                                                                                                                         fimbriatum, 1 ft.
                                barbata, bearded, I ft.
547
                                                                                                                                579
                                                                                                                                                                        longistylum, 13 ft.
548
                                                                                                                                           Piptatherum Thomasii, a very graceful grass, ift. Setaria macrochæta, elegant, 1\frac{1}{2} ft.
                                cucullata, for edgings and bouquels, ½ ft. elegans, slender and elegant, ½ ft.
                                                                                                                                580
                99
549
                                                                                                                                581
                19
550
                                                                                                                                         *Spergula pilitera, for rock-work, \(\frac{1}{2}\) ft.

Stipa. Of all grasses S. pennata is the most elegant in flower borders and bouquets.
                                myriostacha.
                                                                                                                               582
                12
551
                                radiata, radiating, 1 ft.
           ", submutica, spreading.
", truncata, clegant for bouquets, 1\(\frac{1}{2}\) ft.
Chrysurus aureus, golden-spiked, \(\frac{1}{2}\) ft.
Coix lachryma, \(7\) bis tears, 1\(\frac{1}{2}\) ft.
Eleusine. All curiously horned, and effective in
552
553
                                                                                                                               583
                                                                                                                                                          *elegantissima, extremely elegant, 2 ft.
                                                                                                                                          ", intricata, very elegant, 2 ft.
", pennata (Feather-grass), 2 ft.
", tortilis, very pretty, 2 ft.
Tricholæna rosea, exceedingly pretty, 1 ft.
554
                                                                                                                               584
555
                                                                                                                               585
                                                                                                                               586
                                           bouquets and borders.
                                                                                                                               587
                                coracana, spreading, 1 ft.
556
                                                                                                                               588
                                                                                                                                                                       violacea, I ft.
                               Indica, spreading and graceful, 1 ft. oligostachya, three horns, 1 ft.
557
                                                                                                                                          Tripsacum dactyloides, prettv for edgings, $\frac{3}{4}$ ft. Uniola latifolia, very beautiful in bouquets, 3 ft.
                                                                                                                               589
558
                                                                                                                               590
          Elymus Caput-Medusæ, graceful & distinct, 1 ft.
```

SECOND SECTION.—The Grasses composing this section are well adapted for imparting variety in flower and shrubbery borders, and many of them, from their majestic growth, rank as first-class Sub-tropical plants.

The price is 6d. per packet, except those marked *, which are 1s.

```
Andropogon. Those enumerated are of large growth and fine Sub-tropical subjects.
                                                                                        604 *Gynerium argentium variegatum, foliage va-
                                                                                                                                riegated, 7 ft. violaceum.violet tinted,7ft.
591
                               argenteus, 5 ft.
                                                                                        605
592
                               bombycinus, silvery spikes, 6 ft.
                                                                                                                                mixed varieties, 7 ft.
                                                                                        606
      strictus, gracefut silky violet tinted plumes, 5 ft.

*Arundo conspicua, a gigantic grass, 8 ft.
Chloris myriostachys, silky plumes, 4 ft.
Chloropsis Blanchardiana, bottle-brush-like-
593
                                                                                        607
                                                                                                Panicum palmifolium, 3 ft.
                                                                                               ,, virgatum, 4 ft.
*Sorghum halepense, elegant, 5 ft.
                                                                                        608
594
                                                                                        609
                                                                                                Tripsacum monostachyum, drooping leaves and cylindrical spikes of inflorescence, 5 ft.
Zea (Maize or Indian Corn). Valuable sub-tropical
595
                                                                                        610
596
             flowers of a bright rose colour, 4 ft.
        Erianthus Ravennæ, a noble grass, 7 ft.
597
                                                                                                            plants, Japonica is prised for its beauti-
fully variegated foliage, Carogua for its
majestic growth, and Gracillima as a
miniature maize.
                         strictus, majestic, 7 ft.
violascens, violet tinted, 7 ft.
598
599
        Gymnothrix latifolia, very graceful, 3 ft.
600
        Gynerium argenteum (Pampas Grass), 7 ft.
601
                                                                                        611
                                                                                                        japonica sariegata, striped Maize, 3 ft.
602
                                         *kermesina, 7 ft.
                                                                                                       Caragua, Giant Maize, 10 ft. gracillima, Miniature Maize 2 ft.
                                                                                        612
                                                                                                  ,,
603
                                           roseum, rose tinted, 7 ft.
                                                                                        613
```

NEW DOUBLE-FLOWERED HARDY PYRETHRUMS.

The flowers of these beautiful May and June blooming plants range from the purest white to the intensest erimson, and are as perfect in ferm as the Aster. In September and October the plants again bloom freely. To cut for table bouquets the flower is all that could be desired.

6666666

96

FEW SPECIALITIES IN BULBS AND PLANTS.

HELLEBORUS, THE CHRISTMAS ROSE. The Christmas Rose and its allied species are pre-eminently the flowers of winter. Established masses are extremely decorative in the borders, and valuable for cut flowers. Niger minor gives pure white flowers from November; Niger maximus great rose-tinted blossoms from December. Niger, the "Rose of Christmas," begins flowering as the Advent culminates. Following these comes the Orientalis Group, the flower stems surmounted by attractive blossoms, ranging from pure white to intense crimson. See also Bulb Catalogue for 1878. 617 618 angustifolius, white 619

ORIENTALIS GROUP. 624 625 Viridis, green HARDY CYCLAMEN FOR LOCKWORK, Etc. 0 | 630 Purpurascens, dull purple 629 In our Experimental Grounds, under an old elm tree, for many years past we have had the Autumn, Winter, and Spring blooming Cyclamen flowering from August to April. Thus, out of doors—Europæum is in flower in July and August; Hederæfolium from August to November; Ibericum and its allies during December,

February, and March; Vernum and Repandum in April. 631 Hardy Cyclamen, Autumn, Winter, and Spring flowering, assorted varieties, per doz., 15s. and 21s. Atkinsi, white, crimson centre ... 1/6 to 2 6
,, carneum ... 1/6 to 2 6
,, roseum ... 1/6 to 2 6
,, roseum ... 1/6 to 2 6
Coum, bright red ... 1/6 to 2 6
, album ... 2 6 632 642 633 643 6341 from Corfu 635 from the Isle of Zonate . 646 636 Græcum 1/6 & macrophyllum, blush white 6 6 6 647 22 carneum..... 2 6 648 638 lbericum, purple 649 650 640 661

652 ,, album, pure white 641 CYCLAMEN PERSICUM IN FLOWER.

4/6 per doz. o

653 Large flowered Prize varieties; fine plants in bloom, 24s, 30s., 42s. per doz.; 2s. 6d. and 3s. 6d. each.
653½ Larger specimen plants for Exhibition, 5s. 6d., 7s. 6d., 10s. 6d., 12s. 6d., 15s., and 21s. each.
HEPATICAS FOR WINTER BLOOMING.

These prepared clumps of Hepaticas are exceedingly decorative in the borders, and beautiful if potted to flower under glass, as a companion plant to Lily of the valley. Single blue, plants ... per doz., 5/6 to 7/6 o 9 659 Single red, plantsper doz., 5/6 to 7/6 660 Single red, plantsper doz., 5/6 to 7/6 660 Single white, plants ... per doz., 5/6 to 7/6 661 Single white, plants ... per doz., 7s. 6d. Single white, plants ... per doz., 7s. 656 657 658

DOUBLE TUBEROSES, ITALIAN AND AMERICAN.

The flowers resemble the much-prized Stephanotis, but are more fragrant, and perfectly double.

The flowers resemble the much-prized stephanotis, but are more tragrant, and perfectly double.

CULTURAL TREATMENT.—The growers for Covent Garden pot singly in 5 or 6-inch pots, and plunge in bottom heat, withholding water till the foliage appears, then giving it freely, and grow on in a house with a high temperature and a moist atmosphere; till the flower buds are developed, the plants can then be removed to a cool house. Success in developing the flower spike depends upon a uniform moist temperature. The bulbs for early flowering should be potted and plunged in bottom heat as soon as procured, taking care that the temperature

flowering should be potted and plunged in bottom heat as soon as procured, taking care that the temperature of the house never falls below 60 deg. The successional plantings may be potted at once, and allowed to make root growth or the bulbs may be kept dry where the temperature does not fall below 50 deg.

664 Tuberose, double Italian, per doz., 35. 6d. 0 4 | 666 Tuberose, double American per doz., 55.6d. 0 6

665 , , , , extra strong, p. doz., 55. 6d. 0 6 | 667 , , , extra strong, p. doz., 75. 6d. 0 9

668 Tuberose, The Pearl, a new dwarf American variety, flowers superbly double, per doz. 75. 6d., each 0 9

TIGRIDIA, THE TIGER-SPOTTED FLOWER.

There is no flower more gorgeously coloured than the Tigridia. The petals are self-coloured and the petaloid stigmas and the cup of the flower superbly tiger-spotted, producing a remarkable contrast between the lower and the upper part of the flower. From American to November we had beds of T. grandiflora (Me.

the lower and the upper part of the flower. From August to November, we had beds of U. grandiflora (the finest of all) flowering from roots which had been collected in South America and planted in our experimental grounds in June. The flower of the Tigridia lasts one day, but from the same scape come a series of blossoms continually replacing each other, and maintaining a succession for a long time. Plant March, April, or May.

Canariensis, yellow, spotted scarlet, 1 ft. per doz., 3s. 6d. 0 4
Conchtsiora, yellow, spotted scarlet, 1 ft. per doz., 3s. 6d. 0 4
Grandisiora, rich scarlet, spotted crimson on a yellow ground, slowers very large
1 ft. per 1co, 21s., per doz., 3s. 6d. 0 4
Pavonia, scarlet and orange, 1 ft. per doz., 3s. 6d. 0 4
Speciosa, dark scarlet and orange, 1 ft. per doz., 3s. 6d. 0 4
VIOLETS, SWEET SCENTED. 670 671 672

674	Arborea (Tree Violet), double blue	0	6	685	Rubra simplex, red, single	0	1
675	,, double white	0	6	686	Russian, double blue	0	1
676	Belle de Chatney (new), large and very double	I	0	687	,, single blue	0	-
677	Blandyana, dark purple, striped white	0	6	688	" Superb, red violet	0	
678	Devoniensis, dark purple, large flowers	0	6	689	Striata obliqua, purple and white	0	
679	King of Violets, dark indigo-blue, double	0	.6	690	Suavis, pale lavender	0	
680	Marie Louise, lavender-blue, white centre	0	6	691	The Czar, dark purple, very large	0	
681	Neapolitan, lavender-blue, double	0	6	692	The White Czar, white, very large flowers	0	
682	Parmaensis plena, white, striped rose	0	6				
	Oncen of Violets rubits chaded bluck double				White single .	^	

Rubra plena, pale red, double o 6 695 One each of the foregoing collection 10 6

PAXTONIAN ASSORTMENTS OF FLOWER SEEDS.

SENT POST-PAID.

These collections consist of the varieties which are the most beautiful and effective, and best adapted for the purposes indicated. Amateurs who are unacquainted with the names of flowers, should order from the undermentioned selections, and they will be supplied with seeds best calculated to maintain throughout the summer and autumn months a rich and gay floral display.

(The best uncoloured illustrated work on popular plants is "The Atlas of Flowers." See p. 14.)

	HARDY ANNUALS.	
728	100 Packets of the most beautiful and 1733 100 Packets, including the best of recent	1-
729	effective varieties 21/0 introductions 50 Ditto ditto ditto 10/6 734 50 Ditto ditto ditto	
730 731	25 Ditto ditto ditto	
732	18 Ditto ditto ditto	7/6 5/6
	HALF-HARDY ANNUALS.	31 -
738 739	100 Pkts. of the most beautiful varieties 30/0 741 21 Pkts. of the most beautiful varieties	7/6
740	50 Ditto ditto ditto	4/6 3/6
	HARDY PERENNIALS.	0,
744	(The best work on Hardy Perennials is Robinson's "Hardy Flowers," price 5/.)	
745	100 Pkts, of the most beautiful varieties 30/0 746 · 21 Pkts. of the most beautiful varieties 50 Ditto ditto ditto 15/0 747 15 Ditto ditto ditto	5/6 3/6
	HALF-HARDY PERENNIALS.	J1 -
748	25 Pkts. of the most beautiful varieties 7/6 749 15 Pkts. of the most beautiful varieties	4/6
750	BEST ANNUALS AND PERENNIALS FOR ROCK-WORK. 30 Pkts, of the most beautiful varieties 7/6 752 15 Pkts, of the most beautiful varieties	3/6
751	21 Ditto ditto ditto	2/6
77.54	BEST ANNUALS FOR ROCK-WORK.	10
754 755	30 Pkts. of the most effective varieties 7/6 756 15 Pkts. of the most effective varieties 21 Ditto ditto ditto 5/6 757 10 Ditto ditto ditto	3/6
	BEST PERENNIALS FOR ROCK-WORK.	-,-
	he best work on Rock and Alpine plants is Robinson's "Alpine Flowers for English Gardens," price 12	
758 759	30 Packets of the most useful varieties 7/6 760 15 Packets of the most useful varieties 21 Ditto ditto ditto	3/6
	DWARF ANNUALS BEST ADAPTED FOR EDGINGS AND PANEL GARDENING.	2,0
762	30 Pkts. of the most beautiful varieties 7/6 764 15 Pkts. of the most beautiful varieties	3/6
763		2/6
766	SWEET-SCENTED ANNUALS. 12 Packets of the best	2/0
768	EVERLASTING FLOWERS FOR WINTER BOUQUETS AND CHURCH DECORATION. 15 Packets of the best sorts	2/6
	EVERLASTING FLOWERS FOR WINTER BOUQUETS AND CHURCH DECORATION. 15 Packets of the best sorts	2/6
768 770 771	EVERLASTING FLOWERS FOR WINTER BOUQUETS AND CHURCH DECORATION. 15 Packets of the best sorts	2/6
770	EVERLASTING FLOWERS FOR WINTER BOUQUETS AND CHURCH DECORATION. 15 Packets of the best sorts	2/6
770 771	EVERLASTING FLOWERS FOR WINTER BOUQUETS AND CHURCH DECORATION. 15 Packets of the best sorts	2/6 5/6 3/6
770 771	EVERLASTING FLOWERS FOR WINTER BOUQUETS AND CHURCH DECORATION. 15 Packets of the best sorts	2/6 5/6 3/6
770 771	EVERLASTING FLOWERS FOR WINTER BOUQUETS AND CHURCH DECORATION. 15 Packets of the best sorts	2/6 5/6 3/6
770 771 (774 775	EVERLASTING FLOWERS FOR WINTER BOUQUETS AND CHURCH DECORATION. 15 Packets of the best sorts	2/6 5/6 3/6 7/6 5/6
770 771 (774 775	EVERLASTING FLOWERS FOR WINTER BOUQUETS AND CHURCH DECORATION. 15 Packets of the best sorts	2/6 5/6 3/6 7/6 5/6
770 771 (774 775	EVERLASTING FLOWERS FOR WINTER BOUQUETS AND CHURCH DECORATION. 15 Packets of the best sorts	2/6 5/6 3/6 7/6 5/6
770 771 (774 775	EVERLASTING FLOWERS FOR WINTER BOUQUETS AND CHURCH DECORATION. 15 Packets of the best sorts	2/6 5/6 3/6 7/6 5/6
770 771 (774 775 778 779 782	EVERLASTING FLOWERS FOR WINTER BOUQUETS AND CHURCH DECORATION. 15 Packets of the best sorts	2/6 5/6 3/6 7/6 5/6 4/6 2/6
770 771 (774 775 778 779 782 781	EVERLASTING FLOWERS FOR WINTER BOUQUETS AND CHURCH DECORATION. 15 Packets of the best sorts	2/6 5/6 3/6 7/6 5/6 4/6 2/6 2/0
770 771 (774 775 778 779 782	EVERLASTING FLOWERS FOR WINTER BOUQUETS AND CHURCH DECORATION. 15 Packets of the best sorts	2/6 5/6 3/6 7/6 5/6 4/6 2/6
770 771 (774 775 778 779 782 781 785 788	EVERLASTING FLOWERS FOR WINTER BOUQUETS AND CHURCH DECORATION. 15 Packets of the best sorts	2/6 5/6 3/6 t 7/6 5/6 4/6 2/6 2/6 2/6 3/6
770 771 (774 775 778 779 782 781 785	EVERLASTING FLOWERS FOR WINTER BOUQUETS AND CHURCH DECORATION. 15 Packets of the best sorts	2/6 5/6 3/6 7/6 5/6 4/6 2/6 2/6
770 771 (774 775 778 779 782 784 785 788	EVERLASTING FLOWERS FOR WINTER BOUQUETS AND CHURCH DECORATION. 15 Packets of the best sorts	2/6 5/6 3/6 7/6 5/6 4/6 2/6 2/6 3/6 3/6
770 771 (774 775 778 779 782 781 785 788	EVERLASTING FLOWERS FOR WINTER BOUQUETS AND CHURCH DECORATION. 15 Packets of the best sorts	2/6 5/6 3/6 t 7/6 5/6 4/6 2/6 2/6 2/6 3/6
770 771 (774 775 778 779 782 781 785 788 789 792 793	EVERLASTING FLOWERS FOR WINTER BOUQUETS AND CHURCH DECORATION. 15 Packets of the best sorts	2/6 5/6 3/6 7/6 5/6 4/6 2/6 2/6 3/6 3/6 3/6 5/6 3/6
770 771 (774 775 778 779 782 781 785 788 789	EVERLASTING FLOWERS FOR WINTER BOUQUETS AND CHURCH DECORATION. 15 Packets of the best sorts	2/6 5/6 3/6 7/6 5/6 4/6 2/6 2/6 3/6 3/6 5/6
770 771 (774 775 778 779 782 781 785 788 789 792 793	EVERLASTING FLOWERS FOR WINTER BOUQUETS AND CHURCH DECORATION. 15 Packets of the best sorts	2/6 5/6 3/6 7/6 5/6 4/6 2/6 2/6 3/6 3/6 3/6 5/6 3/6
770 771 (774 775 778 779 782 781 785 788 789 792 793 796	EVERLASTING FLOWERS FOR WINTER BOUQUETS AND CHURCH DECORATION. 15 Packets of the best sorts	2/6 5/6 3/6 4/6 5/6 4/6 2/6 2/6 3/6 5/6 3/6 5/6 5/6
770 771 (774 775 778 779 782 781 785 788 789 792 793	EVERLASTING FLOWERS FOR WINTER BOUQUETS AND CHURCH DECORATION. 15 Packets of the best sorts	2/6 5/6 3/6 t 7/6 5/6 4/6 2/6 2/6 2/6 3/6 5/6 5/6

FROM JAPAN.

Lillum Auratum, fine flowering roots in various sizes, 9/-, 12/-, 18/-, 21/-, and 30/- per dozen. This is the largest flowering and most stately of Lilies, equally adapted for the flower garden and the conservatory. The plant is perfectly hardy, flowering in any good ordinary garden soil.

FLOWERS. THE ATLAS OF

Price 8s.; by Post, 8s. 6d.

This work has about 1,200 uncoloured Woodcuts of Popular Plants, illustrating their habit and style of growth.

"BARR'S HEATED FRAMES" (the Improved Waltonian Forcing Case) for raising seeds, striking cuttings, forcing Lily of the Valley and other early flowers and preserving plants in winter. See illustrations on Page 76.

B, and S. test the growth of Flower Seeds immediately they are received from the Seed Grounds.

A SELECT

DESCRIPTIVE LIST OF FLOWER SEEDS,

TREES, SHRUBS, ORNAMENTAL FRUIT, AND FOLIAGE PLANTS. The Climbers and Twiners are arranged in a separate List, p. 45. For a Special List of Novelties, including many rare and beautiful Introductions, see p. 4. DIRECTIONS FOR SOWING & AFTER-MANAGEMENT PRINTED ON EACH PACKET.OF SEED All Packets of Flower Seeds sent post-paid. * In ordering, it is sufficient to give the Marginal Numbers and Date of Catalogue. Per pkt. ABRO'NIA, Nat. Ord. Nyctagina'ceæ. Beautiful half-hardy annuals. s. d. 0 6

ABU'TILON, Nat. Ord. Malva'ccæ. Greenhouse shrubs. These produce handsome, pendeut, bell-shaped, wax-like flowers, beautifully veined and striped. 1003 Abu'tilon choice mixed, including Darwinii and other beautiful varieties, fine plants for conservatory

and flower garden decoration AUA'OIA, Nat. Ord. Legumino'sæ. Magnificent greenhouse shrubs. Valuable winter and spring-flowering plants, remarkable for graceful flowers and foliage. 1004 Aca'cia acanthocar'pa, pale red, a superb species, 6 ft. 1005 1006 1007 1008 1009 1010 1011 1012 1013

arma'ta, yellow, a handsome free-flowering compact-growing species, 3 ft.

coccin'ea, rose, very fine, 6 ft.
cultrifor'mis, deep yellow, with glaucous white foliage, 6 ft.
dealba'ta affi'nis, yellow, a handsome variety, 4 ft.
floribun'da latifo'lia, yellow, a very distinct plant, 6 ft.
gran'dis, golden yellow, a picturesque species, 6 ft.
hor'rida, golden yellow, a picturesque species, 6 ft.
ixiophyl'la, golden yellow, a fine graceful species, 6 ft.
Julibris'sin specio'sa, white, a very pretty species, 5 ft.
latifo'lia, yellow, foliage long and slender, 6 ft.
longifo'lia, yellow, foliage long and slender, 6 ft.
longifo'ra magnif'lea, bright yellow clusters of flowers, a noble species, 8 ft.
Lophan'tha, yellow, a most beautiful species, 4 ft.
Lophan'tha, yellow, a very clegant variety, 6 ft.
Meisne'ri, yellow, graceful, silky foliage, 5 ft.
mematophyl'la, bright yellow, elegant foliage and fine habit, 5 ft.
oleifo'lia, deep golden yellow, a fine winter-blooming plant, 5 ft.
xylophylloi'des, rich golden yellow, very handsome species, 6 ft.
mixed, including many choice species.

ACIAN'THUS. Nat. Ord. Acantha'cew. Handsome hardy perennials. 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026

AUAN'THUS, Nat. Ord. Acantha'ceæ. Handsome hardy perennials. Picturesque ornamental foliage plants, very effective on lawns, in sub-tropical gardens, and flower borders. choice mixed from many species 1032

AOHIME'NES, Nat. Ord. Gesnera'ceæ. Splendid warm greenhouse bulbs. 1033 Achime'nes mixed, choicest varieties (Roots, 4/6 to 9/ per dozen, these are preferable lo seed) 2 6 ACROCLIN'IUM, Nat. Ord. Compos'itæ. Charming hardy annuals. 1034 Acroclin'ium al'oum, white, I ft. Beautiful border plants with charming everlasting flowers, { 3d. & 0 6 1035 , ro'soum, rose, I ft. } which are valuable for winter bouquets. { 3d. & 0 6

ADENOUAR'PUS, Nat. Ord. Faba'eeæ. Handsome hardy shrub.

	King Street, Covent Garaen, 1879.]		
	ADO'NIS, Nat. Ord. Ranuncula'ceæ. Beautiful hardy annuals, etc.	er pk	t.
1037	Ado'nis autumna'lis flam'mea, dark red, 1 st. \ Very effective in flower borders. Vernalis flowers	5.	
1038	in spring, Flammea in autumn.	0	3
	ETHIONE'MA, Nat. Ord. Crucif'eræ. Hardy Alpine perennials.	•	3
1039	Ethione'ma cordifo'lia, delicate pink, \frac{1}{2} ft	_	6
1040	,, saxa'tile, rose-lilac, \frac{1}{2} ft Charming dwarf plants which enliven the rock-		6
1041 1042	,, graduit ora, rose-cremson, of it. > garden in summer with a profusion of profits		6
1043	,, persicum, rose, ½ ft		6
		0	6
3044	AGAPAN'THUS (African Lily), Nat. Ord. Hemerocallida'cece.		
1045	Agapan'thus umbella/tus, blue, 2 ft	0	6
1046	max'imus, blue, 3 ft. very ornamental on the terrace and lawn, by the multiflorus, blue, 3 ft. margins of lakes and ponds it imparts a picturesque	0	6
1047	,, praecox, purple-offee, 3 it effect. Half-hardy perennials. (For the price of		6
1048	,, choice mixed	I	o
	AGERA'TUM, Nat. Ord. Compos'itæ. Very showy half-hardy annuals.		
1049	Agera'tum Mexica'num, blue, 1 it	0	2
1050), If britain delivered a found (new), and k britain 111. blooming continuously till destroyed h.	0	3
1051 1052	,, Comte de Circourt (new), bright blue, 1 st frost. For furnishing vases the cut ,, Tom Thumb, blue, \frac{1}{2} st flowers are most useful; the blue change,		6
1053	al'hum quhite & ft j to a rich mauve by candle light. The		6
1054	Imperial dwarf, azure blue, ½ ft		6
1055	our hedding plants. Cultivated in pots		6
1056 1057	,, while, \(\frac{1}{2}\) ft. all these varieties are decorative under glass.	0	6
	A ATT A AIR THE STATE OF THE ST	0	6
1050	AGROSTEM'MA, Nat. Ord. Caryophylla'cea. All beautiful and showy.		
1059	Agrostem'ma cœ'li-ro'sa, bright rose, 1\frac{1}{2} ft	0	3
1060	na'na lilaci'na, lilac, 1 st	0	3
1061	,, corona'ria, rose purple, 12 ft These are very showy hardy peren-		3
1062 1063	,, al'ba, white, rose centre, 1\frac{1}{2} st nials, and are the popularly known bi'color, rose, white centre, 1\frac{1}{2} st. '' Rose Campion.'' The cut flowers	0	3
1064	"Rose Campion." The cut flowers, 1, ft. are beautiful in bouquets. A valu-	0	3
1065	Flos-Jo'vis (Jove's Flower), bright pink, 11 ft. able plant to naturalize in wild	0	3
1066	,, mixed perennial varieties, 1½ ft	o	3
	AL'LIUM, Nat. Ord. Lilia'ceæ. Hardy bulbs.		
1067	Al'lium, mixed, consisting of Neapolitanum, Ciliatum, Acuminatum, Roseum, and Triquetrum, 6d. &	т	
	ALONSO'A, Nat. Ord. Scrophularia'cear Beautiful half-hardy openels	•	0
	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals.	•	0
1068	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals. Charming plants for conservatory decoration, and elegant for flower beds and borders. Alonso'a albiflo'ra, (new) white, rich glossy green tolinger, the	0	
1003	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals. Charming plants for conservatory decoration, and elegant for flower beds and borders. Alonso'a albiflo'ra, (new) white, rich glossy green lollage, 1 tt. linifo'lia, (new) bright scarlet, 1 ft.	0 0	6
1068 1069 1070	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals. Charming plants for conscruatory decoration, and elegant for flower beds and borders. Alonso'a albiflo'ra, (new) white, rich glossy green lollage, 1 tt. ", "Hinfo'lia, (new) bright scarlet, 1 ft. Warscewic'zii, bright crimson-scarlet, 1 ft.	0	6
1070	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals. Charming plants for conscruatory decoration, and elegant for flower beds and borders. Alonso'a albiflo'ra, (new) white, rich glossy green toliage, it. ", linifo'lia, (new) bright scarlet, i ft. Warscewic'zii, bright crimson-scarlet, i ft. ALSTREME'RIA, Nat. Ord. Amarullida'ceæ. Handsome hardy perennials	0 0	6
1070	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals. Charming plants for conscruatory decoration, and elegant for flower beds and borders. Alonso'a albiflo'ra, (new) white, rich glossy green loliage, it. " linifo'la, (new) bright scarlet, it. " Warscewic'zli, bright crimson-scarlet, it. ALSTREME'RIA, Nat. Ord. Amaryllida'ceæ. Handsome hardy perenuials. Aletræme'ria choicest mixed, including many fine species, it ft.	0 0 0	6
1070	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals. Charming plants for conservatory decoration, and elegant for flower beds and borders. Alonso'a albiflo'ra, (new) white, rich glossy green toliage, it. "inifo'lia, (new) bright scarlet, i ft. Warscewic'zii, bright crimson-scarlet, i ft. ALSTREME'RIA, Nat. Ord. Amaryllida'ceæ. Handsome hardy perenuials. Aletræme'ria choicest mixed, including many fine species, i la ft. ALYS'SUM, Nat. Ord. Crucif'eræ. Attractive hardy perennials etc.	0 0 0	6 6 3
1070	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals. Charming plants for conservatory decoration, and elegant for flower beds and borders. Alonso'a albiflo'ra, (new) white, rich glossy green toliage, it. "Inifo'lia, (new) bright scarlet, it. "Warscewic'zii, bright crimson-scarlet, it. ALSTREME'RIA, Nat. Ord. Amaryllida'ceæ. Handsome hardy perenuials. Aletræme'ria choicest mixed, including many fine species, i\frac{1}{2} ft. ALYS'SUM, Nat. Ord. Crucif'eræ. Attractive hardy perennials, etc. Most valuable plants for rock-work, edvines, and the decoration of the string flower sorder.	0 0 0	6 6 3
1070 1071 1072	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals. Charming plants for conservatory decoration, and elegant for flower beds and borders. Alonso'a albiflo'ra, (new) white, rich glossy green toliage, i ii. " linifo'lia, (new) bright scarlet, i ii. " Warscewic'zii, bright crimson-scarlet, i ii. ALSTREME'RIA, Nat. Ord. Amaryllida'ceæ. Handsome hardy perenuials. Aletræme'ria choicest mixed, including many fine species, i\frac{1}{2} fi. ALYS'SUM, Nat. Ord. Crucif'eræ. Attractive hardy perennials, etc. Most valuable plants for rock-work, edgings, and the decoration of the spring flower-garden. Alys'sum argen'teum, vellow, with gracefully divided silvery-gardy foliage. It	0000 0 0	6 6 6
1070	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals. Charming plants for conservatory decoration, and elegant for flower beds and borders. Alonso'a albiflo'ra, (new) white, rich glossy green toliage, i ii. " linifo'lia, (new) bright scarlet, i ii. " Warscewic'zii, bright crimson-scarlet, i ii. ALSTREME'RIA, Nat. Ord. Amaryllida'ceæ. Handsome hardy perenuials. Aletræme'ria choicest mixed, including many fine species, i\frac{1}{2} fi. ALYS'SUM, Nat. Ord. Crucif'eræ. Attractive hardy perennials, etc. Most valuable plants for rock-work, edgings, and the decoration of the spring flower-garden. Alys'sum argen'teum, vellow, with gracefully divided silvery-gardy foliage. It	000 0 000	6 6 6 6
1070 1071 1072 1073	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals. Charming plants for conservatory decoration, and elegant for flower beds and borders. Alonso'a albiflo'ra, (new) white, rich glossy green loliage, it. """, inifo'lia, (new) bright scarlet, i ft. """, Warscewic'zii, bright crimson-scarlet, i ft. ALSTREME'RIA, Nat. Ord. Amaryllida'ceæ. Handsome hardy perenuials. Aletræme'ria choicest mixed, including many fine species, i\frac{1}{2} ft. ALYS'SUM, Nat. Ord. Crucif'eræ. Attractive hardy perennials, etc. Most valuable plants for rock-work, edgings, and the decoration of the spring flower-garden. Alys'sum argen'teum, vellow, with gracefully divided silvery-grey foliage, i ft. """, saxat'ile, yellow, i ft. "", in the spring flower-garden the golden hue of \(\) 3d. & """, compac'tum, yellow, \(\) ft. \(\) Alyssum contrasts efficiely with white Arabis of \(\) &	0000	6 6 6 6 6
1070 1071 1072 1073 1074	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals. Charming plants for conservatory decoration, and elegant for flower beds and borders. Alonso'a albiflo'ra, (new) white, rich glossy green toliage, it. inifo'lia, (new) bright scarlet, it. Warscewic'zii, bright crimson-scarlet, it. ALSTREME'RIA, Nat. Ord. Amaryllida'ceæ. Handsome hardy perenuials. Aletræme'ria choicest mixed, including many fine species, it ft. ALYS'SUM, Nat. Ord. Crucif'eræ. Attractive hardy perennials, etc. Most valuable plants for rock-work, edgings, and the decoration of the spring flower-garden. Alys'sum argen'teum, vellow, with gracefully divided silvery-grey foliage, ift. """, compac'tum, vellow, ift. "" Alyssum contrasts effectively with white Arabis. { 3d. & odora'tum (Sweet Alys'sum), white, a charming summer bedding annual, \frac{1}{2} ft	000 0 000	6 6 6 6 6
1070 1071 1072 1073 1074 1075	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals. Charming plants for conservatory decoration, and elegant for flower beds and borders. Alonso'a albiflo'ra, (new) white, rich glossy green toliage, it. """, inifo'lia, (new) bright scarlet, it. """, Warscewic'zii, bright crimson-scarlet, it. ALSTREME'RIA, Nat. Ord. Amuryllidu'ceæ. Handsome hardy perenuials. Aletræme'ria choicest mixed, including many fine species, i\frac{1}{2}\tau. ALYS'SUM, Nat. Ord. Crucif'eræ. Attractive hardy perennials, etc. Most valuable plants for rock-work, edgings, and the decoration of the spring flower-garden. Alys'sum argen'teum, vellow, with gracefully divided silvery-grey foliage, if. "", saxat'ile, vellow, if. \(\) in the spring flower-garden the golden hue of \(\frac{3}{2}\) a. & "", compac'tum, vellow, \(\frac{1}{2}\) ft. \(\) Alyssum contrasts effectively with white Arabis. \(\frac{3}{2}\) a. & "", odora'tum (Sweet Alys'sum), white, a charming summer bedding annual, \(\frac{1}{2}\) ft. \(\) a. \(\frac{3}{2}\) a. & AMARAN'THUS, Nat. Ord. Amaranto'ceæ. Handsome half-hardy annuals. Beautiful ornamental foliage plants, very striking in beds, masses, and for convergence of the convergence.	0000	6 6 6 6 6
1070 1071 1072 1073 1074 1075	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals. Charming plants for conservatory decoration, and elegant for flower beds and borders. Alonso'a albiflo'ra, (new) white, rich glossy green toliage, I it. "Inifo'la, (new) bright scarlet, I ft. "Warscewic'zli, bright crimson-scarlet, I ft. ALSTREME'RIA, Nat. Ord. Amaryllida'ceæ. Handsome hardy perenuials. Aletræme'ria choicest mixed, including many fine species, I\frac{1}{2} ft. ALYS'SUM, Nat. Ord. Crucif'eræ. Attractive hardy perennials, etc. Most valuable plants for rock-work, edgings, and the decoration of the spring flower-garden. Alys'sum argen'teum, vellow, with gracefully divided silvery-grey foliage, I ft. "saxat'ile, vellow, I ft	0000	6 6 6 6 6 6
1070 1071 1072 1073 1074 1075	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals. Charming plants for conservatory decoration, and elegant for flower beds and borders. Alonso'a albiflo'ra, (new) white, rich glossy green loliage, it. "inifo'lia, (new) bright scarlet, it. "Warscewic'zli, bright crimson-scarlet, it. ALSTREME'RIA, Nat. Ord. Amaryllida'ceæ. Handsome hardy perenuials. Aletræme'ria choicest mixed, including many fine species, i\frac{1}{2} ft. ALYS'SUM, Nat. Ord. Crucif'eræ. Attractive hardy perennials, etc. Most valuable plants for rock-work, edgings, and the decoration of the spring flower-garden. Alys'sum argen'teum, vellow, with gracefully divided silvery-grey foliage, if ft. "saxat'ile, vellow, if ft	0000	6 6 6 6 6 6
1070 1071 1072 1073 1074 1075	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals. Charming plants for conservatory decoration, and elegant for flower beds and borders. Alonso'a albiflo'ra, (new) white, rich glossy green loliage, it. Initfo'lia, (new) bright scarlet, it. Warscewic'zii, bright crimson-scarlet, it. ALSTREME'RIA, Nat. Ord. Amaryllida'ceæ. Handsome hardy perenuials. Aletræme'ria choicest mixed, including many fine species, i\frac{1}{2} ft. ALYS'SUM, Nat. Ord. Crucif'eræ. Attractive hardy perennials, etc. Most valuable plants for rock-work, edgings, and the decoration of the spring flower-garden. Alys'sum argen'teum, vellow, with gracefully divided silvery-grey foliage, i ft. """, compac'tum, vellow, i ft. "" } Alyssum contrasts effectively with white Arabis. \[\] \[0000 0 00000 0 0	666666666666666666666666666666666666666
1070 1071 1072 1073 1074 1075	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals. Charming plants for conservatory decoration, and elegant for flower beds and borders. Alonso'a albiflo'ra, (new) white, rich glossy green loliage, it. "inifo'lia, (new) bright scarlet, it. "Warscewic'zli, bright crimson-scarlet, it. ALSTREME'RIA, Nat. Ord. Amaryllida'ceæ. Handsome hardy perenuials. Aletræme'ria choicest mixed, including many fine species, i\frac{1}{2} ft. ALYS'SUM, Nat. Ord. Crucif'eræ. Attractive hardy perennials, etc. Most valuable plants for rock-work, edgings, and the decoration of the spring flower-garden. Alys'sum argen'teum, vellow, with gracefully divided silvery-grey foliage, if ft. "saxat'ile, vellow, if ft	0000 0 0000	666666666666666666666666666666666666666
1070 1071 1072 1073 1074 1075	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals. Charming plants for conservatory decoration, and elegant for flower beds and borders. Alonso'a albiflo'ra, (new) white, rich glossy green loliage, 1 tt. "inifo'lia, (new) bright scarlet, 1 ft. ALSTREME'RIA, Nat. Ord. Amaryllida'ceæ. Handsome hardy perenuials. Aletræme'ria choicest mixed, including many fine species, 1½ ft. ALYS'SUM, Nat. Ord. Crucif'eræ. Attractive hardy perennials, etc. Most valuable plants for rock-work, edgings, and the decoration of the spring flower-garden. Alys'sum argen'teum, vellow, with gracefully divided silvery-grey foliage, 1 ft. "saxat'ile, vellow, 1 ft	0000 0 00000 0 0	666666666666666666666666666666666666666
1070 1071 1072 1073 1074 1075 1076 1077 1078	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals. Charming plants for conservatory decoration, and elegant for flower beds and borders. Alonso'a albiflo'ra, (new) white, rich glossy green toliage, I it. "Inifo'la, (new) bright scarlet, I it. "Warscewic'zli, bright crimson-scarlet, I it. ALSTREME'RIA, Nat. Ord. Amaryllida'ceæ. Handsome hardy perenuials. Aletræme'ria choicest mixed, including many fine species, I\frac{1}{2} ft. ALYS'SUM, Nat. Ord. Crucif'eræ. Attractive hardy perennials, etc. Most vatuable plants for rock-work, edgings, and the decoration of the spring flower-garden. Alys'sum argen'teum, vellow, with gracefully divided silvery-grey foliage, I it. "Saxat'ile, yellow, I it	0000 0 0000	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
1070 1071 1072 1073 1074 1075 1076 1077	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals. Charming plants for conservatory decoration, and elegant for flower beds and borders. Alonso'a albiflo'ra, (new) white, rich glossy green loliage, I it. "inifo'lia, (new) bright scarlet, I it. ALSTREME'RIA, Nat. Ord. Amaryllida'ceæ. Handsome hardy perenuials. Aletræme'ria choicest mixed, including many fine species, I\frac{1}{2} ft. ALYS'SUM, Nat. Ord. Crucif'eræ. Attractive hardy perennials, etc. Most valuable plants for rock-work, edgings, and the decoration of the spring flower-garden. Alys'sum argen'teum, vellow, with gracefully divided silvery-grey foliage, I ft. "saxat'ile, vellow, I ft	0000 0 0000 0 000 00	666336666666666666666666666666666666666
1070 1071 1072 1073 1074 1075 1076 1077 1078 1081 1082 1083	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals. Charming plants for conservatory decoration, and elegant for flower beds and borders. Alonso'a albiflo'ra, (new) white, rich glossy green toliage, I it. "Inifo'lia, (new) bright scarlet, I ft. ALSTREME'RIA, Nat. Ord. Amaryllida'ceæ. Handsome hardy perenuials. Aletræme'ria choicest mixed, including many fine species, I\frac{1}{2} ft. ALYS'SUM, Nat. Ord. Crucif'eræ. Attractive hardy perennials, etc. Most valuable plants for rock-work, edgings, and the decoration of the spring flower-garden. Alys'sum argen'teum, vellow, with gracefully divided silvery-grey foliage, I ft. "saxat'ile, vellow, I ft	0000 0 0000 0 000	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
1070 1071 1072 1073 1074 1075 1076 1077 1080 1081 1082 1083 1084	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals. Charming plants for conservatory decoration, and elegant for flower beds and borders. Alonso'a albiflo'ra, (new) white, rich glossy green toliage, I it. "Inifo'la, (new) bright scarlet, I it. "Warscewic'zli, bright crimson-scarlet, I it. ALSTREME'RIA, Nat. Ord. Amaryllida'ceæ. Handsome hardy perenuials. Aletræme'ria choicest mixed, including many fine species, I\frac{1}{2} ft. ALYS'SUM, Nat. Ord. Crucif'eræ. Attractive hardy perennials, etc. Most valuable plants for rock-work, edgings, and the decoration of the spring flower-garden. Alys'sum argen'teum, vellow, with gracefully divided silvery-grey foliage, I it. "Saxat'ile, vellow, I it	0000 0 0000 0 0000	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
1070 1071 1072 1073 1074 1075 1076 1077 1078 1079 1080 1081 1082 1083 1084	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals. Charming plants for conservatory decoration, and elegant for flower beds and borders. Alonso'a albiflo'ra, (new) white, rich glossy green loliage, I it. "inifo'lia, (new) bright scarlet, I it. ALSTREME'RIA, Nat. Ord. Amaryllida'ceæ. Handsome hardy perenuials. Aletræme'ria choicest mixed, including many fine species, 1½ ft. ALYS'SUM, Nat. Ord. Crucif'eræ. Attractive hardy perennials, etc. Most valuable plants for rock-work, edgings, and the decoration of the spring flower-garden. Alys'sum argen'teum, vellow, with gracefully divided silvery-grey foliage, I ft. "saxat'ile, vellow, I ft	0000 0 00000 0 000000	666366666666666666666666666666666666666
1070 1071 1072 1073 1074 1075 1076 1077 1080 1081 1082 1083 1084	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals. Charming plants for conservatory decoration, and elegant for flower beds and borders. Alonso'a albifio'ra, (new) white, rich glossy green toliage, i it. "Inifo'lia, (new) bright scarlet, i ft. "Warscewic'zii, bright crimson-scarlet, i ft. ALSTREME'RIA, Nat. Ord. Amuryllidu'ceæ. Handsome hardy perenuials. Aletræme'ria choicest mixed, including many fine species, i\frac{1}{2}\text{ ft.} ALYS'SUM, Nat. Ord. Crucif'eræ. Attractive hardy perennials, etc. Most valuable plants for rock-work, edgings, and the decoration of the spring flower-garden. Alys'sum argen'teum, vellow, with gracefully divided silvery-grey foliage, i ft. "saxat'ile, vellow, i ft	000 0 0000 0 000 0000000	666366666666666666666666666666666666666
1070 1071 1072 1073 1074 1075 1076 1077 1078 1079 1080 1081 1082 1083 1084 1085	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals. Charming plants for conservatory decoration, and elegant for flower beds and borders. Alonso'a albiflo'ra, (new) white, rich glossy green toliage, 1 tt. Ilinifo'lia, (new) bright scarlet, 1 ft. ALSTREME'RIA, Nat. Ord. Amaryllida'ceæ. Handsome hardy perenuials. Aletræme'ria choicest mixed, including many fine species, 1½ ft. ALYS'SUM, Nat. Ord. Crucif'eræ. Attractive hardy perennials, etc. Most valuable plants for rock-work, edgings, and the decoration of the spring flower-garden. Alys'sum argen'teum, vellow, with gracefully divided silvery-grey foliage, 1 ft. "saxat'ile, yellow, 1 ft	0000 0 00000 0 000000	666366666666666666666666666666666666666
1070 1071 1072 1073 1074 1075 1076 1077 1078 1089 1081 1082 1083 1084 1086 1087	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals. Charming plants for conservatory decoration, and elegant for flower beds and borders. Alonso'a albifio'ra, (new) white, rich glossy green toliage, 1 tt. Inifo'lia, (new) bright scarlet, 1 ft. ALSTREME'RIA, Nat. Ord. Amaryllida'ceæ. Handsome hardy perenuials. Aletræme'ria choicest mixed, including many fine species, 1½ ft. ALYS'SUM, Nat. Ord. Crucif'eræ. Attractive hardy perennials, etc. Most valuable plants for rock-work, edgings, and the decoration of the spring flower-garden. Alys'sum argen'teum, vellow, with gracefully divided silvery-grey foliage, 1 ft. Saxat'tile, yellow, 1 ft. """ """ """ """ """ """ """	000 0 0000 0 000 0000000	666366666666666666666666666666666666666
1070 1071 1072 1073 1074 1075 1076 1077 1078 1089 1081 1082 1083 1084 1086 1087	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals. Charming plants for conservatory decoration, and elegant for flower beds and borders. Alonso'a albiflo'ra. (new) bright scarlet, 1 ft. "Warscewic'zii, bright crimson-scarlet, 1 ft. ALSTREME'RIA, Nat. Ord. Amuryllida'ceæ. Handsome hardy perenuials. Aletræme'ria choicest mixed, including many fine species, 1½ ft. ALYS'SUM, Nat. Ord. Crucif'eræ. Attractive hardy perennials, etc. Most valuable plants for rock-work, edgings, and the decoration of the spring flower-garden. Alys'sum argen'teum, vellow, with gracefully divided silvery-grey foliage, 1 ft. "saxat'ile, vellow, 1 ft. in the spring flower-garden the golden hue of { 3d. & nodora'tum (Sweet Alys'sum), white, a charming summer bedding annual, ½ ft. 3d. & odora'tum (Sweet Alys'sum), white, a charming summer bedding annual, ½ ft. 3d. & nodra'tum (Sweet Alys'sum), white, a charming summer bedding annual, ½ ft. 3d. & elacutiful ornamental foliage plants, very striking in beds, masses, and for conservatory decoration. Amaran'thus bi'color olbien'sis, leaves dark purple, terminal ones blood red, 2 ft. """""""""""""""""""""""""""""""""""	000 0 0000 0 000 0000000	666366666666666666666666666666666666666
1070 1071 1072 1073 1074 1075 1076 1077 1078 1080 1081 1082 1083 1084 1085 1086	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals. Charming plants for conservatory decoration, and elegant for flower beds and borders. Alonso'a albiflo'ra. (new) bright scarlet, x ft. "Warscewic'zii, bright crimson-scarlet, x ft. "Warscewic'zii, bright erimson-scarlet, x ft. "ALSTREME'RIA, Nat. Ord. Amuryllida'ceæ. Handsome hardy perenuials. Aletrome'ria choicest mixed, including many fine species, x ft. ALYS'SUM, Nat. Ord. Crucif'eræ. Attractive hardy perennials, etc. Most valuable plants for rock-work, edgings, and the decoration of the spring flower-garden. Alys'sum argen'teum, vellow, with gracefully divided silvery-grey foliage, x ft. "saxat'ile, yellow, x ft	0000 0 0000 0 000000000 2	666366666666666666666666666666666666666
1070 1071 1072 1073 1074 1075 1076 1077 1078 1080 1081 1082 1083 1084 1085 1086	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals. Charming plants for conservatory decoration, and elegant for flower beds and borders. Alonso'a albifo'ra, (new) white, rich glossy green toliage, 1 tt. """ Warscewic'zii, bright erimson-scarlet, 1 ft. ALSTRŒME'RIA, Nat. Ord. Amuryllida'ceæ. Handsome hardy perenuials. Aletrœme'ria choicest mixed, including many fine species, 1½ ft. ALYS'SUM, Nat. Ord. Crucif'eræ. Attractive hardy perennials, etc. Most valuable plants for rock-work, edgings, and the decoration of the spring flower-garden. Alys'sum argen'teum, vellow, with gracefully divided silvery-grey foliage, 1 ft. """ saxat'ile, vellow, 1 ft	000 0 0000 0 000 0000000	666366666666666666666666666666666666666
1070 1071 1072 1073 1074 1075 1076 1077 1078 1079 1080 1081 1082 1085 1086 1087	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals. Charming plants for conservatory decoration, and elegant for flower beds and borders. Alonso'a albiflo'ra. (new) white, rich glossy green toliage, 1 it. """ warscewic'zii, bright scarlet, 1 it. """ warscewic'zii, bright crimson-scarlet, 1 it. ALSTREME'RIA, Nat. Ord. Amuryllida'ceæ. Handsome hardy perenuials. Aletrœme'ria choicest mixed, including many fine species, 1½ it. ALYS'SUM, Nat. Ord. Crucif'eræ. Attractive hardy perennials, etc. Most valuable plants for rock-work, edgings, and the decoration of the spring flower-garden. Alys'sum argen'teum, vellow, with gracefully divided silvery-grey foliage, 1 it. """ saxat'ile, vellow, it. """ saxat'ile, vellow, it. """ (saxat'ile, vello	0000 0 00000 0 000000000 0 0	666366666666666666666666666666666666666
1070 1071 1072 1073 1074 1075 1076 1077 1078 1079 1080 1081 1082 1085 1086 1087	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals. Charming plants for conservatory decoration, and elegant for flower beds and borders. Alonso'a albiflo'ra. (new) bright scarlet, 1 ft. "Warscewic'zii, bright erimson-scarlet, 1 ft. "Warscewic'zii, bright erimson-scarlet, 1 ft. ALSTREME'RIA, Nat. Ord. Amuryllida'ceæ. Handsome hardy perenuials. Aletrome'ria choicest mixed, including many fine species, 1½ ft. ALYS'SUM, Nat. Ord. Crucif'eræ. Attractive hardy perenuials, etc. Most valuable plants for rock-work, edgings, and the decoration of the spring flower-garden. Alys'sum argen'teum, vellow, with gracefully divided silvery-grey foliage, 1 ft. "Saxat'lle, vellow, 1 ft	0000 0 00000 0 000000000 0 0	666366666666666666666666666666666666666
1070 1071 1072 1073 1074 1075 1076 1077 1078 1083 1084 1085 1086 1087	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals. Charming plants for conservatory decoration, and elegant for flower beds and borders. Alonso'a albifio'ra, (new) white, rich glossy green holiage, 1 tt. Initifo'lia, (new) bright scarlet, 1 ft. ALSTREME'RIA, Nat. Ord. Amaryllida'ceæ. Handsome hardy perennials. Aletræme'ria choicest mixed, including many fine species, 1½ ft. ALYS'SUM, Nat. Ord. Crucif'eræ. Attractive hardy perennials, etc. Most valuable plants for rock-work, edgings, and the decoration of the spring flower-garden. Alys'sum argen'teum, yellow, with gracefully divided silvery-grey foliage, 1 ft. "saxat'tle, yellow, 1 ft	000 0 0000 0 000 0000000 2 0 0	666366666666666666666666666666666666666
1070 1071 1072 1073 1074 1075 1076 1077 1078 1089 1081 1082 1083 1084 1085 1086	ALONSO'A, Nat. Ord. Scrophularia'ceæ. Beautiful half-hardy annuals. Charming plants for conservatory decoration, and elegant for flower beds and borders. Alonso'a albiflo'ra. (new) bright scarlet, 1 ft. "Warscewic'zii, bright erimson-scarlet, 1 ft. "Warscewic'zii, bright erimson-scarlet, 1 ft. ALSTREME'RIA, Nat. Ord. Amuryllida'ceæ. Handsome hardy perenuials. Aletrome'ria choicest mixed, including many fine species, 1½ ft. ALYS'SUM, Nat. Ord. Crucif'eræ. Attractive hardy perenuials, etc. Most valuable plants for rock-work, edgings, and the decoration of the spring flower-garden. Alys'sum argen'teum, vellow, with gracefully divided silvery-grey foliage, 1 ft. "Saxat'lle, vellow, 1 ft	000 0 0000 0 000 0000000 2 0 0	666366666666666666666666666666666666666

```
ANAGAL'LIS, Nat. Ord. Primula'ceæ. Beautiful half-hardy annuals.
                 Lovely dwarf plants, very effective as edgings, beautiful as pot plants, and valuable for ruck-wor k.
Lovely dowrft plants, very effective as edgings, beautiful as pot plants, and obtained for value of the followers, and obtained for value of the followers, and obtained for the followers, and obtained for the followers, very dwarf, and obtained followers, very dwarf, and obtained followers, which is the followers, very dwarf, and obtained followers, which is the followers, very dwarf, and obtained followers, and obtained followers, and obtained followers, 
                   ANOHU'SA, Nat. Ord., Boragina'ceæ. Hardy perenuials.

These are remarkably effective border plants; Italica is charming in wild gardens and shrubberies.
1098 Anchu'sa capen'sis, intense blue, the charming "Cape Forget-Me-Not," 1 th. .....
                                     incarna/ta, flesh colour, 2 ft.
ital'ica, intense blue, 4 ft.
1099
1100
                                 ANEMO'NE, Nat. Ord. Ranuncula'ceæ. Splendid hardy perennials.
           Anemo'ne corona'ria choice mixed, \frac{1}{2} ft.

""" searlet, \frac{1}{2} ft.

""" alba, white, \frac{1}{2} ft.

""" japonica, red, 2 ft.

""" H. Jobert, white, 2 ft.

""" Secila'ta, the beautiful starry Wind-flower, \frac{1}{2} ft.

""" Secila'ta, the beautiful starry Wind-flower, \frac{1}{2} ft.

""" Secila'ta, the beautiful starry Wind-flower, \frac{1}{2} ft.

""" Seemi-plana are extremely handsome, and frulgens is unsurphased for its rich colour and graceful habit.

""" Matchless autumn-flowering plants for bines, mixed \{
""" Seemi-plana are extremely handsome, and frulgens is unsurphased for its rich colour and graceful habit.

""" Japonica, red, 2 ft.

""" Matchless autumn-flowering plants for bines, mixed \{
""" Seemi-plana are extremely handsome, and frulgens is unsurphased for its rich colour and graceful habit.

""" Japonica, red, 2 ft.

""" Albaer or shrubbery borders, and to cut for vases

""" Sepecies in mixture, of Alpine Wind-flowers

""" Sepecies in mixture, of Alpine Wind-flowers

""" Sepecies in mixture, of Alpine Wind-flowers

""" The second of the varieties of Semi-plana are extremely handsome, and frulgens is unsurphased for its rich colour and graceful habit.

""" Japonica, red, 2 ft.

"" Japonica, red, 2 ft.

""" Japonic
 1102
 1103
 1104
 1105
 1106
1107
 1108
 1109
         ANGELONIA, Nat. Ord. Scrophularia'ceæ. Handsome warm greenhouse perennial.
ANOMATHE'OA, Nat. Ord. Irida'ceæ. Charming dwarf hardy bulb.
ANTHE RICUM, Nat. Ord. Lilacea. Hardy perennials.
ANTIRRHI'NUM (Snapdragon), Nat. Ord. Scrophularia'ceee. Hardy perennials.

Handsome free-flowering border plants, which are decorative the first season. The Tom Thumb varieties are dwarf, compact, very floriferous, and are superb bedding plants.
1113 Antirrhi'num majus mixed, from the choicest named Scotch and English varieties, 2 ft. ......6d. &
                                                                     1114
 1115
 1116
                               ,,
                                                         ,,
 1117
 1118
 1119
 1120
                                                                     Galathe'e, crimson, yellow, and white, 2 ft.

nigres'cens, deep crimson, very beautiful, 2 ft.
papilliona'ceum, bright scarlet and white, 2 ft.

na'num mixed, from choice varieties, 1½ ft.

Tom Thumb crimson, carnation striped, yellow striped red, Dell'12, Henry
the IV., yellow, Firefly, Brilliant, cupreatum and white, 1 ft...each

Tom Thumb mixed, from the above 10 choice bedding varieties, 1 ft....6d. &
tens, flowers white striped yellow, a fine recketlant. A ft.....6d. &
 1121
 1122
                                                         33
 1123
                                                         .,
 1124
 1125
 1126
 1127
                                                 assur'gens, flowers white tinted yellow, a fine rock-plant, \(\frac{1}{2}\) ft.

rupes'tris, purple and yellow, a charming dwarf rock-plant, \(\frac{1}{2}\) ft.
 1128
 1129
APLOPAP'PUS, Nat. Ord. Compositæ. Showy half-hardy annuals.

1130 Aplopap'pus cilia'tus, yellow, producing in profusion its beautiful flowers late into the autumn, 3 ft.

1131 rubigino'sus, goiden yellow, a very effective profuse autumn-flowering plant, 2½ ft. .....

1132 " spinulo'sus, bright yellow, branched, compact, and profuse flowering, 1½ ft. .....
         AQUILE'GIA (Columbine), Nat. Ord. Ranuncula'ceæ. Handsome hardy perennials.
.....
                                             alpina, blue and white, if ft.
califor'nica, bright scarlet, large and beautiful, 2 ft.
chrysan'tha, bright yellow, large and beautiful, 2 ft.
caryophylloi'des, double, magnificently striped varietics, 2 ft.
corrulea, violet-blue and white, long spurs, fine species, 1\frac{1}{2} ft.
Duran'dii variega'ta, double, striped, 1\frac{1}{2} ft.
plandulo'sa, true, rich blue, tipped white, most beautiful, 1\frac{1}{2} ft.
hy'brida lu'cida, ft. pl., scarlet and yellow, 2 ft.
olym'pica blue-edge! white, elegant bell-shaped flowers, like glandulosa, 2 ft.
stoir'ioa, reddish violet, double, 1\frac{1}{2} ft.
 1136
                                               alpi'na, blue and white, 1 ft.....
 1137
                          11
 1138
 1139
                          .,
 1140
 1141
 1142
 1143
 1144
                                                                                                                                                  .....
                                               sibir'ica, reddish violet, double, 1 ft.
 1145
                                              Skinne'rii, searlet and yellow, beautiful, 1½ ft.

Vervainea'na, semi-double purple, foliage beautifully motified yellow, very effective, 1 ft.

Witmannia'na, blue and white, very handsome, 1½ ft.
 1146
 1147
 1143
                  A'RABIS, Nat. Ord. Crucif'era. Valuable spring-flowering hardy perennials.
1149 Arabis albi'da, pure white, $ ft. | Indispensable and exceedingly effective plants for spring | 3d. & 1150 | alpi'na, pure white, $ ft. | gardening, and very decorative on rock-work. Albida | 3d. & makes a very effective contrast to the yellow Alyssum.
                                    bellidifo'lia, white, and yellow, it. each mixed, from above.
  1152
  1153
```

	A	RA'LIA	. Nat. Or	d. Aralia	cem. High	ly ornamo	ntal half-hardy sl	amba 1	Per pkt.
1154			a, 4 ft		0				s. d.
1155	"		urea retion		The large hand	some and distin	ective foliage of the Arabion, whether seen in the	ia is	I O
1156	"	papyri's	fera, 5 ft.		servatory or	used for sub-t	ropical effect in aroun	8. 0°	I O
1157	11		11, 4 ft		single specime	ms at such mia	ces as Hudy Park Ratts	10000	I O
1158	**	spino'sa	1, 5 ft		where sub-trop	ctoria Park, 11 nical cardenina	e Lower Grounds Aston, is well represented.	etc,	I o
1159	**	A DOME	nixed					(15.&	2 6
41	, 1	AUCIO	LIS, Na	t. Ora. Co	impositive. 1	seautiful h	alf-hardy perenni	als.	
1100	Aroto'	thowy bord	ter plants;	Calendulac	ea is a matchle	ss bedding pla	nt, surpassing the Ga	zania in es	ect.
1161	MI COO	orand	ifio'ra arce	orange, crii	mson centre, §	cantra evime	n, foliage silvery, 1/8 ft.		0 6
1162	"	caiend	lula'cea. br	right orange.	Gazania-like fi	lowers, valual	ole for bed and rockwo	rle 1 6	0 6
	ARDI	STA N	at Ord	Musuinala	an Handa	ama fruit h	earing greenhous	MM, 2 II	0 0
1163	Ardiot	a orannia	ita a dacar	entina stant	auith bright on	ome trafe-t	winter, 2 ft	e shrubs.	
1164	AL UIS I	excel's	a. the laure	laleaned Ari	dicia origui sco	irici verries in			I O
1101	**	ARGEN	MO'NE N	at Ord 1	Panavera'cea	Vany al	nowy hardy annu	.1.	IO
11.65	Arcem	o'ne grat	ndific'ra	hite of	These are	vanianhahlu	lowy nardy annua	us.	
1166	*** 8 0	Hun	neman'nil.	vellow, 2 ft	foliage.	and very effe	listinctive plants in No ctive in the borders.	nver and {	0 3
		ARME'	RIA Not	Ond Pl	umbaain a'aa	m Roonti	that I and on the street,	,	0 3
11.07	Armo	ria forme	van light	or or or	among ma ce	e. Deaun	ful hardy perenni	als.	
1168	AIMO,	Cenns	uln/tes. sati	n rose T ft	115 00r	uer pianis a Vinolvestorio	nd for rock-work, to be; the cut slowers as	nese are	0 6
1169	,,	ohoice	e mixed va	rieties	Sprize	d for winter h	e; ene eue powers a)	re much 3	0 6
	ART	EMIST	A. Nat. C	ord. Comp	os'itce. Orn	amental su	b-tropical foliago	nlanta	0 6
1170	Artem	is'ia an'n	ua, 5 ft.		A. grace	ilis is an elege	ent plant for the flower	horders !	0 6
1171	9.2	gra	c'ilis, 3 ft.		(A. i	udaica, has b	ent plant for the flower cautifully cut silvery	foliage.	0 6
1112	11	Juu	a 16a, 211		ana	is a handson	e pot plant; Roeslii	is very	0 6
1173	7.5			y foliage, 👌 f	t) pretti	٧.			0 6
		ASOLE'	PIAS, N	at. Ord. A	Asclepiada'ce	c. Beauti	ful hardy porenn	ials.	
1174	Ascie'r	pias cura	ssavica, b	right scarlet,	. 3 ft.) Fine her	baceous plants; v	inder glars. Curassavica bloom out of daon Incarnata is ra- wers, and Tuberosa for its shi	na profusely (0 6
1175	"	inca	rna'ta, rose	-purple, 2 st	· ···· } in w	inter and spring; ionsly fraginatile	out of doors Incarnata is ra-	fued for its	0 6
1176	**	tube	ro'sa, brigh	it orange, 2	t) calar	cred blosnoms.		olog Grange-	0 6
			ASPER	WLA, Nat	t. Ord. <i>Rubi</i>	a'ceæ. Ha	irdy annual.		
1177	Aspe'r	ula azu're	ea seto'sa,	light blue, a	charming spec	ies of the Wo	odruff family, 1 ft	3d. &	0 6
							rdy perennial.		
1178	Aspho	delus, m	ixed, fine b	order plants	, and valuable	for wild garde	ens		0 6
		AS"	ER, Nat	. Ord: Co.	mpos'itæ. H	Beautiful ha	alf-hardy annuals		
The .	Aster, 2	when well	cultivated.	is the most b	eautiful flower	in its season;	the Hamburgh Prize	Panny Peri	tection
has	massi	me damenti.	* 12						
		ve tassette	d flowers;	the Victoria,	large perfectl	y formed imb	ricated blossoms: the	Dwarf Chi	9*1/C/Y 22.
the	mum-flo	nvered, co	vers the fol	liage with i	ts large perfectly	y formed imb ful flowers;	ricated blossoms; the the Pompone is a cha.	rming flow	rysan=
bou	num-flo quets:	nvered, co and the	vers the fol Divarf Bou	liage with i quet Elegan	, large perfectly ts-large beaute tissima with it	y formed imb ful flowers; ts exquisite f	ricated blossoms; the the Pompone is a cha lowers, which range f	rming flower	rysan= er for
the bou flor	num-flo quets; in to th	nvered, co and the at of a fiv	vers the fol Divarf Bou e shilling t	liage with i quet Elegan biece, the com	, large perfectly ts-large beauti tissima with in abination of con	y formed imb ful flowers; ts exquisite fi lours being ver	ricated blossoms; the the Pompone is a cha- lowers, which range f v striking while the h	rming slower rom the size	rysan= er-for e-of a
ther bou flor is	num-flo quets; in to the neat an	nvered, co and the at of a fiv ad fairy-l	vers the fol Davarf Bou e shilling p like. The (liage with i squet Elegan biece, the com German Em	, large perfectle ts large beauti tissima with it abination of cou peror Aster is	y formed imb ful flowers; is exquisile fl lours being ver remarkable fo	ricated blossoms; the the Pompone is a cha- lowers, which range f ry striking, while the h or its dwarf growth a	rming slower rom the size	rysan= er-for e-of a
ther bou flor is and	num-flo quets; in to th neat an l the De	nvered, co and the at of a fiv ad fairy-l warf Victory	vers the fol Davarf Bou e shilling p like, The (oria for its	liage with i squet Elegan viece, the com German Em symmetricas	, large perfectly ts large beaute tissima with it ubination of con peror Aster is biblossoms. Se Prize mixed, th	y formed imb ful flowers; is exquisile fi lours being ver remarkable for e also p. 7 for we most perfect	ricated blossoms; the the Pompone is a cha lowers, which range f. y striking, while the h or its dwarf growth a collections.	rming flower the size habit of the and large flowing, 11 ft.	rysan= er-for e-of a
then bou flor is and 1179 1180	num-flo quets; in to th neat an l the De	nvered, co and the at of a fiv ad fairy-l warf Victory	vers the fol Davarf Bou e shilling p like, The (oria for its	liage with i squet Elegan viece, the com German Em symmetricas	large perfectly to large beauti tissima with in the state of the state of the the state of the state of the state of the the state of t	y formed imb ful flowers; is exquisile fi lours being ver remarkable for e also p. 7 for we most perfect	ricated blossoms; the the Pompone is a cha. fowers, which range fry striking, while the hor its dwarf growth a collections. type of the Pæony var bons	rming flower the size that to feether the large flow icty, 11 ft	rysan- er for e of a plant owers,
ther bou flor is and 1179 1180 1181	num-flo quets; in to th neat an l the De	nvered, co and the at of a fiv ad fairy-l warf Victory	vers the fol Davarf Bou e shilling p like. The Coria for its erfection H	liage with i squet Elegan viece, the com German Em symmetricas	large perfectly the large beauty this large beauty this in a control of the large peror Aster is the lossoms. Se Prize mixed, the crimson, for violet,	y formed imb ful flowers; ful flowers; flowers being ver remarkable for ealso p. 7 for we most perfect or beds or rib	ricated blossoms; the the Pompone is a cha. lowers, which range firy striking, while the hor its dwarf growth a collections. type of the Pæony varbons	rming flower the size that the size that the size that the size that the size flower that the size t	rysan- er-for e-of a plant owers,
then bou flor is and 1179 1180 1181 1182	mum-floquets; in to the neat and the Daster,	owered, co and the at of a fiv ad fairy-l warf Victor Prony Po	vers the fol Davarf Bou e shilling p like. The Coria for its erfection H	liage with in injust Elegan briece, the com German Em symmetrical lamburgh I	large perfectly ts large beauty ts large beauty tissima with it sibination of eou peror Aster is triblossoms. Se ePT20 mixed, th crimson, f violet, white,	y formed imb ful flowers; ful flowers; flowers being ver remarkable for evalso p. 7 for we most perfect or beds or rib	ricated blossoms; the the Pompone is a cha- lowers, which range f y striking, while the h r its dwarf growth a collections. type of the Pæony var bons	rming flower the size that the size that the size that the size that the size flower that the size t	rysan- er for e of a plant owers, I O I O I O
then bou flor is and 1179 1180 1181 1182 1183	mum-floquets; in to the neat and the Da As'ter,	nwered, co and the at of a fiv ad fairy-l warf Victo Peony Pe	vers the fold Davarf Boule eshilling pilote. The Coria for its enfection H	liage with i quet Elegan ivece, the com German Rm symmetrica lamburgh I	large perfectly to starge beauty tissiana with interior of cooperor Aster is belossoms. See rize mixed, the crimson, fullet, white, rose,	y formed imb ful flowers; ful flowers; fours being ve; fours being ve; remarkable fi e also p. 7 for he most perfect or beds or rib	ricated blossoms; the the Pompone is a cha. lowers, which range f ry striking, while the h r its dwarf growth a collections. type of the Pæony var bons	rming flower the size habit of the nd large flower that the nd large flower than 13 ft	rysan- er for e of a plant owers, 1 0 1 0 1 0
then bou flor is and 1179 1180 1181 1182	mum-floquets; in to the neat and the Daster,	nwered, co and the at of a fiv ad fairy-l warf Victo Peony Pe	vers the for Davarf Bou e shilling to like. The Coria for its erfection B "" ctoria mixe	liage with in injust Elegan in injust Elegan in injustration injustration in injustration in i	large perfectly to starge beauty tissiana with interior of cooperor Aster is belossoms. See rize mixed, the crimson, fullet, white, rose,	y formed imb ful flowers; fo exquisite fi ful nurs being ver remarkable fi eve also p. 7 for the most perfect for beds or rib ful	ricated blossoms; the the Pompone is a cha- lowers, which range f y striking, while the h r its dwarf growth a collections. type of the Pæony var bons	rming flower the size that to the condition of the condit	rysan- er for e of a plant owers, I O I O I O
then bou flor is and 1179 1180 1181 1182 1183 1184 1185 1186	mum-floquets; in to the neat and the Daster,	nwered, co and the at of a fiv ad fairy-l warf Victo Peony Pe	vers the fold Davarf Bou es shilling be shilling be like. The Coria for its enfection H "" toria mixe whit, wiole	liage with i youet Elegan wiece, the com German Em symmetrica. Iamburgh I ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,	large perfectly tissiana with it siange beauty tissiana with it ubination of coo peror Aster is tiblossoms. Se Prize mixed, th crimson, i violet, white, rose, erfect in form, r ribbons, 14 ft	y formed imb ful flowers; ss exquisite fi lours being ver remarkable fi eadso p. 7 for the most perfect or beds or rib "" and beautifull	ricated blossoms; the the Pompone is a cha, lowers, which range f ry striking, while the h r its dwarf growth a collections, type of the Pæony var bons ''' y imbricated, 1½ ft	rming flower the size that to the condition of the condit	rysan- er for e of a plant owers, 1 0 1 0 1 0
then bou floor is and 1179 1180 1181 1182 1183 1184 1185 1186 1187	num-floquets; in to the neat and the Daster,	nwered, co and the ant of a fiv ad fairy-l warf Victo Pæony Po "" "" "" New Vic	vers the fold Devarf Bou e shilling pike. The Coria for its enfection H	liace with i youet Elegan spiece, the com German Em symmetrica. lamburgh I "" d, flowers p e, for bods o son,	large perfectly tisslarge beauty tisslara with in thination of coo peror Aster is thelossoms. Se erize mixed, th crimson, f violet, white, rose, erfect in form, r ribbons, 1½ ft t, t, t, t,	y formed imb ful flowers; ful flowers; ful flowers; ful exquisite ful flowers being ver fremarkable ful ee also p. 7 for ful most perfect for beds or rib ful	ricated blossoms; the the Pompone is a cha. fowers, which range fry striking, while the hor its dwarf growth a collections. type of the Pæony varbons """ y imbricated, 1½ ft	rming flows from the size that is of the control of	rysan- er for e of a plant owers, 1 0 1 0 1 0
then bou floor is and 1179 1180 1181 1182 1183 1184 1185 1186 1187 1188	mum-flo quets; in to the neat and the Dr As'ter,	nwered, co and the lat of a fiv ad fairy-l warf Victe Pæony Po "" "" "" "" "" "" "" ""	vers the fold Davarf Bou e shilling pike. The coria for its enfection H "" toria mixe white, while while crim the Pompone the Pompone to the coria mixe the pompone to the	liace with in organization of the communication of	large perfectly tissiana with it tissiana with tissiana with crimson, f violet, v	y formed imb ful flowers; ss exquisile fi laurs being vei remarkable fi realso p. 7 for ne most perfect or beds or rib	ricated blossoms; the the Pompone is a cha- lowers, which range fry striking, while the h r its dwanf growth a collections. type of the Pæony var bons y impricated, 1½ ft	rming flower the size with the size size wit	rysan- er for e of a plant owers, 1 0 1 0 1 0
theibou floor is ana 1179 1180 1181 1182 1183 1184 1185 1186 1187	mum-flo quets; in to the neat and the Da As'ter,	nwered, co and the and of a five ad fairy-lewarf Victo Pæony Po "" "" "" "" "" "" "" "" "" "" "" "" ""	vers the fold Davarf Bou e shilling pike. The coria for its enfection E "," "," ctoria mixe whit, viole crime e Pompone	liage with it gyuet Elegan wiece, the com German Em symmetrica. lamburgh I	large perfectly to start the start with the start with the start with the start with the start white, white, rose, erfect in form, tribbons, rate to the start with the sta	y formed imb ful flowers; is exquisite fi lours being ver remarkable fi e also p. 7 for e most perfect or beds or rib ,, and beautifull small flowers et, carmine, vi	ricated blossoms; the the Pompone is a cha. fowers, which range fry striking, while the he rits dwarf growth a collections. type of the Pæony varbons y imbricated, 1\frac{1}{2} ft. for bouquets, 1\frac{1}{4} ft. olet, etc. 1\frac{1}{2} ft.	rming flows from the size with	rysan- er for e of a plant owers, 1 0 1 0 1 0
then bou floor is and 1179 1180 1181 1182 1183 1184 1185 1186 1187 1188	mum-flo quets; in to the neat and the Dr As'ter,	nwered, co and the at of a fiv ad fairy-l warf Victe Pæony Po "" "" New Vic "" "" "" "" "" "" "" "" "" "" "" "" ""	vers the fold Dovarf Bou e shilling pike. The coria for its enfection H "" "" toria mixe "" viole crim the Pompone e Pompone e mixed, who go improved	liage with in a synute Elegan Elegan Em symmetrica. Iamburgh I symmetrica idea, flowers p.e. for beds o it. son, e.g. mixed, e.g. mixed, e.g. ide centres, and mixed, a gad mi	large perfectly to start the start with its large beauty tissima with it is in a wind, the crimson, See Prize mixed, the crimson, to white, rose, erfect in form, it is the tight, the wind it is in the tight of the wind ward wired, wind ward mixed, unit	y formed imb ful flowers; is exquisite fi fur so being vei fur so being vei fur so being vei fur most perfect or beds or rib	ricated blossoms; the the Pompone is a chalowers, which range fry striking, while the hor its dwarf growth a collections. Type of the Pæony varbons """ """ """ "" "" "" "" "" "	rming flower from the size that the size that the size flower flo	rysan- er for e of a plant owers, 1 0 1 0 1 0
thei bound flor is ana 1179 1180 1181 1182 1183 1184 1185 1186 1187 1188 1189 1190	mum-flo quets; in to the neat and the Dr As'ter,	nwered, co and the at of a fiv ad fairy-l warf Victe Pæony Po "" "" New Vic "" "" "" "" "" "" "" "" "" "" "" "" ""	vers the fold Dovarf Bou e shilling pike. The coria for its enfection H "" "" toria mixe "" viole crim the Pompone e Pompone e mixed, who go improved	liage with in a synute Elegan Elegan Em symmetrica. Iamburgh I symmetrica idea, flowers p.e. for beds o it. son, e.g. mixed, e.g. mixed, e.g. ide centres, and mixed, a gad mi	large perfectly to start the start of the st	y formed imb ful flowers; is exquisite fi fur so being vei fur so being vei fur so being vei fur most perfect or beds or rib	ricated blossoms; the the Pompone is a chalowers, which range fry striking, while the hor its dwarf growth a collections. Type of the Pæony varbons """ """ """ "" "" "" "" "" "	rming flower from the size that the size that the size flower flo	rysan- er for e of a plant owers, 1 0 1 0 1 0
theis bou floor is and 1179 1180 1181 1182 1183 1184 1186 1187 1190 1191 1192 1193	mum-flo quets; in to the neat and the Dr As'ter,	nwered, co and the at of a fiv ad fairy-l warf Victe Pæony Po "" "" New Vic "" "" "" "" "" "" "" "" "" "" "" "" ""	vers the fold Dovarf Bou e shilling pike. The coria for its enfection H "" "" toria mixe "" viole crim the Pompone e Pompone e mixed, who go improved	liage with in a synute Elegan Elegan Em symmetrica. Iamburgh I symmetrica idea, flowers p.e. for beds o it. son, e.g. mixed, e.g. mixed, e.g. ide centres, and mixed, a gad mi	large perfectly tissiana with it siange beauty tissiana with it ubination of coo peror Aster is tiblossoms. Se Prize mixed, th crimson, f violet, white, rose, erfect in form, r ribbons, right r ribbons, right if the the the crimson form read, uni crimson, f violet,	y formed imb ful flowers; is exquisite fi fur so being vei fur so being vei fur so being vei fur most perfect or beds or rib	ricated blossoms; the the Pompone is a chanowers, which range fry striking, while the hor its dwarf growth a collections. type of the Pæony varbons y imbricated, 1½ ft. for bouquets, 1½ ft. olet, etc., 1½ ft. ive flowers, 1½ ft. io inches, flower verons, 10 inches, 10 inches,	rming flower from the size that the size that the size flower flo	rysan- er for e of a plant owers, I O I O I O I O I O I O I O I O I O I
theis bout floor is and 1179 1180 1181 1182 1183 1184 1185 1186 1187 1190 1191 1192 1193 1194	mum-flequets; in to the meat and the Da As'ter, """""""""""""""""""""""""""""""""""	and the and the and the art of a five and the art of a five and fairy-lewarf Viet Preony P. "" "" "" "" "" "" "" "" "" "" "" "" "	vers the follower the follower flower flower flower for its certain for its certain mixe white viole mixed, who go improve the certain flower	liace with it gives Elegan vicee, the com Gernan Em symmetrica symmetrica d, flowers p e, for beds o et, son, a mixed, exq ite centres, d mixed, a g mum-flower	large perfectly tissiana with it tissiana with it tissiana with it tissiana with it tistiani of coo peror Aster is tiblossoms. Se Prize mixed, th crimson, fo violet, white, rose, erfect in form, r ribbons, 1\frac{1}{2} ft, till till till till till till till ti	y formed imb ful flowers; ss exquisite fi ful rise being vei ful rise being vei ful rise being vei ful rise being vei ful rise beds or rib ful rise beds form height for beds or ribb ful rise form height for beds or ribb ful rise	ricated blossoms; the the Pompone is a chalowers, which range fry striking, while the hor its dwarf growth a collections. type of the Pæony varbons y imbricated, 1½ ft. for bouquets, 1½ ft. ive flowers, 1½ ft. to inches, flowers verons, 10 inches,	rming flower from the size that the size that the size flower flo	rysan- er-for er
bou flor is ana 1179 1180 1181 1182 1183 1184 1185 1186 1187 1191 1192 1193 1194 1195	mum-fleqquets; in to the neat and the Da As'ter,	muered, co and the iv at of a fivey-lowary Vict. Pæony P. """ """ """"""""""""""""""""""""""""	vers the fold Davarf Bou e shilling pike. The Coria for its certection Here with the certection Here with the certection Here with the certection Here with the certection Here Pompone mixed, who go improve thrysanthe mixed with the certection Here Pompone Here Pompone Here Pompone Here Here William Here Here William Here Here Here Here Here Here Here Her	itage with it is i	large perfectly tissiana with it tislossoms. Se Prize mixed, th crimson, f violet, white, ross, erfect in form, r ribbons, 1½ ft f	y formed imb ful flowers; is exquisite fi lours being vei- remarkable fi ealso p. 7 for the most perfect or beds or rib "" and beautifull small flowers et, carmine, vi ith large mass form height or beds or ribb "" triety, with lar	ricated blossoms; the the Pompone is a challenge of the Pompone is a challenge of the Pompone is a challenge of the Pompone of	rming flows the size in the si	rysan- er-for e-of a plant owers, I O I O I O I O I O I O I O I O I O I
theis bout floor is and 1179 1180 1181 1182 1183 1184 1185 1186 1187 1190 1191 1192 1193 1194	mum-fleqquets; in to the neat art the Da As'ter,	muered, co and the and fa fiv ad fairy-! warf Vict. Pæony P. 	vers the follower flow e shilling pike. The Coria for its enfection Here with the coria mixed white crime e Pompone mixed, whog improve thrysanthe conquet Eleparor touquet Eleparor follower flow for the corial mixed who are improved the corial mixed who are improved the corial mixed with the corial mixed wi	itage with it is i	large perfectly tissiana with it siange beauty tissiana with it ubination of coo peror Aster is tiblossoms. Se Prize mixed, th violet, white, rose, erfect in form, r ribbons, right r r r ribbons, right r r r r r r r r r r r r r r r r r r r	y formed imb ful flowers; is exquisile fi lours being ver remarkable fi eadso p. 7 for the most perfect or beds or rib "" and beautifull small flowers et, carmine, vi ith large mass form height or beds or ribb "" triety, with la towers are exqu	ricated blossoms; the the Pompone is a chalowers, which range fry striking, while the hor its dwarf growth a collections. Type of the Pæony varbons type of the Pæony varbons y imbricated, 1½ ft. olet, etc., 1½ ft. olet, etc., 1½ ft. ive flowers, 1½ ft. to inches, non, 10 inches,	rming flows from the size that the size flow in the size	rysan- er-for e-of a plant owers, I O I O I O I O I O I O I O I O I O I
thei bout floor is and 1179 1180 1181 1182 1183 1184 1185 1186 1187 1189 1190 1191 1192 1193 1194 1195 1196	mum-fleqquets; in to the neat and the Da As'ter,	and the later of a five day for the later of a five day for the later of a five day for the later of the late	vers the fold Davarf Bou e shilling pike. The Coria for its certection He with the crim white will be componed in the componed mixed, who go improve the chrysanthe chrysanthe arf Victor. Emperor Bouquet Eka arf Victor. Bettridge'	liage with it is it is a construction of the common from the symmetrica. It is symmetrical temperature of the common from the control of the	darge perfectly tissiana with it tistians of co. triblossoms. Se Prize mixed, th crimsom, f violet, vhite, rosc, erfect in form, r ribbons, 1½ ft ti, ti, ti, ti, ti, ti, ti, ti, ti, ti	y formed imb ful flowers; is exquisite fi ful rise being vei ful rise mass form height or beds or ribb ful rise mass form height or beds or ribb ful rise mass form height or beds or ribb ful rise mass form height or beds or ribb ful rise for table ful rise for table ful rise ful ris	ricated blossoms; the the Pompone is a chanowers, which range fry striking, while the hor its dwarf growth a collections. Type of the Pæony varbons """ """ for bouquets, 1½ ft. olet, etc., 1½ ft. ive flowers, 1½ ft. ive flowers, 1½ ft. ive flowers, lowers ver ons, 10 inches, 10	rming flows round flow size the size that it of the nd large flow icty, 1½ ft	rysan- er-for er
bou Mor is ana 1179 1180 1181 1182 1183 1184 1185 1186 1187 1190 1191 1192 1193 1194 1195 1196 1197 1198 1199	mum-fleq quets; in to the neat and the Do As'ter,	muered, co and the law and the law and the law and the law and full present the law and full present the law and full present the law and law	vers the follower the follower flow in the Coria for its coria for its coria mixe white white crim the Pompone mixed, whog improve thrysanthe conquet Elearf Victor Bettridge, the blue de the blue de the coria mixed who was the province of the coria mixed who was the corial mixed who was the corresponding who was the corial mixed who was the corresponding who was	itage with it is i	darge perfectly to start the start of the st	y formed imb ful flowers; is exquisite fi lours being vei- remarkable fi ealso p. 7 for the most perfect or beds or rib and beautifull small flowers et, carmine, vi ith large mass form height or beds or ribb " riety, with lar wers are exquisitely for ized for table anial, \frac{1}{2} ft.	ricated blossoms; the the Pompone is a chanowers, which range fry striking, while the hor its dwanf growth a collections. Type of the Pæony varbons y imbricated, 1½ ft. for bouquets, 1½ ft. olet, etc., 1½ ft. ive flowers, 1½ ft. io inches, flowers verons, 10 inches, 10	rming flows roung flows the size that the size that the size flow in the s	rysan- er-for er-for plant owers, I O I O I O I O I O I O I O I O I O I
bouu flor is anna 1179 1180 1181 1182 1183 1184 1185 1186 1187 1190 1191 1192 1193 1194 1195 1196 1197 1198	mum-fleq quets; in to the neat and the Do As'ter,	nuered, co and the at of a five ad fairy-l warf Vict. Pæony P. "" "" "" "" "" "" "" "" "" "" "" "" ""	vers the follower flow in the correction of the	itage with it is it is a construction of the common form of the common	Arge perfectly tissiana with it tistiana with it crimson, so tribons, xi to xi tit tistiana with tistiana tisti	y formed imb ful flowers; is exquisite followers; is exquisite followers; is exquisite followers being vere markable followers beds or rib mand beautifull small flowers et, carmine, with large mass form height or beds or ribb markable for table exquisitely for ized for table in a full formula, and followers are exquisitely for ized for table in a full formula, and followers are exquisitely for ized for table in a full formula, and followers are exquisitely for ized for table in a full formula, and full full full full full full full ful	ricated blossoms; the the Pompone is a chalowers, which range fry striking, while the horits dwarf growth a collections. type of the Pæony varibons ''', y imbricated, 1½ ft. for bouquets, 1½ ft. for bouquets, 1½ ft. ive flowers, 1½ ft. to inches, flowers ver ons, to inches, flowers, ro inches, ro inc	rming flows roung flows the size that the size that the size flow in the s	rysan- er for e of a plant owers, I O I O I O I O I O I O I O I O I O I
their bound for is and 1179 1180 1181 1182 1183 1184 1185 1186 1187 1190 1191 1192 1193 1194 1195 1196 1197 1198 1199 1200	mum-fleq quets; in to the neat and the De As'ter,	muered, co and the and the art of a five day of a five day fairy-lever f Victor Present Present Present Cockade Hedgeht Dwarf Cockade Hedgeht Dwarf Cockade Alpinus floribus	vers the followers the series of the control of the	itace with it is it is it is considered, the common term symmetrica. It is symmetrical amburgh it is on the control of the con	Arge perfectly tissiana with it tistiana with it tistiana with it crimson, Se Prize mixed, th crimson, Se tiblossoms. Se trize mixed, th tright tribbons, xi	y formed imb ful flowers; is exquisite for ful representation of the form of the ful representation of the ful representat	ricated blossoms; the the Pompone is a chalowers, which range fry striking, while the hor its dwarf growth a collections. type of the Pæony varbons y imbricated, 1½ ft. for bouquets, 1½ ft. ive flowers, 1½ ft. to inches, flowers verons, 10 inches,	rming flows roung flows the size in the si	rysan- er-for e-of a plant owers, I O I O I O I O I O I O I O I O I O I
their bound for is and 1179 1180 1181 1182 1183 1184 1185 1186 1187 1190 1191 1192 1193 1194 1195 1196 1197 1198 1199 1200	mum-fleg guets; in to th neat an t the De As'ter, """ """ "" """ "" "" "" "" "" "" "" "	mored, co and the late of a five and the late of a five and fairy-fewarf Vict. Pewony P. Went Vict. The late of th	vers the fold Davarf Bou Davarf Bou Davarf Bou it is a shilling pike. The Coria for its criming white, which will be criming to the criming white, which will be considered to the component of t	itage with it is i	Arge perfectly to start the starge beauty tissina with it is in a with it in a wi	y formed imb ful flowers; is exquisite ful flowers; is exquisite ful flowers being veice also p. 7 for me most perfect or beds or rib mand beautifull small flowers et, carmine, viith large mass form height or beds or ribb mariety, with lawers are exquisitely for rized for table anial, \frac{1}{2} ft.	ricated blossoms; the the Pompone is a challowers, which range fry striking, while the hor its dwarf growth a collections. Type of the Pæony varbons y imbricated, 1½ ft. for bouquets, 1½ ft. olet, etc., 1½ ft. ive flowers, 1½ ft. ive flowers, 1½ ft. ro inches, flowers ver ons, 10 inches, flowers, rege Pæony flowers, rege Pæony flowers, rest bouquets, 2 ft. rdy perennial. flowers in panicles.	rming flows round flow size the size that it of the nd large flow icty, 1½ ft	rysan- er for e of a plant owers, I O I O I O I O I O I O I O I O I O I
their bound for is and 1179 1180 1181 1182 1183 1184 1185 1186 1187 1190 1191 1192 1193 1194 1195 1196 1197 1198 1199 1200	mum-fleg guets; in to th neat an t the De As'ter, """ """ "" """ "" "" "" "" "" "" "" "	mored, co and the late of a five and the late of a five and fairy-fewarf Vict. Pewony P. Went Vict. The late of th	vers the fold Davarf Bou Davarf Bou Davarf Bou it is a shilling pike. The Coria for its criming white, which will be criming to the criming white, which will be considered to the component of t	itage with it is i	Arge perfectly to start the starge beauty tissina with it is in a with it in a wi	y formed imb ful flowers; is exquisite ful flowers; is exquisite ful flowers being veice also p. 7 for me most perfect or beds or rib mand beautifull small flowers et, carmine, viith large mass form height or beds or ribb mariety, with lawers are exquisitely for rized for table anial, \frac{1}{2} ft.	ricated blossoms; the the Pompone is a challowers, which range fry striking, while the hor its dwarf growth a collections. Type of the Pæony varbons y imbricated, 1½ ft. for bouquets, 1½ ft. olet, etc., 1½ ft. ive flowers, 1½ ft. ive flowers, 1½ ft. ro inches, flowers ver ons, 10 inches, flowers, rege Pæony flowers, rege Pæony flowers, rest bouquets, 2 ft. rdy perennial. flowers in panicles.	rming flows round flow size the size that it of the nd large flow icty, 1½ ft	rysan- er-for e-of a plant owers, I O I O I O I O I O I O I O I O I O I
their bound for is and 1179 1180 1181 1182 1183 1184 1186 1187 1199 1190 1191 1192 1193 1194 1195 1196 1197 1198 1190 1200	mum-fleq quets; in to the neat and the Do As'ter,	mored, co and the late of a five and the late of a five and fairy-lawarf Vict. Preony Process of the late of the l	pers the follower the follower flower	itage with it is it is a construction of the common from symmetrica. It is a mixed, a general and mixed, and m	large perfectly tissiana with it is large beauty tissiana with it is in a with it	y formed imb ful flowers; its exquisite ful flowers; its exquisite ful flowers being vere markable for ealso p. 7 for he most perfect for beds or rib ful flowers are exquisitely for its ful ful flowers are exquisitely for its ful	ricated blossoms; the the Pompone is a chalowers, which range fry striking, which range fry striking, while the horits dwarf growth a collections. type of the Pæony varibons ''', 'y imbricated, 1½ ft. for bouquets, 1½ ft. for bouquets, 1½ ft. ioinches, flowers verons, 10 inches,	rming flows from the size that	rysan- er-for e-of a plant owers, 1
their bound for is and 1179 1180 1181 1182 1183 1184 1186 1187 1199 1190 1191 1192 1193 1194 1195 1196 1197 1198 1190 1200	mum-fleqquets; in to the neat and the Do As'ter, """ """ "" """ "" "" "" "" "	muered, co and the late of a five day of a f	pers the follower flow in the coria for its coria mixed with the coria mixed with the coria mixed, who is improved in the blue did so, and the coria mixed with the cory and t	itage with it is it is a construction of the common form of the common form of the common form of the construction of the cons	Arge perfectly test large beauty tissiana with it is large beauty tissiana with it is large beauty tissiana with it is large peror Aster is tiblossoms. Se Prize mixed, the crimson, so white, rose, erfect in form, it is to tiblos, it is t	y formed imb ful flowers; is exquisite for the calso p. 7 for the most perfect for beds or rib ful flowers and beautifull for beds or ribb ful flowers are exquisitely for the calso p. 7 for the most perfect for beds or ribb ful flowers are exquisitely for the call ful flowers are exquisitely for the call for the cal	ricated blossoms; the the Pompone is a chalowers, which range fry striking, while the horits dwarf growth a collections. type of the Pæony varibons ''', y imbricated, 1½ ft. for bouquets, 1½ ft. for bouquets, 1½ ft. ive flowers, 1½ ft. to inches, flowers ver ons, 10 inches, 10 i	rming flows from the size that if the indicate flow in the size that if the indicate flow in	rysan- er-for e-of a plant owers, 1
bouu flor is anna 1179 1180 1181 1182 1183 1184 1185 1186 1187 1190 1191 1192 1193 1194 1195 1196 1197 1200 1201	mum-flegguets; in to the neat and the De As'ter, ''' ''' ''' Asti'lb in Astra's	mored, co and the lowerf of the lowerf Victory Present	vers the followers the follower for the coria for its certection in the coria for its certection in the coria mixed, whose improve the component of the coria mixed, whose improve the correspondent followers the correspondent followers the correspondent of the c	diage with it is it is a construction of the common from symmetrica. At the common from the co	large perfectly to slarge beauty tissiana with it is large beauty tissiana with it is large beauty tissiana with it is large mixed, the crimson, Serize mixed, the crimson, stage of the crimson, stage of the crimson, stage of the crimson, so will the crimson, so will dear with the same and the crimson, so will dear with the same and the crimson, so will dear the same and the same	y formed imb full flowers; is exquisite followers; is exquisite followers; is exquisite followers being vere markable followers beds or ribe in the season of the most perfect or beds or ribe in the season of the most perfect or beds or ribe in the season of the season	ricated blossoms; the the Pompone is a chalowers, which range fry striking, while the hor its dwarf growth a collections. Type of the Pæony varbons y imbricated, 1½ ft. for bouquets, 1½ ft. ive flowers, 1½ ft. to inches, flowers verons, 10 inches, flowers, 10 inches, fowers, 12 ft. ro inches, flowers, 13 ft. ro inches, flowers, 14 ft. romed, 10 inches. bouquets, 2 ft. rdy perennial. flowers in panicles, ful hardy perenn	rming flows irrom the size in	rysan- er- for e e of a plant owers, I O I O I O I O I O I O I O I O I O I
bouu flor is ana 1179 1180 1181 1182 1183 1184 1185 1186 1187 1199 1190 1191 1192 1193 1194 1195 1196 1197 1200 1201 1202 1203	mum-flegguets; in to the neat are it the De As'ter, """""""""""""""""""""""""""""""""""	mored, co and the late of a five and the late of a five and fairy-lewarf Victory Present of the late o	pers the for Dovarf Bou Dovarf Bo	itage with it is i	Arge perfectly to start the starge beauty tissina with the crimson. See the wield, the tissina with the tissinal w	y formed imb ful flowers; is exquisite ful flowers; is exquisite ful flowers being veice also p. 7 for the most perfect or beds or rib mand beautifull small flowers are exquisitely for ribeds or ribb for beds or ribb mand, \frac{1}{2} ft. It caw. Hat nt spirea-like me. Beautiful a ft. Fine hardy versare very experies as the control of the control	ricated blossoms; the the Pompone is a chalowers, which range fry striking, while the hor its dwarf growth a collections. Type of the Pæony varbons for bouquets, 1½ ft. for bouquets, 1½ ft. for bouquets, 1½ ft. ive flowers, 1½ ft. ive flowers, 1½ ft. ive flowers, 1½ ft. ive flowers, 1½ ft. ro inches ,, to inches	rming flower rming flower rm the size in t	rysan- er for e of a plant owers, I O I O I O I O I O I O I O I O I O I
bouu flor is ana 1179 1180 1181 1182 1183 1184 1185 1186 1187 1199 1190 1191 1192 1193 1194 1195 1196 1197 1200 1201 1202 1203	mum-flegguets; in to the neat and the Da As'ter, """ """ """ """ """ """ """ """ """	mored, co and the loval fairy-lewarf Vict. Preony P	pers the follower the follower from the estimate of the corria for its corria mixe white, which will be followed by the blue did situation of the bl	itage with it is i	Arge perfectly to slarge beauty tissiana with it is large beauty tissiana with it is large beauty tissiana with it is large peror Aster is tiblossoms. Se Prize mixed, the crimson, Se Prize mixed, the tribbons, 1½ ft. 1½	y formed imb ful flowers; its exquisite ful flowers; its exquisite ful flowers being veice also p. 7 for me most perfect or beds or rib mand beautifull small flowers are exquested for table anial, \frac{1}{2} ft. The care Hand series were every every every every since for the form the control of the cont	ricated blossoms; the the Pompone is a challowers, which range fry striking, while the hor its dwarf growth a collections. Type of the Pæony varbons ''', ''', ''' y imbricated, 1½ ft. for bouquets, 1½ ft. olet, etc., 1½ ft. olet, etc., 1½ ft. ive flowers, 1½ ft. ive flowers, 1½ ft. ro inches, flowers ver ons, 10 inches, flowers ver ons, 10 inches, flowers, rege Pæony flowers, resulting neat, ½ ft. Indicated, 10 inches. To bouquets, 2 ft. rdy perennial, flowers in panicles, ful hardy perenn annual for bouquets, 1 ft. Isome fruit-bearit	rming flower rom the size in t	rysan- er for e of a plant owers, I O I O I O I O I O I O I O I O I O I
bouu flor is ana 1179 1180 1181 1182 1183 1184 1185 1186 1187 1198 1190 1191 1192 1193 1194 1195 1196 1197 1198 1190 1200 1201 1202	mum-flequents; in to the neat and the Do As'ter, """ Asti'lb in Astra's Athan UBER Uniquents	mered, co and the late of a five day for the late of the	pers the follower the follower for the coria for its enfection for its enfect follower follow	itage with it is it is grize to the common fem symmetrica. It is a mixed, exp it is continued, a genum-flower it is prize variately of the Ae, hardy pero, Nat. Ord. from six beaut. Ord. (1) and sub-troj. Nat. Ord. and sub-troj. Nat. Ord. and sub-troj.	large perfectly tissiana with it is large beautitissiana with it is in a with it	y formed imb ful flowers; its exquisite followers; its exquisite followers; its exquisite followers being vere markable followers or remarkable followers or ribe most perfect for beds or ribe most perfect for the most perfect for beds or ribe form height or beds or ribe form height for the followers are exquisitely for rized for table anial, \frac{1}{2} ft.	ricated blossoms; the the Pompone is a chalowers, which range fry striking, while the horits dwarf growth a collections. type of the Pæony varibons ''', 'y imbricated, 1½ ft. for bouquets, 1½ ft. for bouquets, 1½ ft. io inches, flowers verons, 10 inches, 10	rming flows from the size that the size that the size fit is t	rysan- er- for e e of a plant owers, 1
bouu Mor is ana 1179 1180 1181 1182 1183 1184 1185 1186 1187 1190 1191 1192 1193 1194 1195 1196 1197 1200 1201 1202 1203 A	mum-flequents; in to the neat and the Do As'ter, """ Asti'lb in Astra's Athan UBER Uniquents	moretal, co and the and the and the and the and the art of a five and fairy-lever Present Pres	vers the follower the follower bound by the control of the control	diage with i in it is it	Arge perfectly testarge beauty tissiana with it is large beauty tissiana with it is in a with it, white, rose, erfect in form, it is in it is in a with it, white, with it is in a with it is	y formed imb ful flowers; its exquisite ful flowers; its exquisite ful flowers being vere markable for ealso p. 7 for he most perfector beds or rib mand beautifull for beds or ribber for beds or ribber for beds or ribber for beds or ribber ful flowers are exquisitely for its ful ful for the ful ful ful ful for beds or ribber for ribber for beds or ribber for ribber for beds or ribber for be	ricated blossoms; the the Pompone is a challowers, which range fry striking, which range fry striking, while the horits dwarf growth a collections. type of the Pæony varbons y imbricated, 1½ ft. for bouquets, 1½ ft. for bouquets, 1½ ft. ive flowers, 1½ ft. to inches, flowers verons, 10 inches, 10 inch	rming flows from the size that the size for the include the includ	rysan- er for e of a plant owers, I O I O I O I O I O I O I O I O I O I
bouu flor is ana 1179 1180 1181 1182 1183 1184 1185 1186 1187 1198 1190 1191 1192 1193 1194 1195 1196 1197 1198 1190 1200 1201 1202	mum-flequents, in to the hocat and the Do As'ter, As'ter, As'ter, Ast'lb in Astra's Athan. UERR U/neque	mored, co and the lower of the	vers the follower the follower for its version in the control of t	d, flowers p e, for beds o o'. d, flowers p e, for beds o o'. son, o mixed, a semum-flowers, a mixed, a bear egantissimata mixed, flowers p e, hardy percent of the semum-flowers of the semum-flowe	Arge perfectly to started with the starter is to be authorized to be autho	y formed imb ful flowers; is exquisite ful flowers; is exquisite ful flowers being veice also p. 7 for me most perfect or beds or rib mand beautifull small flowers are exquisitely for ribed or ribb for beds or	ricated blossoms; the the Pompone is a challowers, which range fry striking, while the hor its dwarf growth a collections. Type of the Pæony varbons for bouquets, 1½ ft. for bouquets, 1½ ft. olet, etc., 1½ ft. ive flowers, 1½ ft. ive flowers, 1½ ft. ro inches, flowers verons, 10 inches, flowers verons, 10 inches, 10 inche	rming flower the size in the s	rysan- er for e of a plant owers, 1
their bound of the state of the	mum-flequents; in to the neat and the Do As'ter, """ Asti'lb in Astra's Athan UBER Uniquents	mored, co and the land the land the land the land the land fairy-land fairy-l	pers the follower the follower from the control of	d, flowers ple, for beds of mixed, a besegantissimal amixed, a besegantissimal amixed, a form of the Art. Ord. from six bea att. Ord. from six bea and sub-trojerlet, large verte, from Peki, from Pek	Arge perfectly to started with the starter is to be autivitissima with the starter is to bosons. See Prize mixed, the crimson, so white, rose, erfect in form, or ribbons, 1½ ft.	y formed imb ful flowers; its exquisite ful flowers; its exquisite ful flowers being veice also p. 7 for me most perfect or beds or rib mand beautifull small flowers are exquisitely for beds or ribb form height or or ribb	ricated blossoms; the the Pompone is a challowers, which range fry striking, which range fry striking, while the horits dwarf growth a collections. type of the Pæony varbons y imbricated, 1½ ft. for bouquets, 1½ ft. for bouquets, 1½ ft. ive flowers, 1½ ft. to inches, flowers verons, 10 inches, 10 inch	rming flower the size in the s	rysan- er for e of a plant owers, 1
thei bout Mor is and 1179 1180 1181 1182 1183 1184 1185 1186 1187 1188 1189 1190 1191 1192 1193 1194 1195 1196 1197 1198 1190 1201 1202 1203 A	mum-flequents, in to the hocat and the Do As'ter, As'ter, Asti'lb in Astra's Athana UBER Unique	mored, co and the ivad fairy-lewarf Vict. Preony Pr	pers the foil provided in the control of the contro	itage with it is it is a private Elegan spiece, the com Gernan Em symmetrica. It is a mixed, a mixed, a per it is entirely entire	large perfectly test large beauty tissiana with it issiana with it crimson. Se prize mixed, the crimson, it is i	y formed imb ful flowers; ful flowers; is exquisite for ful flowers; is exquisite for for several flowers being vere markable for ealso p. 7 for the most perfect for beds or rib ful flowers are exquisitely for form height for beds or ribb for beds or ribb for ful flowers are exquisitely for fixed for table form height for form height for beds or ribb form height for beds or ribb for fixed for table form height for fixed for table form height for form height for fixed for table form height for fixed for table form height form height for exquisitely for fixed for the form height form heigh	ricated blossoms; the the Pompone is a challowers, which range fry striking, while the hor its dwarf growth a collections. Type of the Pæony varbons for bouquets, 1½ ft. olet, etc., 1½ ft. olet, etc., 1½ ft. ive flowers, 1½ ft. ive flowers of the period of the p	rming flows from the size in t	rysan- er for e of a plant p

```
AUBRIE'TIA, Nat. Ord. Crucif'era. Pretty spring-flowering hardy perennials.
These charming plants are indispensable for beds, edgings, ribbons, and for working into all kinds of fancy designs in spring gardening; associated with daisies, they impart a subdued mauve ground to tapestry beds; height \( \frac{1}{2} \) to tapestry beds; height \( \frac{1}{2} \) to tapestry beds.
                                                                                                                  0 6
                                                                                                                    ó
                                                                                                                  0
AURIO'ULA, Nat. Ord. Primula'cew. Handsome favourito hardy pereunials.
1216
1217
         AZA'LEA, Nat. Ord. Rhodora'ccae. Beautiful greenhouse and hardy shrubs.
1218 Aza'lea saved from the choicest greenhouse varieties, 4 ft.

1219 , saved from fine greenhouse varieties, 4 ft.

1220 , saved from the finest hardy varieties, 4 ft.
                            BABI'ANA, Nat. Ord. Irida'cea. Hardy bulbs.
1221 Babi'ana, choice mixed; these are charming Cape bulbs, 3 ft.
             BALSAM, Nat. Ord. Balsamina'ceæ. Magnificent half-hardy annuals.
BARTO'NIA, Nat. Ord. Loasa'cea. Very showy hardy annual.
1233 Barto'nia au'rea, golden yellow, a very effective plant for borders and in masses, 1½ ft. ......3d. & o
                         nana, golden yellow, very effective in bed and borders, I ft. .....
BEGO'NIA, Nat. Ord. Begonia'ccæ. Beautiful greenhouse and out-door plants.

The elegance of habit, profusion of bloom, and brilliancy of colour possessed by the new hybrid tuberous rooted Begonias cannot be spoken of too highly. For greenhouse decoration they are unequalied, and as bedding plants in summer they are now successfully employed. The seedlings of spring are ready to bed out in summer. (Bulbs, named varieties, 13. 6d., 23. 6d., and 35. 6d. each. In mixture, 12s. and 18s. per dozen.)

1235 Bego'nia, saved from the newest Continental and English hybrids, including Mont Blanc, Mont Rosa, Orange Perfection, Ne Plus Ultra, Sedeni semi-plena, Floribunda rosea, Boliviensis superba, Froebeli, Sedeni, Dazzle, Glitter, Lothair, Meteor, Magnifica, Victoria, Rosaeflora, Veitchii, and many other new choice species and varieties 26.6. 3/6 & 5.6
                                                                                                     2/6, 3/6 &
                 1236
                 Froeb'ell, dazzling scarlet 1½ ft. 15. & Pear'cel, remarkable for its beautiful foliage, 1 ft. semperfio'rens, white flowers, produced in great profusion, 1½ ft.
 1237
 1238
1239
                  BE'TA, Nat. Ord. Chenopodia'ceæ. Ornamental foliage plants.
1240 Be'ta vulga'ris fol. kermesi'na, 1 ft. .....
           It would be impossible to speak too highly of the crimson-leaved Beet,
No. 1240. Its dwarf growth, intense crimson soliage, and fine
babit, adapt it for any style of gardening, while the varieties of
Citla and Chilensis, grown as single specimens in shrubbery borders
and semi-wild places, are objects of great attraction.
                                                                                                                     0
1241
                                                                                                                     0
 1242
1243
                                                                                                                  I
                                                                                                                     0
 1244
                                                                                                                     0
1245
           BIDENS, Nat. Ord. Compos'ita. Very effective and showy hardy annual.
 1247 Bloome'ria au'rea, golden yellow, a very profuse-flowering Californian plant, 1 ft. ......
         BOCOO'NIA, Nat. Ord. Papavera'cew. Highly ornamental hardy perennials.
 6
                                                                                                                      6
                                                                                                                      6
                  choice mixed
                       BOLTONIA, Nat. Ord. Compositæ. Hardy perennials.
 Fine ornamental border plants with a profusion of Aster-like flowers in Autumn.

1253 Boltonia latisquama, rose, 3 ft.

1254 ,, alba, white, 3 ft.
                     BOUVAR'DIA, Nat. Ord. Cinchona'cea. Greenhouse shrubs.
 BRAOHY'OOME (Swan River Daisy), Nat. Ord. Compos'itæ. Pretty h.-h. annuals.
```

```
Per pkt,
                                      BRODI'ÆA, Nat. Ord. Lilia'cea. Hardy bulb.
 1260 Brodi'æa conge'sta, lilac-blue, a very showy border plant, 1½ ft.
          BROWAL'LIA, Nat. Ord. Scropnwaria cece.

Browal'lia Cerviakowsk'ii, blue, centre white, 1½ ft.

al'ba, white, 1½ ft.

ceru'lea grandiflo'ra, sky blue, 1½ ft.

ceru'lea grandiflo'ra, sky blue, 1½ ft.

of doors in summer.
            BROWAL'LIA, Nat. Ord. Scrophularia'ceæ. Beautiful greenhouse biennials.
 1261
 1262
 1263
 1264
                                                                                                                                                         3
                                                                                                                                                         3
 1265
               BRUGMAN'SIA, Nat. Ord. Solana'cea. Magnificent conservatory shrubs.
          Brugman'sia arbo'rea, white, flowers very fragrant, 3 ft.

Knighti'i, white, very fragrant, 3 ft.
 1266
 1267
                              sangu'inea, crimson, 3 ft.
suave'olens, white, flowers very large and fragrant, 3 ft.
 1268
 1269
 1270
                              choice mixe i
                                                    .....
      CAC'TÜS, Nat. Ord. Cacta'ceæ. Singular and beautiful greenhouse perennials, etc.
         Cac'tus, Ce'reus, Echinocac'tus, Mammilla'ria, Echinoce'reus, and Opun'tia, in mixture ... 15. & 2
               OALANDRINTA, Nat. Ord. Portulaca'cea. Beautiful hardy annuals, etc.
          1272 and 1275 succeed best in sunny situations and on rockwork, where they are very beautiful.

Calandrin'ia grandifio'ra (dis'color), rose-pink, for edgings and small beds, I ft.

specio'sa, rose-purple, \(\frac{1}{2}\) ft.\(\cappa_1\) Charming spring flowers if sown in August.\(\left\{ \ldots \cappa_1\) d.\(\ddots \cappa_2\)

1 al'ba, white, \(\frac{1}{2}\) ft.\(\cappa_2\) For summer flowers sow in spring.

1 mballate males elements.
 1272
 1273
 1274
                            umbella'ta major, glowing magenta-crimson, a charming hardy percnnial, & ft ....
 1275
                                                                                                                                                         6
 OALOEOLA'RIA, Nat. Ord. Scrophularia'ceæ. Indispensable greenhouse perennials, etc.
 1276
          Calceola'ria herbaceous, Barr's magnificent International First Prize varieties, 2 ft. .....2s. 6d. &
 1277
                                               Thompson's Dalkeith Park varieties, a very fine selection, 2 ft. ..........
 1278
                                               saved from very fine flowers, 2 ft. ....
                            hy'brida pu'mila compac'ta, mixed, these are German selections, 1 ft...
grandiflo'ra tigri'na nana, dwarf and tiger-spotted, 1½ ft.
shrubby, saved in Germany from choice dwarf bedding varieties, 1 ft.
pinna'ta, yellow, half-hardy annual, 2 ft.
scablosæfo'lia, clear yellow, half-hardy annual, 2 ft.

Scablosæfo'lia, clear yellow, half-hardy annual, 2 ft.

Scablosæfo'lia, clear yellow, half-hardy annual, 2 ft.
1279
                  ,,
 1280
                  ,,
 1281
                  .,
1222
1283
         CALEN'DULA, Nat. Ord. Compos'ilæ. Very useful hardy annuals.

Calen'dula pluvia'lis, pure white, large flowers, 1 ft. \ Profuse blooming Cape Marigolds, effec-{
,,, Ponge'it fl. pl., double white, 1 ft. \ tive in beds, masses, and lines.
,, officina'lis fl. pl. Auro'ra, apricot, 1 ft. \ In mixed flower borders, shrubberies, and semi-wild \ 
,,, super'ba, rich orange, 1 ft. \ places, these are exceedingly attractive.
1284
                                                                                                                                                         3
 1285
                                                                                                                                                         3
1286
                                                                                                                                                         3
1287
                                                                                                                                                         3
           OALLA (Richardia), Nat. Ord. Orontia'ceæ. A handsome greenhouse plant.
      Calla Ethio'pica, the white Lily of the Nile, 2 ft. | Handsome conservatory plants, and fine { aquatics. Plants in pots, 1/6 each. { CALLICAR'PA, Nat. Ord. Verbena'cea. Beautiful fruit-bearing greenhouse shalls.
1288
                                                                                                                                                         6
1289
         Callicar'papurpu'rea produces long racemes of berries on slender branches, and is admirably adapted for table decoration. Seedlings make finer plants than cuttings, 2 ft.
      OALLIOP'SIS or COREOP'SIS, Nat. Ord. Compos'ita. Valuable hardy annuals, etc.
        These are all profuse and continuous bloomers, and are among the most elegant and effective of annuals.
         1291
                                                                                                                                                         3
1292
1293
                                                                                                                                                         36
                        1294
1295
                                                                                                                                                         6
1296
                ,,
1297
                33
                       Drummond'i, yellow, spotted trimson, a very effective border plant, 1\frac{1}{2} ft.

Drummond'i, yellow, crimson centre, a charming plant for beds, 1\frac{1}{2} ft.

Engelman'nii, bright yellow, in habit and foliage the very perfection of grace, 1 ft. 3d. & auricula'ta, rich yellow, 3 ft.

These bards perennials are extremtly decorative border plants, and valuable where cut flowers are in demand, lanceola'ta, golden yellow, 3 ft.

Lall, mixed varieties

dwarf mixed varieties
1298
                ,,
1299
                ,,
1300
1301
1302
1303
1304
                        dwarf, mixed varieties
1305
                        CALLIPRO'RA, Nat. Ord. Lilia'cew. Handsome hardy bulb.
          Callipro'ra fla'va, yellow, striped brown, flowers in large umbels, very showy, 1 ft.....
1306
            OALLIRHOE, Nat. Ord. Malva'cea. Handsome hardy border annuals, etc.
        1307
                                                                                                                                                        S
1308
                                                                                                                                                        3
1309
         Calycan'thus fine mixed varieties, with delightfully cinnamon-scented flowers, 5 ft.
1310
                       OAMAS'SIA, Nat. Ord. Asphodela'cew. Beautiful hardy bulbs.
         Camas'sia mixed, including Esculenta, Atroccerulea, and Fraseri, beautiful species ......
1311
                                                                                                                                                        6
               OAMEL'LIA, Nat. Ord. Ternströmia'ccæ. Favourite greenhouse shrubs.
        1312
         CAMPAN'ULA, Nat. Ord. Campanula cow. Annuals and percentials.

The varieties we enumerate of this genus, whether stately or dwarf, are all extremely beautiful.

Campan'ula alliariæfo'lia, white, a very fine variety, hardy perennial, 1 ft.

At'tica, rich purple, \ ft. \ For rock-work, edgings, and panel beds, these are gems, car-\

", al'ba, white, \ ft. \ peting the ground with rich foliage and pretty flowers, h. a. \

", carpat'ica, mawve, 1 ft. ...... \ Splendid for permanent beds, edgings, and flower bor-\

", al'ba, white, 1 ft. \ ders; established plants are very floriferous; h.p. \

"B
1313
1314
1315
1316
1317
```

```
s. d.
1318 Campan'ula celtidifo'lia (new), violet-blue, blooms first season, hardy perennial, 2 ft.

1319 ,, exi'mia grandiflo'ra, deep purple, 2 ft.

1320 ,, glomera'ta, deep violet-blue, flowers in clusters, hardy perennial, 2 ft.
                                                                                                                                                                                                                                                                                                    6
                                           eximia grandiuo a. deep pur pte, 2 it.

glomera ta, deep violet-bine, flowers in clusters, hardy perennial, 2 ft.

grandis, purple, large handosme flowers, hardy perennial, 2 ft.

Hohenacked it, rich blue, a fine variety (new), hardy perennial, 1½ ft.

lactina ta, blue, foliage very ornamental, hardy perennial, 2 ft.

Lo'rei, purple-lilae, 1 ft.

For neat beds and masses in the flower borders, these {
perty hardy annuals are charming.

macra than deep violet, large handsome-flowers, hardy perennial, 3 ft.

pentago'nia, rich purple, ½ ft.

perty hardy annuals for beds, flower {
borders, and rock-work}

peregrina, deep violet, very beautiful and desirable hardy perennial, 1½ ft.

persicifo'lia al'ba, pure white, very beautiful hardy perennial, 2 ft.

persicifo'lia al'ba, pure white, ine double flowers, hardy perennial, 2 ft.

permanda'lis, blue, h. p., 3 ft.

Stately plants of great beauty for the con-
al'ba, white, h. p., 3 ft.

Stately plants of great beauty for the con-
sarma'tica, pale blue, a fine plant for rock-work and borders, hardy perennial, ½ ft.

turbina'ta, violet-blue, very beautiful neat dwarf plant, hardy perennial, ½ ft.

Vidall'it, white, very elegant greenhouse plant, half-hardy perennial, ½ ft.

choloe mixed perennial varieties
1321
1322
 1323
1324
 1325
                                                                                                                                                                                                                                                                                                     3
1326
                                ,,
 1327
                                21
1328
                                3.5
 1329
                                3 2
 1330
                                ,,
 1331
                                                                                                                                                                                                                                                                                             0
 1332
 1333
 1334
 1335
 1336
                                 . .
                                                                                                                                                                                                                                                                                                      3
 1337
                                ,,
 1338
                                13
 1339
 1340
 1841
                                                   choloe mixed perennial varieties .....
                             CANDYTUFT (Ibe'ris), Nat. Ord. Crucif'era. Beautiful hardy annuals.
6
                                                                                                                                                                                                                                                                                                     6
                                                                                                                                                                                                                                                                                             0
                                                                                                                                                                                                                                                                                                       6
                                                                                                                                                                                                                                                                                                      6
                                                                                                                                                                                                                                                                                              Ω
                                                                                                                                                                                                                                                                                                       6
                     OAN'NA, Nat. Ord. Maranta'cece. Highly ornamental half-hardy perennials.
Scientific gardening has reached an epoch when sub-tropical or Leaf, Gardens in any part of the three kingdoms are no tonger a chimera. It is simply a question of the right place for the plants, the right plants for the place, and the treatment necessary to ensure success. In this style of gardening, the Canna must necessarily take the prominent position: possessing, as it does, large picturesque foliage, varied both in form and colour, with a chasteness yet boldness of outline peculiar to itself, and which renders it an equally pleasing associate either with shrubs or flowers. Although we have alluded to the foliage only of these plants, it must not be forgotten that their flowers are very decorative, rising conspicuously, as they do, from amidst an amplitude of leaves.

A stock of Cannas is easily secured by sowing the seed early in springin a trong moist heat, and the plants are decorative the first season: or the seed may be sown later to form rhicomes for another year.
decorative the first season; or the seed may be sown later to form rhizomes for another year.

The following varieties are a selection of those recently introduced, and we are glad of the opportunity to offer some important additions to the Caunas now cultivated in this country.
offer some important additions to the Cannas now cultivated in this country.

1350 Can'na Admira'tion, a very handsome variety

1351 , atropurpu'rea, handsome dark foliage variety

1352 , Bertha Rendatler (new), very handsome foliage

1353 , Bihorel'il splen'dens (new), foliage rich brown violet, flowers bright red

1354 , Bonnet'ti semperflo'rens (new), flowers dark red, freely produced

1355 , Daniel Hooibrenk (new), foliage dark green, flowers vermilion-red

1356 , Di'scolor splen'dens, broad handsome foliage

1357 , Ernst Benary (new), foliage very large and dark, flowers intense scartet

1358 , Et'na, fiery scarlet flowers and ine foliage

1359 , Gloire de Provence (new), handsome in flowers and foliage

1360 , gran'dis, crimson flowers, very large handsome foliage
                                                                                                                                                                                                                                                                                                     6
                                                                                                                                                                                                                                                                                                     n
                                     gran'dis, crimson flowers, very large handsome foliage
Imper'ator, foliage green, flowers deep red
Jacques Plantier, foliage bronze, flowers salmon colour
Jean Sisley (new), foliage very large and majestic, flowers beautiful dark red
L'Incon'stant (new), very handsome flowers and foliage
  1360
  1361
  1362
  1363
 1364
                                     lu'tea el'egans, vellou flowers, and handsome leaves
metal'lica (new), foliage rich bronzy rea, flowers dark red
mussefo'lia hybrida, orange flowers, and grand large foliage.
nepalen'sis grandiflo'ra, foliage green, flowers yellow
or'flamme, foliage oliage green, flowers, cathronic reasons.
  1365
  1366
  1367
  1868
                               1369
  1370
  1371
  1372
  1373
  1374
  1375
                                                     CAN'NABIS, Nat. Ord. Urti'cew. Majestie hardy annual.
 1376 Can'nabis giga'ntea, a most elegant sub-tropical plant, of imposing aspect on lawns, &c., 5 ft. .....
              CANTERBURY-BELLS, Nat. Ord. Campanula'cea. Very showy hardy biennials.
```

```
Per pkt.
  6
                                                                                                                                                                                                                               6
                             CAP'SICUM, Nat Ord. Solana'cca. Ornamental half-hardy annuals.
   1388 Cap'slcum Cherry fruited, dark red, 2 ft.
                                                                                                     In addition to the culinary value of the fruit, Capsi-
oum plants are very ornamental, when loaded
with their highly-polished and richty-coloured
fruits, and are then admirably adapted for dinner-
table decoration. The long yellow fruited, and the
citron-coloured variety Prince of Wales have a
                                     Chili, scarlet fruit 12 ft. ..... long, scarlet fruit, 2 ft. .....
   1389
                                                                                                                                                                                                                               3
   1390
                                                                                                                                                                                                                               3
   1391
                                     ,, yellow fruit, 2 ft. .......
monstro'sum, scarlet fruit, 2 ft.
                                                                                                                                                                                                                               3
   1392
   1393
                                     Prince of Wales, citron fruit, 2ft
   1394
                                     Princess of Wales, new, 2 ft...
                                                                                                                                                                                                                              0
   1395
                                    Squash sweet, for salads, 2 ft.
                                                                                                         beautiful waxy appearance by gaslight, and as a pleasing relief are sometimes dished with the dessert.
                                     Tom Thumb, new, 1 ft. ......
   1396
                                     choice mixed .....
   1397
                  OAR/DUUS (Thistle), Nat. Ord. Compos'ite. Hardy or half-hardy biennials.
              These Thistles are all of a highly ornamental character, and exceedingly effective in shrubbery borders. Car duus acanthol des (Scotch Thistle), silvery foliage, a noble plant, 6 ft.
  1398
   1399
                                   acau'lis, foliage variegated green and while, I ft.
       99 , acau'lis, foliage variegated green and white, 1 ft.
00 , benedic'tus (the Blessed Thistle), 3 ft.
01 , ebur'neus (Ivory Thistle), 6 ft.
02 , Globe Thistle (Echinops bannaticus), purple balls, 2 ft
03 , (Echinops sphærocephalus), light blue balls 5 ft.
04 , Maria'nus, foliage beautifully variegated, green and white, 3 ft.
05 , Taur'leus, a majestic plant, 6 ft.
06 , mixed, many varieties
0 OARNATION; Nat. Ord. Caryophylla'ceæ. Indispensable fragrant hardy perennials.
   1400
   1401
   1402
   1403
   1404
  1405
  1406
 UARNATION; Nat. Ord. Caryophylla cea. Indispensable fragrant hardy perennials.

A reserve piece of ground should be devoted to the cultivation of Carnations for cut flowers: plants from seed are infinitely more floriferous than from cuttings; from our first questions, seed, a large percentage usually come double; and charming varieties can always be selected from amongst them. Carnations, by name, in many varieties, fine strong plants, ready to plant out, 9/0 and 12/0 per dozen.

1407 Carnation, saved from the choicest double flowers, 1½ ft.

1408 , fine double flowers, 1½ ft.

1410 , fine double fancy varieties, 1½ ft.

1411 , perpetual, saved from the choicest double flowers, 1½ ft.

1412 , fine double flowers, 1½ ft.

1412 , perpetual, saved from the choicest double flowers, 1½ ft.

1412 , fine double flowers, 1½ ft.

1412 , perpetual, saved from the choicest double flowers, 1½ ft.

1412 , fine double flowers, 1½ ft.

1413 , perpetual, saved from the choicest double flowers, 1½ ft.

1414 , perpetual, saved from the choicest double flowers, 1½ ft.

1415 , perpetual, saved from the choicest double flowers, 1½ ft.

1416 , perpetual, saved from the choicest double flowers, 1½ ft.

1417 , perpetual, saved from the choicest double flowers, 1½ ft.

1418 , perpetual, saved from the choicest double flowers, 1½ ft.

1419 , perpetual, saved from the choicest double flowers, 1½ ft.

1410 , perpetual, saved from the choicest double flowers, 1½ ft.

1411 , perpetual, saved from the choicest double flowers, 1½ ft.

1412 , perpetual, saved from the choicest double flowers, 1½ ft.

1412 , perpetual, saved from the choicest double flowers, 1½ ft.

1411 , perpetual, saved from the choicest double flowers, 1½ ft.

1412 , perpetual, saved from the choicest double flowers, 1½ ft.

1412 , perpetual, saved from the choicest double flowers, 1½ ft.

1412 , perpetual, saved from the choicest double flowers, 1½ ft.

1412 , perpetual, saved from the cultivation of the cultivation of the cultivation of the cultivation of the cultivation 
 1412
             fine double flowers, 12 ft.
 1413
 1414
 1415
 1417
              Catchfly, Lobel's, red, a showy early flowering plant, effective in beds and borders, 1\frac{1}{2} ft.......3d. & o OEANO'THUS, Nat. Ord. Rhamno'cew. Beautiful half-hardy wall shrubs.
 1418
1419
              Ceano'thus choice mixed, admirably adapted for fronts of villas and conservatories, 3 ft. ............ I o
                                  OEDRONEL'LA, Nat. Ord. Labia'ta. Elegant hardy perennial.
 1420
            Cedronel'la can'a, deep purple flowers in long spikes, and neat fragrant foliage, 13 ft. ...... 0 6
        CELO'SIA, Nat. Ord. Amaranta'cea. Graceful and beautiful conservatory annuals.
 These are highly decorative during the autumn and winter months. Specimens for the conservatory can be grown 3 ft. high and 3 ft. in diameter, and a mass of bloom; or nice plants can be grown in small pots, for the drawing-room, sitting-room, or dinner-table. For furnishing vases, cut-flowers of Celosia pyramidalis cannot be over-
     estimated.
             Celo'sia argen'tea, sitvery white, shaded rose, in elegant flower spikes, 3 ft., Hut'toni, leaves deep claret and bright crimson, terminal flower spikes crimson, 3 ft. 6d. &
2421
1422
                               pyramida'lis al'ba, vohite, graceful silvery plumes, 2 ft.

, atroviola'cea, brilliant rich purple plumes, 2 ft.

, au'rea, orange, most beautiful plumes, 2 ft.

, coccin'ea, scarlet plumes, 2 ft.

kermesi'na zich crimson a ft
1423
1424
                   ,,
1425
1426
1427
                                                            1428
                                                           robus'ta, very handsome, 2 ft.

splen'dida, carmine flowers, red stems and purplish green leaves, 3ft.

choice mixed, embracing all colours

6d. &
1429
1430
1431
1432
              CENTAU'REA, Nat. Ord. Compos'itæ. Showy hardy perennials, annuals, etc.
Candidissima and Gymnocarpa, on account of their ocautiful silvery foliage, are amongst the most effective of garden favourites. Clementei has large silvery leaves, and is an effective herbaceous plant. Cyanus, the Corn-
    flower, is greatly prized as a cut flower.

33 Centau'rea Babylon'ica, a picturesque stately subtropical plant with golden yellow flowers, 4 ft.
                                    1434
                                                                                                                                                                                                                         6
1435
                                                                  compacta, beautiful silvery foliage and compact growth, 3 ft. ......
1436
                                     Clemen'tei, the large handsome silvery leaves are deeply cut in lobes, hardy perennial
                                                                                                                                                                                                                         6
                     2.2
1437
                                     Cya'nus (Corn-flower) bright blue, 3 ft......

rich purple, 3 ft......

the bright blue variety is largely used in mixed, 3 ft.......

Covent Garden for bouquets, wreaths, etc.
                     13
1438
1439
```

```
Centau'rea depres'sa, bright blue, a very showy, hardy annual, 1 ft.

gymnocar'pa, a most graceful silver-leaved plant, for beds, ribbons, vases, baskets,
                                                                                                                        3
1441
                                        and pots, half-hardy perennial, I ft.....
                                                                                                                        O
                                     lacinia'ta, a graceful silver-leaved plant for beds, etc., 1 ft. plumo'sa, a graceful silver-leaved plant, foliage more finely divided
1442
1443
           23
                    than 1441, I ft.

monta'na, blue and purple, very showy border plant, hardy perennial, I ft.

Phry'gta, purple ball, valuable for large borders, hardy perennial, I ft.
1444
1445
                OENTRAN'THUS, Nat. Ord. Valeriana'ceæ. Showy hardy annuals.
       1446
1447
       OERA'STIUM, Nat. Ord. Caryophylla'ceæ. Valuable edging hardy perennials.
       Cera'stium Bieber stel'nii, \(\frac{1}{2}\) ft.\) These gems of silvery-foliaged dwarf plants are capable of being tomento'sum, \(\frac{1}{2}\) ft.\) used in an endless variety of ways in spring & summer gardening, grandiflor'um, \(\frac{1}{2}\) ft.\) the flowers are profuse and as white as snow.
1449
1450
           OHAMÆPEU'CE, Nat. Ord. Compos'itæ. Handsome half-hardy biennials.
ivory white, margined glossy green, and shaded with snowy white down, 12 ft., 6d. &
                        stellata (new) .....
1453
             OHOROZE'MA, Nat. Ord. Legumino'sæ. Splendid greenhouse shrubs.
       1454
          OHRYSAN'THEMUM, Nat. Ord. Compos'itæ. Valuable hardy annuals, etc.
The annual varieties are exceedingly showy, the coronarium varieties for borders, the tricolors for beds and borders. The three first are the perennial Chrysanthemums. Frutescens is the Marguerite of French gardens.
       Chrysan'themum large-flowered, saved from finest double varieties, hardy perennial, 3 ft....6d. &
                            1456
1457
1458
1459
                                          grandiflor'um lu'teum, yellow, 1½ ft.

Madame Farfouillon, new
1460
1461
                            corona'rium, double white, fine border plant, 2 ft.....
1462
                            double yellow, fine border plant, 2 ft .....
1463
1464
1465
1466
1467
 1468
1469
 1470
1471
1472
    OINERA'RIA, Nat. Ord. Compos'itæ. Winter-blooming greenhouse perennials, etc.
       INERA'RIA, Nat. Ord. Compos'itæ. Winter-blooming greenhouse perennials, et Cinera'ria, Barr's Prize, saved from the newest named sorts, 1½ ft.

Standish's large-flowered magnifieent new varieties, 1½ ft.

saved from very fine varieties, 1½ ft.

Covent Garden, blue, very choice, 1½ ft.

na'na compa'cta, mixed, very dwarf ¾ ft.

azu'rea, fine blue, very dwarf, ¾ ft.

kermesi'na, rich crimson, ¾ ft.

marit'ima, silvery-foliaged hardy perennial, 1½ ft.

acanthifo'lia, silvery foliage, hardy perennial, 1½ ft.

candidis'sima, silvery foliage, hardy perennial, 1½ ft.

lastreæfo'lia, silvery foliage, hardy perennial, 1½ ft.

CIS'TIIS Nat Ord Cistal'rea. Beautiful flowering hardy shrubs
                                                                                                                         6
 1473
 1474
 1475
 1476
 1477
 1478
 1479
 1480
                                                                                                                         6
 1481
                                                                                                                         6
 1482
 1483
 1484
                 OIS'TUS, Nat. Ord. Cista'ceæ. Beautiful flowering hardy shrubs.
        Cis'tus al'bidus, rose-lilac, centre orange, 2 ft. ...
                                                                                                                         36
 1485
                                                                 These are elegant free-flowering Rock-Roses,
                 cret'icus, purple, 2 ft.
 1486
                                                                   valuable for flower and shrubbery borders, rock-work, etc., C. ladaniferus is the well-
                 ladani'ferus, white, 2 ft.
                                                                                                                         6
 1487
                 monspelien'sis, white, 2 ft. salvifo'lius, white, 2 ft.
                                                                                                                         336
 1488
                                                                   known Gum Cistus.
 1489
 1490
                 choice mixed .....
                 dwarf (Helian'themum), a good plant for rock-work, dry banks, and flower borders, \frac{1}{2} ft. 3d. &
                                                                                                                         6
1491
       OLARK'IA, Nat. Ord. Onagra'cew. Beautiful hardy annuals.
1492
 1493
                                                                                                                     0
                                                                                                                         3
 1494
                                                                                                                     0
 1495
                                                                                                               3d. & o
 1496
                                                                                                               3d. & o
 1497
                                                                                                               3d. & o
 1498
                                                                                                               3d. & o
 1499
                                                                                                               3d. & o
 1500
 1501
                                                                                                               3d. & o
                                                                                                               3d. & o
 1502
                                                                                                              (3d. & o
 1503
```

	23	
	CLIAN'THUS, Nat. Ord. Legumino'sæ. Magnificent flowering shrubs.	τ.
		d.
1504 1508		6
1506	Duni'ceus scarlet h -h 4 ft (for avalential thing) plants; with a little win-5	6
	ULINIU NIA, Nat. Ord. Lobelia cea. Charming half hand- annual.	0
1507	Omno ma putchet la at ba, write, with yettow centre, 4 It Pretty dwarf Tobella like when the	6
1508	atropurpu'rea, bright blue, & ft	6
	000KSCOMB (Celosia cristata), Nat. Ord. Amaranta'ceæ. Greenhouse annuals.	
1509	Remarkable and highly ornamental conservatory plants, and suitable for warm situations out of doors	
1510	, ,, choice maked, continental saved seed, i if.	0
1511 1512	1 I I I I I I I I I I I I I I I I I I I	6
1513		6
1514	,, choice mixed, continental saved seed, 1\frac{1}{2} ft. variega/ta (new), crimson and yellow mottled flowers, 1\frac{1}{2} ft.	6
	OULEUS, Nat. Ord. Lamia'cex. Ornamental leaf plants	
The	new avorid Coleus are most decorative for the adornment of the ansarting in it.	e
	rwer garden, either alone or associated with other plants, they are extremely ornamental, while to cut fo ble bouquets, few leaf-plants are so effective by gas light.	7
1515	Go'leus, saved from all the newest and most beautiful hybridized varieties, 2 fts., 25, 6d. & 3	6
	OULLIN'SIA, Nat. Ord. Scrophularia'cea. Beautiful hardy annuals	
1516 1517	Collin'sla bi'color, purple and white, 1 ft The Collinsias are veryeffective annuals ()	3
1518	heterophylla night hyrsh and orbits x ft.	3
1519	multifoolor marmorates autit and and a	3
1529 1521	grandifio'ra, blue and white, I ft seed is sown in Angust, and the display	3 3 3
1522	11 VIOLA CEA, WHILE AND OLUE, I IL QUISITE, the However heiser larger more	
1523 1524	,, ne mixed, from the varieties, 1 ft3d. & beautiful, and lasting longer than in	3
1021	well ha granulio ra, othe and white, should summer. In March and April they	6
	COMMELI'NA, Nat. Ord. Commelina'cea. Half-hardy perennials.	0
1525	Commeli'na fine mixed, really effective border plants, 2 ft.	5
(JONVOL'VULUS, Nat. Ord. Convolvula'cea. Beautiful hardy treiling ennuals etc.	
	I HE HIST SIX SPECIES are perennials, and very desirable for rock-work and have in hacket	
1526 1527	convol villus althaeordes, rose-purple, dark eye, pretty dwarf twiner, hardy perennial	1
1528	ii candad ricus, rose-par pre, very prenty (winer, parny perennia)	
1529 1530		
1531	oletfo'lius var. pilo'sus, white with silvery foliage hardy perennial of	
1532 1533		
1534	cupania/nus, rich blne, spotted black, a fine, distinct, rock plant, hardy annual o 3, tri/color monstro/sus, deep violet-purple, 1 ft	
1535	splen'dens, rich violet, 1 ft	
1536 1537	,, SUTATUS, bive and white, I ft amongst the most showy of o	3
1538	borders, and on rock work, their 0 3	3
1539 1540	,, subcœruleus, dove colour, 1 ft great doublings. Robustic uni-	3
1541	,, robus'tus unicau'lis, rich purplish-blue, 1ft. produces flowers of great size. , mixed, from the above, 1 ft3d. & annual for rock-work.	
1542	,, double varieties in mixture, I ft	
OOR.	DYLI'NE (Dracæ'na), Nat. Ord. Lilia'ceæ. Ornamental-foliaged greenhouse plants.	
1543	Cordyline indivisa, australis, linia ta, Veitchil, etc., in mixture	;
7544	OORONIL'LA, Nat. Ord. Legumino'sæ. Beautiful hardy perennials.	
1544	of our ray, the mixed varieties 0 6	
1545	COS'MOS, Nat. Ord. Compos'itæ. Very ornamental hardy annuals.	
1546	Cos'mos bipinna'tus, purple and yellow, 2 ft	
0	OWSLIP (Primula), Nat Ord. Primula'cea. Spring-flowering hardy perennials.	
TOX	owsip new gland, mixed, I it. I for beds in the chring flower garden planting in woodland (o 6	
1548 1549	11 Mile Mile Court 1 to Walks, Ele., Incse cannot be too extensively need.	
1550	ORESS (Barbarea vulgaris), Nat. Ord. Cruciferæ. Hardy perennial.	
	Cress variegated; for the winter and spring flower garden this is a charming plant, the rich green, polished surface of the leaves is profusely blotched with golden variegation, ½ ft 0 6	
	ORO'OUS, Nat. Ord. Irida'cea. Hardy bulbs.	
1551	Grocus mixed, including many autumn, winter, and spring-flowering species	
1550	URUUIANEL'LA, Nat. Ord. Galia'ceæ. Hardy perennial for rock-work.	
1552	crucianer la stylo'sa, pink, a very pretty rock plant, continues long in bloom, r ft	
	OU'PHEA, Nat. Ord. Lythra'cee. Beautiful half-hardy and greenhouse plants.	
1553	Curney amiliong the decoration of the conservatory, flower beds, and borders, these are favourites.	
1554	of the habit has been all the species of the habit hab	
1555	,, ocymol'des, rich purple-violet, bushy, half-hardy annual, 2 ft	

	22	er pl	
		5.	
1556	Cu'phea platycen'tra, scarlet, while, and purple, beautiful, I ft.		6
1557	marriage was searlet burble calvy, very clegant IIII. annual, i II.	0	3
1558	Doggill granding rainer na. helphi scartel, valuable for whiter decoration	0	6
1559	Zimpan'i, red violet, large flowers, very ornamental species, hh. annual, 1½ ft		6
1560	,, choice mixed annual varieties	0	6
1561			
	OY'OLAMEN, Nat. Ord. Primula'ceæ. Greenhouse and hardy bulbs.		
	Chamber alegant plante best propogated from seed the seedlings flowering profusely the second season	2.	
1562	devolution Parision or andiflorum to this strain many prizes and certificates have been awarded		
1004	but the Floral Committee of the Royal Hollicultural Society, Johnson Mose		
	heartifully marieauted . Howers crimison, magenta, scartle, while, title, rose, and		_
	spotted, and many of them fragrant, § II	2	6
1563	Dawletown cover from fine varieties	I	0
1564	hardy varieties, mixed including summer, autumn, winter, and spring-flowering.		
	The hardy autumn flowering Cyclamen are charming on rock-work, in select		
	flower borders, and on dry banks, also as pot plants; the foliage is exquisitely		
	variegated during winter and spring, and the flowers in some varieties are almost		
	equal to those of Persicum, while many of them are fragrant. As winter bedding		
	plants the autumn-flowering Cyclamen are matchless, especially when associated with Snowdrops and Scilla Sibirica, the flowers of these succeeding the Cyclamen,		
	and presenting a beautiful controls amidst the variegated foliage. For plants see		
		2	6
		7	
U.A.	TISUS, Nat. Ord. Legumino'sæ. Highly decorative greenhouse and hardy shru	aps.	
1565		0	6
1000			
	DAHLIA, Nat. Ord. Composition Handsome half-hardy perennials.	I	0
1566	Dahlia large-flowered, double, 4 ft. } Sown in spring these bloom profusely in aulumn, yieldinga {	ī	0
1567	small-flowered, double, 4 ft. \ large proportion of fine double flowers. \ imperialis, white, 6 ft \ Splendid plants for large conservatories; the flowers are \	Ĩ	o
1568		î	ō
1569		0	6
1570	sangui'nea, blood red, 3 ft In flower borders, shrubberies, and large beds on lawns,		6
1571		0	6
1572	cervan'test, searlet, 3 it it would be difficult to find plants of easier editare and pellow, 3 it more effective than the species of Dahlia, with their	0	6
1573	the state of the s	I	0
1574 1575	maximilia'na geach-colour single flowers. For back lines in flower borders, and		
1010	3 ft for distant effect, these single Dahlias are all that	0	6
1576	movica'na scarlet a ft could be desired.	0	6
1577	variab'ilis, orange-red, 3 ft)	0	6
1011			
	To No.	2	6
1578	Daisy, saved from choice double flowers, of various colours, \(\frac{1}{4}\) ft.	2	6
1579	paisy, saved from choice double flowers, of various colours, 2 it. ", saved from double red flowers, 4 it. ", saved from double white flowers, 4 it. "15. & "15. & "15. &	2	6
1580	,, saved from double write howers, 4 to	. 1	
I	DATU'RA (see Brugmansia), Nat. Ord. Soland'cew. Splendid half-hardy annua	ais.	
	Eine plants of sub-tropical aspect, some of them with immense sweet-scented trumpet howers.		
1581	Dature atravials ces mienis sims, nearly black, inside beautiful light purple, 4 it	0	3
1582	ceratocau'lon satin-rubite, striped purble, large sweet-scented flowers, 2 It	Q	3
1583	chloran'tha fi nl large colden vellow tragrant nowers, a nne pot plant, 2 n	0	6
1584	fastno'sa Huberia'na, splendid mixed, from new and Deauthul varicues, 3 it		
1585	gigan'tea, a robust, branching species, valuable for single specimens, 4 ft.	0	3
1586			3
	DELPHINTUM, Nat. Ord. Ranuncula'ceæ. Splendid hardy perennials.		
	Beautiful border plants with gorgeous spikes of flowers, varying in shade from white to the richesl blu	e.	
3507			0
1587 1588	Relle Alliance clear blue and white, most beautiful 3 it	. 0	6
1589	easumer a number of species, considered the inicst of this magnificent terms		
1009	flowers large and very handsome att	- 2	6
1590	alastum Mastadon'ta bright blue shaded bronze, white centre: 3 IL	. 0	6
1591	Jules Bourgeoise, agure blue, black centre, 3 II	, 0	6
1592	new varieties in mixture 2 if		6
1593	Parma alarum inch dauk blue aukite contro of th		3
1594	coelestinum, beautiful celestial blue, 25 It	. 0	3
1595	grandinorum al'oum, white, a it		3
1596	coelesti'num, beautiful light blue, 3 It	. 0	3
1597	Naha'mi dark blue suffused bronze. 3 it	. o	3
1598	mixed, saved from a very large collection	k I	
1599	nudicaule, orange-scar let, fine dwarf compact habit, 1½ ft	. 0	
1600	Sinen'se, choice mixed French hybrids, 2 ft.	. I	0
1601		2 0	6
1602	ine mixed varieties		
	DIAN'THUS, Nat. Ord. Caryophylla'cea. Splendid hardy annuals, etc.		
	Deinensis (Chinese or Indian Pinh as it is sometimes called) ranks foremost in bedding plants fre	m se	ed.
72	and contain string and an glass botted on and planted out it is in bloom in Tune, and will continue	COUR	164
	Account will late in autumn if a little attention is baid to it Some of the Ruest elects in our Laper	6 8160 11	6644
	unde hame have been broduced by the marieties of Imperialis, Headerning, Lacinialis, and Ivanus. If seem	10 30	wie
Cun			ngo
Groi	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	3 14	,
Groi in a	nuturin the plants stand the winter, and in summer each plant will form a complete ousle. The flower plant from the purest white to the deepest crimson and the most beautiful lilac. Seed may also	3 14	nun
Groi in a in co from	untum the plants stand the vointer, and in summer each plant will form a complete onsit. It is judeous olour from the purest white to the deepest crimson and the most beautiful tilac. Seed may also a March to May out of doors where intended to bloom for a summer and late autumn display.	be so	1010
Groi in a in co from	nutumn the plants stand the winter, and in summer each plant will form a complete onsit. It is plant to be purest white to the deepest crimson and the most beautiful Itlac. Seed may also a March to May out of doors where intended to bloom for a summer and late autumn display. 2. Dispitting sinericia imperiality, choice mixed double. If the most beginning to the complete of the most of the mixed double.	be so	6
Groi in a in co from	natum the plants stand the vointer, and in summer each plant will form a complete onsh. It is possible of the deepest crimson and the most beautiful tilade. Seed may also a March to May out of doors where intended to bloom for a summer and late autumn display. 3 Dlan'thus sinen'sis imperialis, choice mixed double, I ft	be so	6

	Per pkt			
1605 1606	Dian'thus sinen'sis imperia'lis atrosanguin'eus fl. pl., double blood-red, 1 ft.	s. O	d.	
1607		0	6 .	
1608	hybridus fi. pl.; splendid double mixed a fi			
1609 1610				
1611	" II WILDRIDGE BUS II. DIV. 12126 COUNTY AND BOWLONG IN CL			
	"Grimson Belle;" crimson lake, flowers large and very beautiful,			
1612 1613	" "Eastern Queen," marbled mauve and lilac, very beautiful, 1 ft.	I	0	
1013)) Wasterna out II, bl. very large double thoware beautifully stringed	•	-	
1614	and marbled with various shades of colour, I ft	I	0	
1615	in a nus at bus ii, pr., white, new beautiful of fr.	0	6	
1616 1617	" " " " " " " " " " " " " " " " " " "	0	6	
1618	,, ro'seus fl. pl., rose, new, beautiful, a ft.			
1619	ii iiidel iius, darge nowers of a bright dated iida - fi			
1620 · 1621 ·	")))))) Spicif world it. Di., Hew, Very Destricted 7 ft "			
1622				
1623				
1624	stronurnula and all with the strong for the strong			
1625 1626	stria'tus fl. pl., flowers beautifully striped, I ft.	0	6 0.	
1627	the maintaine varie (), cu'preus fl. pl., double coppers criss on 1 ft.	0	3	
1628	ro'seus fl. pl., double rase colour. I ft (or filling agail hele	0	3	
1629 1630	", choice mixed if ft	0	3	
1631	,, choice mixed; from all the above varieties	x	0	
1632	" dento sus hybridus, lilac, I ft. These are hardy Asymmin Division Than	0	6 '	
1633-	,, nmoria tus, lilac, & ft make charming permanent beds and edg-	0	3 .	
1634 1635	moschartus, white, very fragrant; 3 ft. lings, and are fine ornamental border	0	3 .	
1636	in the fock plant, 3 tt. { plants; also valuable for rock-work and }	0	3	
1637	na'nus, lilac, 3 ft. compact in grount almost al	0	3	
1638 1639	choice mixed beautiful at the bloom, and Denlosus is a gem.	0		
	,, choice mixed, hardy perennial varieties 3	0	36	
זת	GITA'LIS (Foxglove), Nat. Ord. Scrophularia'ceæ. Ornamental hardy perennia	ıls.	,	
	Transome plants of stately growth, specially adapted for shrubbern borders quality of another sta	~*~		
1640	Digitalis at ba, au rea, Tubea, purpurea, and purpurea punctarta to	0	2	
1641 1642	" South and sported, large nowered varieties att	0	3	
1643	" Sol bo, contro, spichulu (arge nowers, a fr.	0	6	
1644	purpu'rea,	0	6	
1645 1646		I	0	
1647	,, laviga'ta, yellow, very effective, 2 ft	0	6	
1648		0	3	
1649 1650	,, o === == == = = = = = = = = = = = = =	0	6	
1651	,, choice mixed, including the new varieties, 4 ft	1	0	
T)	RACE/NA (December 1997) N. 10 J. T. 11	0	6	
1652	RAOE'NA (Dragon-tree), Nat. Ord. Lilidceee. Ornamental greenhouse shribs			
1002	15. &	2	6	
	DRACOOE'PHALUM Nate Ord Labig'ta Fine personnials and approach			
1653	bracoce pharm arguner se, deep olde, line hardy perennial toft	0	3	
1654 1655)) Validitell be (Datill Of Cillead), pale purple hardy perennial a ft	_	3	
1656	Molda/vicum (Moldavian Balm), blue or white, hardy annuals, 2 ft. each Ruyschia/num, dark blue, fine for rock-work, hardy perennial, 1 ft.	-	3	
	FOHIMA OF A N. A. O. J. O	0	3 -	
1657	ECHINA'CEA, Nat. Ord. Compos'ita. Fine hardy perennial.			
1001	and some flowers, a fine border plant, 2 ft	0	6	
	EPA'URIS, Nat. Ord. Engerida'cea Splendid greenhouse showle			
1658	apa oris inixed, saved from linest varieties, 3 ft	2	6	
	ERI'OA, Nat. Ord. Erica'cea. Beautiful greenhouse and hardy heaths			
1659	Elica arborea, various, half-hardy shrubs. 2 ft.	0	6	
1660 1681)) onote ficultude varience. 2 II.	7	0	
	,, fine hardy varieties, 2 ft	I	0	
1660	ERI'GERON, Nat. Ord. Compos'itæ. Beautiful hardy perennials.			
1662 1663	Errigeron caucasicum, purple, 1 ft Handsome free-flowering herbaceous		3	
1664	Eri'geron caucas'ioum, purple, \(\frac{1}{2}\) ft. Handsome free-flowering herbaceous \(\frac{1}{2}\) glabellum, blue, \(\frac{1}{2}\) ft. Handsome free-flowering herbaceous \(\frac{1}{2}\) plants for vock gardens, mixed flower \(\frac{1}{2}\) and shrubbery borders.	0	36	
	PDINITION 1 0 1 G 1 3 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1	0	,	
1665	ERINUS, Nat. Ord. Scrophularia'ceæ. Charming hardy perennials.			
1666	The most charmingly beautiful of dwarf Alpines, \ The most charmingly beautiful of dwarf Alpines, \		6	
	ERIOGONIUM Not One Dollars (0	6	
1667	ERIOGO'NUM, Nat. Ord. Polygona'ceæ. Pretty evergreen hardy perennials.			
1668	Eriogo'num umbella'tum, primrose, { ft. } These are very distinctive border perennials, and effec- { suffrutes'cens, white, 2 ft } tive in flower and shrubbery borders.	0	3	
	(Ü	3	

```
ERY'NGIUM, Nat. Ord. Umbellif'cræ. Very ornamental hardy perennials. y'ngium bromeliæfo'lium, white, 3 ft. These are remarkably ornamental herbaccous
                Ery'ngium bromeliæfo'lium, white, 3 ft.
 1669
                                                                                                                                                                                                                                                                            0
                                                                                                                                       plants, with long narrow Pandanus-like leaves; from the midst of the foliage rise gigantic flower-spikes. The plant is most characteristic and very effective in sub-tropical gardens, on lawns, and in mixed flower borders.
                                               gigan'teum, blue, 4 ft.......
pla'num, light blue, 2½ ft.....
Leavenwor'thii, violet, 3 ft....
                                                                                                                                                                                                                                                                            0
 1670
                                                                                                                                                                                                                                                                             o
                                                                                                                                                                                                                                                                                   36
 1671
 1672
                            ,,
                                                                                                                                                                                                                                                                                    6
                                                pandanifo'lium, 3 ft. .......
 1673
1674
                                                choice mixed ....
                ERYS'IMUM, Nat. Ord. Crucif'eræ. Exceedingly showy hardy annuals.

Erys'imum Arkansa'num, sulphur-yellow, 1½ ft. Beautiful profuse-flowering plants for { 3d. & Peroffskla'num, rich orange, 1½ ft. } beds, ribbons, and mixed flower borders. { 3d. & 3d. &
 1675
 1676
           ERYTHRINA (Coral-plant), Nat. Ord. Legumino'sa. Splendid half-hardy shrubs.
                                 Superb sub-tropical plants, with magnificent bunches of crimson-scarlet coral-like flowers.
 1677 Erythri'na, choice mixed varieties, 3 ft. ......
ESCHSCHOLT'ZIA, Nat. Ord. Papavera'ceæ. Remarkably showy hardy annuals.

1678 Eschscholt'zia cro'cea auranti'aca, rich glowing orange, 1 ft. ...
1679 , al'ba, creamy white, 1 ft. ...
1680 , rosea, white, shaded rose, 1 ft. ...
1681 , rosea, white, shaded rose, 1 ft. ...
1682 , denta'ta au'rea, orange and sulphur striped, 1 ft.
1683 , sulphur'ea, sulphur, 1 ft. ...
1683 , mixed, from the above, 1 ft. ...
1684 , mixed, from the above, 1 ft. ...
1685 , mixed, from the above, 1 ft. ...
1686 , mixed, from the above, 1 ft. ...
1687 , al'ba rosea" by its rose purple than for rock-work and edgings. At the source of the sulphur orange orange coloured flowers.
                                                                                                                                                                                                                                                                                     3
                                                         tenuifo'lia, primrose, pretty dwarf plant for rock-work and edgings, \frac{1}{2} ft. .....3d. &
 1685
 EUCALYP'TUS (Australian Gum Tree), Nat. Ord. Myrta'ccæ. Greenhouse trees.

The Eucalyptus is now extensively cultivated for its anti-malarious properties. E. globulus is a handsome plant for the conservatory and sub-tropical garden. E. amygdalinus, according to the discussion in the newspapers during the last autumn, is more hardy, and recommended for naturalization in this country on account of its valuable febriqueal properties.

1686 Eucalyp'tus glob'ulus, bluish green foliage, an exceedingly ornamental plant in the conservatory, etc. 1 0 1687

"amygdall'nus, an exceedingly ornamental plant, and recommended for naturalization in parks and shrubheries."
                                                                                                                                                          .....
                                                               in parks and shrubberies
                                                    mixed, several varieties, including Globulus.
  1688
                                  EUCHARIDIUM, Nat. Ord. Onagra'ceæ. Desirable hardy annuals.
                 1689
                                                                                               1690
  1691
                                   EUPATO'RIUM, Nat. Ord. Compos'itæ. Beautiful hardy perennials.
                 1692
  1693
  1694
                                            EU'TOOA, Nat. Ord. Hydrophylla'ccæ. Showy hardy annuals.
                  Eu'toca vis'cida, bright blue, very showy, I ft. , Wrangeliana makes nice beds, and {
,, Wrangelia'na, lilac, pretty, early, \( \frac{1}{2} \) ft. } Visida is prized for its intense blue flowers.
  1695
  1696
                                          FENZ'LIA, Nat. Ord. Polemonia'cew. Charming hardy annual.
                  Fenz'lia dianthifio'ra, rosy lilac, few dwarf plants are more gracefully beautiful, in pots, ½ ft. 6d. & 1
                             FERDINAN'DIA, Nat. Ord. Compos'itæ. Ornamental greenhouse shrub.
               Ferdinan'dia em'inens, a majestic picturesque large-leaved sub-tropical plant, 5 to 10 ft. ......6d. & 1 0
                                                   FERNS, Nat. Ord. Polypodia'cea. Graceful foliage plants.
                  1699
             FER'ULA (Giant Fennel), Nat. Ord. Umbelli'feræ. Ornamental hardy perennials.
                  Fer'ula commu'nis, 6 ft ferula'go, 6 ft. gigan'tea, 6 ft. gigan'tea, 6 ft. mixed, 6
                                                                                                                                                                                                                                                                                        3
  1701
  1702
                                                                                                                                                                                                                                                                                        3
  1703
   1704
                  FRAXINEL'LA (Dictam'nns), Nat. Ord. Ruta'ceæ.
                                                                                                                                                                                  Beautiful hardy perennials.
                   1706
                                                                                                                                                     their beautiful flowers and fragrant leaves. \
   1707
                                     FUOH'SIA, Nat. Ord. Onagra'ceæ. Beautiful half-hardy perennials.
                   1708
                   GAILLAR'DIA, Nat. Ord. Compos'itæ. Splendid hardy perennials, etc.

Gaillar'dia grandifio'ra, rich crimson and yellow, 1\frac{1}{2} ft.

Bossela'rii, large red, 1\frac{1}{2} ft.

Penel'ope, crimson and yellow, 1\frac{1}{2} ft.

Læse'lii, crimson and yellow, 1\frac{1}{2} ft.

trimes'tris super'ba, 1\frac{1}{2} ft.

chelce mired perennial Gaillardia are unrivalled for their beauty and durability, their large handome blossom expanding till the cold weather sets in. For vases and table bouquets, the flowers are most desirable. Seedlings flower the first
                                                                                                                                                                                                                                                                                        6
                                                                                                                                                                                                                                                                                0
    1709
                                                                                                                                                                                                                                                                                        6
    1710
                                                                                                                                                                                                                                                                                        6
                                                                                                                                                                                                                                                                                0
    1711
                                                                                                                                                                                                                                                                                        666
                                                                                                                                                                                                                                                                                0
    1712
                                                 trimes'tris super'ba, 1½ft.

choice mixed, perennial varieties, 1½ ft.

Drummon'dii na'na, crimson and yellow, 1 ft.

,, au'rea, rich yellow, 1 ft.

,, salmon rose (ncw), 1 ft.
                                                                                                                                                                                                                                                                                o
    1713
                                                                                                                                                                                                                                                                                0
    1714
                                                                                                                                                                                          season.
                                                                                                                                                                                                                                                                                o
                                                                                                                                                                                                                                                                                        3
    1715
                                                                                                                                                                       Amongst half-hardy annuals, these Gaillardias rank high for their rich
    1716
     1717
                                                                                                                                                                             colours, great profusion of bloom and
                                                   Amblyo'don, sanguineus red, 1 ft.....
    1718
                                                                                                                                                                             duration of flowering.
                                                   choice mixed, annual varieties, I ft. .......
    1719
```

12, King Street, Covent Garden, 1879.] 27
GALE'GA, Nat. Ord. Legumino'sæ. Fine border hardy perennials. Per pkt. s. d.
1720 Gale'ga officina'lis, pale blue, 3 ft [Elegant border plants, with beautiful pea-] 0 3
1720 Gale'ga officina'lis, pale blue, 3 ft
GAU'RA, Nat. Ord. Onagra'ceæ. Handsome hardy perennial.
1722 Gau'ra Lindheime'ri, white with pink calyx, an elegant continuous-blooming border plant, 2 ft 0 3
GAZA'NIA, Nat. Ord. Compositæ. Half-hardy bedding plant.
1723 Gaza'nia ri'gens, rich orange, a charming plant for beds or edgings in sunny situations, I ft I 0 1724 ,, specio'sa, bright yellow, centre spotted black, a beautiful bedding plant, I ft I 0
GENIS'TA, Nat. Ord. Legumino'sæ. Beautiful hardy or greenhouse shrubs.
1725 Genis'ta fine mixed, early blooming plants, handsome in flower and graceful in foliage
GENTIA'NA, Nat. Ord. Gentiand'ceæ. Beautiful dwarf hardy perennials.
1726 Gentia'na acau'lis, intense deep blue, \(\frac{1}{2}\) ft\\ 1727 \qquad \text{ver'na, intense deep blue, \(\frac{1}{2}\) ft\\\ \qquad \text{and loveliest of spring-blooming Alpine}\(\frac{1}{2}\) \qquad \text{constant}\\ 1 \qquad \text{0}
1726 Gentia'na acau'lis, intense deep blue, \(\frac{1}{2}\) ft\ 1727 ,, ver'na, intense deep blue, \(\frac{1}{2}\) ft\ 1728 ,, fine mixed, several varieties\ 1728 plants.
GERA'NIUM (PELARGONIUM), Nat. Ord. Gerania'cea. Half-hardy bedding plant.
The greatest attention has been and is still being given to the improvement of the Scarlet Geranium (Zonale and
Nosegay Pelargonium). To the amateur purchasing seed it is of the first importance to make sure what his chances are of having really fine flowers. To place him in this position we have had seed collected from the very
hest named kinds. Plants raised from seed sown early in spring are decorative in summer.
1790 Gera'nium Zona'le choicest varieties George's and others
1730 , , , , fine varieties
1732 ,, Nosegay, choicest varieties, George's and others
1733 , nne varieties 10
1735 , fine hybridized variegated varieties
1736 "ivy-leaved varieties 2 6 1737 ", anemonifolium, foliage elegantly divided, a fine sub-tropical plant, h.p., 1½ ft 1 0
GESNE'RA, Nat. Ord. Gesnera'ceæ, Splendid stove perennial bulbs.
1738 Gesne'ra, very choice, saved from one of the finest collections, 1 ft
GETIM Nat Ord Rosaceae Hardy perennials, for rock-work and borders.
1739 Ge'um atrosanguin'eum, dark red, large flowers, I ft \ These are handsome, and continuous- \
1741 ", coccin'eum macroceph'alum, scarlet, I ft
GILTA, Nat. Ord. Polemonia'ceæ. Pretty hardy annuals.
Very fine annuals when grown in masses, and much prized for their earliness and for rock-work.
1742 Gil'ia lacinia'ta, deep lavender blue, fine bedding plant, \(\frac{1}{2} \) it. These are very effective and aurable \(\cdot \) 3 \\ 1743 \qquad \qquad \qquad \qquad \qquad \qqquad \qqqq \qqqqq \qqqq \qqqq \qqqqq \qqqqqq
1743 "Hinfilo'ra, while, a very beautiful variety, \(\frac{3}{2}\) ft. \(\ldots\) annuals, valuable for beds, edg-\(\frac{3}{2}\) min'ima, blue, a pretty miniature rock plant, etc., \(\frac{1}{4}\) ft. \(\ldots\) ings, and rock-work. 1745 "tri'color, white, lilae, and purple, \(\frac{3}{4}\) ft. \(\ldots\) The varieties of Tricolor have long \(\frac{3}{2}\)
1745 ", trl'color, white, lilac, and purple, \(\frac{3}{2}\) ft. \\ 1746 \\ 1747 \\ 1748 \\ 1747 \\ 1748 \\ 1747 \\ 1748 \\ 1749 \\ 1740 \\ 17
Very fine annuals when grown in masses, and nuch prized for their earliness and for rock-work. 1742 Gil'ia lacinia'ta, deep lavender blue, ince bedding plant, \(\frac{1}{2}\) ft. 1743 "Hinfio'ra, white, a very beautiful variety, \(\frac{3}{2}\) ft. 1744 "min'ima, \(\beta \text{lue}\), a pretty miniature rock plant, etc., \(\frac{1}{2}\) ft. 1745 "tri'color, white, \(\text{liac}\), and \(\text{purple}\), \(\frac{3}{2}\) ft. 1746 "al'ba, white and \(\text{purple}\), \(\frac{3}{2}\) ft. 1747 "no'sea, \(\text{rose}\) and \(\text{white}\), \(\frac{3}{2}\) ft. 1747 \(\text{fire}\) forwering annuals.
GLADI'OLUS, Nat. Ord. Irida'ceæ. Magnificent hardy bulbs.
In our Experimental Grounds we grow the Gladiolus extensively, and at page 67 will be found a very select assortment of bulbs, including the best of the new varieties and of the older kinds.
1748 Gladi'olus, choice mixed
1749 ,, fine mixed
CIATIONIM Not Onl Denoused and Shares hands personnials
GLAU'CIUM, Nat. Ord. Papavera'ceæ. Showy hardy perennials.
1750 Glau'cium Fis'cheri, fiame colour, 1½ ft
1750 Glau'cium Fis'cherl, flame colour, 1\frac{1}{2} ft. 1751 ,, lu'teum, yellow, 1\frac{1}{2} ft. 1752 , pheni'ceum, purple, 1\frac{1}{2} ft. 2
1750 Glau'cium Fis'cheri, flame colour, 1½ st
1750 Glau'cium Fis'cheri, flame colour, 1\frac{1}{2} ft. \\ 1751 \\ 1752 \\ 1753 \\ 1753 \\ 1754 \\ 1754 \\ 1754 \\ 1754 \\ 1755 \\ 1755 \\ 1755 \\ 1756 \\ 1757 \\ 1757 \\ 1758 \\ 1758 \\ 1759 \\ 1759 \\ 1754 \\ 1759 \\ 1759 \\ 1750 \\ 1750 \\ 1750 \\ 1750 \\ 1751 \\ 1752 \\ 1753 \\ 1754 \\ 1754 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1756 \\ 1756 \\ 1757 \\ 17
1750 Glau'cium Fis'cherl, flame colour, 1\frac{1}{2} ft. \\ 1751 \\ 1752 \\ 1753 \\ 1753 \\ 1754 \\ 1754 \\ 1755 \\ 1755 Globe Amaran'thus, flesh colour, 2 ft. \\ 1756 Globe Amaran'thus, flesh colour, 2 ft. \\ 1757 Globe Amaran'thus, flesh colour, 2 ft. \\ 175
1750 Glau'cium Fis'cherl, flame colour, 1\frac{1}{2} ft. \\ 1751 \\ 1752 \\ 1753 \\ 1753 \\ 1753 \\ 1754 \\ 1754 \\ 1755 \\ 1755 \\ 1755 Globe Amaran'thus, flesh colour, 2 ft. \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1756 \\ 1756 \\ 1757 \\ 1756 \\ 1757 \\ 175
1750 Glau'cium Fis'cherl, flame colour, 1\frac{1}{2} ft. \\ 1751 \\ 1752 \\ 1752 \\ 1753 \\ 1753 \\ 1754 \\ 1754 \\ 1755 \\ 1755 Globe Amaran'thus, flesh colour, 2 ft. \\ 1755 \\ 1755 \\ 1755 \\ 1756 \\ 1756 \\ 1757 \\ 1756 \\ 1757 \\ 1757 \\ 1757 \\ 1757 \\ 1757 \\ 1758 \\ 1758 \\ 1758 \\ 1758 \\ 1758 \\ 1758 \\ 1759 \\ 1759 \\ 1750 \\ 175
1750 Glau'cium Fis'cherl, fame colour, 1\frac{1}{2} ft. \\ 1751 \\ 1751 \\ 1752 \\ 1753 \\ 1753 \\ 1754 \\ 1754 \\ 1755 \\ 175
1750 Glau'cium Fis'cherl, flame colour, 1\frac{1}{2} ft. \\ 1751 \\ 1752 \\ 1752 \\ 1753 \\ 1753 \\ 1753 \\ 1754 \\ 1754 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1756 \\ 1757 \\ 1756 \\ 1757 \\ 1757 \\ 1757 \\ 1758 \\ 1758 \\ 1758 \\ 1759 \\ 1759 \\ 1759 \\ 1759 \\ 1750 \\ 1750 \\ 1750 \\ 1750 \\ 1750 \\ 1750 \\ 1750 \\ 1750 \\ 1750 \\ 1750 \\ 1750 \\ 1750 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1756 \\ 1757 \\ 1757 \\ 1757 \\ 1757 \\ 1757 \\ 1758 \\ 1758 \\ 1759 \\ 1759 \\ 1750 \\ 17
1750 Glau'cium Fis'cherl, flame colour, 1\frac{1}{2} ft. \\ 1751 \\ 1752 \\ 1752 \\ 1753 \\ 1753 \\ 1753 \\ 1754 \\ 1754 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1756 \\ 1757 \\ 1756 \\ 1757 \\ 1756 \\ 1757 \\ 1757 \\ 1757 \\ 1757 \\ 1757 \\ 1757 \\ 1757 \\ 1758 \\ 1758 \\ 1759 \\ 1759 \\ 1759 \\ 1759 \\ 1750 \\ 1750 \\ 1750 \\ 1750 \\ 1750 \\ 1751 \\ 1751 \\ 1752 \\ 1753 \\ 1755 \\ 1755 \\ 1756 \\ 1757 \\ 1757 \\ 1757 \\ 1757 \\ 1757 \\ 1757 \\ 1758 \\ 1758 \\ 1759 \\ 1759 \\ 1750 \\ 1750 \\ 1750 \\ 1751 \\ 1751 \\ 1752 \\ 1753 \\ 1754 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1756 \\ 1757 \\ 1757 \\ 1757 \\ 1757 \\ 1757 \\ 1758 \\ 1758 \\ 1759 \\ 1759 \\ 1750 \\ 1750 \\ 1751 \\ 1751 \\ 1752 \\ 1753 \\ 1754 \\ 1755 \\ 1755 \\ 1755 \\ 1756 \\ 1757 \\ 1757 \\ 1757 \\ 1757 \\ 1757 \\ 1757 \\ 1757 \\ 1757 \\ 1758 \\ 1758 \\ 1759 \\ 1759 \\ 1750 \\ 1750 \\ 1750 \\ 1751 \\ 1751 \\ 1752 \\ 1753 \\ 1754 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1756 \\ 1757 \\ 17
1750 Glau'cium Fis'cherl, flame colour, 1\frac{1}{2} ft. \\ 1751 \\ 1752 \\ 1752 \\ 1753 \\ 1753 \\ 1753 \\ 1754 \\ 1754 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1756 \\ 1757 \\ 1756 \\ 1757 \\ 1756 \\ 1757 \\ 17
1750 Glau'cium Fis'cherl, flame colour, 1\frac{1}{2} ft. \\ 1751 \\ 1752 \\ 1752 \\ 1753 \\ 1753 \\ 1753 \\ 1754 \\ 1754 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1756 \\ 1757 \\ 1756 \\ 1757 \\ 17
1750 Glau'cium Fis'cherl, fame colour, 1\frac{1}{2} ft. \\ 1751 \\ 1751 \\ 1752 \\ 1752 \\ 1753 \\ 1753 \\ 1753 \\ 1753 \\ 1754 \\ 1754 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1756 \\ 1757 \\ 1757 \\ 1757 \\ 1757 \\ 1757 \\ 1758 \\ 1758 \\ 1759 \\ 1759 \\ 1759 \\ 1759 \\ 1759 \\ 1759 \\ 1750 \\ 1750 \\ 1750 \\ 1751 \\ 1751 \\ 1751 \\ 1752 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1756 \\ 1757 \\ 1757 \\ 1757 \\ 1757 \\ 1757 \\ 1757 \\ 1757 \\ 1757 \\ 1758 \\ 1758 \\ 1759 \\ 1759 \\ 1759 \\ 1750 \\ 1750 \\ 1750 \\ 1750 \\ 1750 \\ 1751 \\ 1751 \\ 1752 \\ 1752 \\ 1753 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1756 \\ 1757 \\ 175
1750 Glau'cium Fis'cherl, fame colour, 1\frac{1}{2} ft. \\ 1751 \\ 1751 \\ 1752 \\ 1752 \\ 1753 \\ 1753 \\ 1753 \\ 1754 \\ 1754 \\ 1754 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1756 \\ 1756 \\ 1756 \\ 1757 \\ 1757 \\ 1757 \\ 1758 \\ 1758 \\ 1758 \\ 1758 \\ 1758 \\ 1759 \\ 1758 \\ 1758 \\ 1758 \\ 1758 \\ 1759 \\ 1759 \\ 1758 \\ 1759 \\ 1759 \\ 1750 \\ 1750 \\ 1751 \\ 1751 \\ 1752 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1755 \\ 1756 \\ 1756 \\ 1757 \\ 1757 \\ 1757 \\ 1757 \\ 1757 \\ 1758 \\ 1758 \\ 1758 \\ 1758 \\ 1758 \\ 1759 \\ 1759 \\ 1759 \\ 1750 \\ 1750 \\ 1750 \\ 1751 \\ 1750 \\ 1751 \\ 1751 \\ 1752 \\ 1755 \\ 175
1750 Glau'cium Fis'cherl, fame colour, 1½ ft. 1751
1750 Glau'cium Fis'cherl, fame colour, 1½ ft. 1751 , lu'teum, yellow, 1½ ft. 1752 , phœni'ceum, purple, 1½ ft. 1753 , ru'brum, red, 1 ft. 1754 , mixed 1755 Globe AMARAN'THUS (Gomphrena), Nat. Ord. Amaranta'ccæ. Greenhouse annuals. 1755 Globe Amaran'thus, flesh colour, 2 ft. 1756 , golden, 2 ft. 1757 , red, 2 ft. 1758 , white, 2 ft. 1759 , wariegated, 2 ft. 1759 , mixed, 2 ft. 1750 , mixed, 2 ft. 1750 , mixed, 2 ft. 1751 , mixed, 2 ft. 1752 , mixed, 2 ft. 1753 , mixed, 2 ft. 1754 , mixed, 2 ft. 1755 Globe Amaran'thus, flesh colour, 2 ft. 1756 , golden, 2 ft. 1757 , red, 2 ft. 1758 , mixed, 2 ft. 1759 , mixed, 2 ft. 1750 , mixed, 2 ft. 1750 , mixed, 2 ft. 1751 Gloxin'ia, saved from magnificent erect, horizontal, and pendulous large flowered select varietics: 1750 Spring-sown seedlings are decorative in Summer and Autumn, 1 ft. 1757 GODE'TIA, Nat. Ord. Onagra'ceæ. Attractive hardy annuals. 1758 Exceedingly beautiful, and very effective when grown in beds, masses, and mixed borders. 1750 Gode'tta al'ba, pure white, fine graceful habit, 1½ ft. 1750 Lady Albemarle, intense beautiful carmine-crimson, compact branching growth, 1ft3d. & o. 1764 , Lindleya'na ft. pl., rich rosy purple, 1½ ft. 1765 , ro'sea alba Tom Thumb, pure white, rich carmine centre, very beautiful, 1 ft. 1765 , ro'sea alba Tom Thumb, pure white, rich carmine centre, very beautiful, 1 ft. 1766 , ru'cheal al'ba, pure white, rich carmine centre, very beautiful, 1 ft. 1767 o yea alba Tom Thumb, pure white, rich carmine centre, very beautiful, 1 ft. 1768 o golden al'ba, pure white, rich carmine centre, very beautiful, 1 ft. 1769 o golden al'ba, pure white, rich carmine centre, very beautiful, 1 ft. 1760 o golden al'ba, pure white, rich carmine centre, very beautiful, 1 ft. 1761 o golden al'ba, pure white, rich carmine centre, very beautiful, 1 ft. 1762 o golden al'ba, pure white, rich carmine centre, very beautiful, 1 ft. 1763 o golden al'ba, pure white, rich carmine centre, very beautiful, 1 ft.
1750 Glau'cium Fis'cherl, fame colour, 1½ ft. 1751 lu'teum, yellow, 1½ ft. and are effective border plants; their phemi'ceum, purple, 1½ ft. glaucous green dew-bespangied elegantly 0 3 1753 rubrum, red, 1 ft. cut foliage, makes them attractive objects nixed nixed at all seasons. GLOBE AMARAN'THUS (Gomphrena), Nat. Ord. Amaranta'ccæ. Greenhouse annuals. 1755 Globe Amaran'thus, flesh colour, 2 ft. Beautiful plants for the Conservatory, 0 3 1756 golden, 2 ft. and if well grown in small pols valuable for room decoration. Planted 0 3 1758 white, 2 ft. able for room decoration. Planted 0 3 1759 variegated, 2 ft. out of doors in sheltered situations 1750 mixed, 2 ft. are prized for winter bouquets. GLOXINTA, Nat. Ord. Gesnera'ceæ. Superb stove pevennial bulbs. 1761 Gloxin'ia, saved from magnificent erect, horizontal, and pendulous large flowered select varietics: Spring-sown seedlings are decorative in Summer and Autumn, 1 ft. 15. & 2 6 GODE'TIA, Nat. Ord. Onagra'ceæ. Attractive hardy annuals. Exceedingly beautiful, and very effective when grown in beds, masses, and mixed borders. 1762 Gode'tia al'ba, pure white, fine graceful habit, 1½ ft. 0 3 1765 ro'sea alba Tom Thumb, pure white, rich carmine centre, very beautiful, 1 ft. 0 3 1766 tenella, mauve, a very dwarf variety, for small beds, edgings, etc., ½ ft. 0 3 1766 "The Bride," white, rich carmine centre, 1½ ft. 0 3 1767 "The Bride," white, rich carmine centre, 1½ ft. 0 3 1766 "The Bride," white, rich carmine centre, 1½ ft. 0 3 1767 "The Bride," white, rich carmine centre, 1½ ft. 0 3 1767 "The Bride," white, rich carmine centre, 1½ ft. 0 3 1767 "The Bride," only only only only only only only only
1750 Glau'cium Fis'cherl, fame colour, 1½ ft. 1751 , lu'teum, yellow, 1½ ft. 1752 , phæni'ceum, purple, 1½ ft. 1753 , phæni'ceum, purple, 1½ ft. 1754 , mixed . 1755 Globe AMARAN'THUS (Gomphrena), Nat. Ord. Amaranta'ccæ. Greenhonse annuals. 1755 Globe Amaran'thus, flesh colour, 2 ft. 1756 , golden, 2 ft. 1757 , red, 2 ft. 1758 , white, 2 ft. 1759 , wariegated, 2 ft. 1759 , mixed, 2 ft. 1760 , mixed, 2 ft. 1760 , mixed, 2 ft. 1761 Gloxin'la, saved from magnificent erect, horizontal, and pendulous large flowered select varietics: Spring-sown seedlings are decorative in Summer and Autumn, 1 ft. 1752 Gode'tia al'ba, pure white, fine graceful habit, 1½ ft. 1764 , Lady Albemarle, intense beautiful carmine-crimson, compact branching growth, 1 ft. 3d. & o. 3 1766 , ro'sea alba Tom Thumb, pure white, rich carmine centre, very beautiful, 1½ ft. 1768 , whit'neyl con'color, flowers glossy pearly satin white, beautiful, 1½ ft. 1768 , l'The Bride, white, rich carmine centre, 1½ ft. 1768 , whit'neyl con'color, flowers glossy pearly satin white, beautiful, 1½ ft. 1768 , Whit'neyl con'color, flowers glossy pearly satin white, beautiful, 1½ ft. 1768 , Whit'neyl con'color, flowers glossy pearly satin white, beautiful, 1½ ft. 1768 , Whit'neyl con'color, flowers glossy pearly satin white, beautiful, 1½ ft. 1769 , fam'mea, faming crimson, very beautiful, 1½ ft. 1760 , fam'mea, faming crimson, very beautiful, 1½ ft. 1761
1750 Glau'cium Fis'cheri, fame colour, 1½ ft. 1751 , lu'teum, yellow, 1½ ft. 1752 , phœni'ceum, purple, 1½ ft. 1753 , ru'brum, red, 1 ft. 1754 , mixed . 1755 Globe AMARAN'THUS (Gomphrena), Nat. Ord. Amaranta'ccæ. Greenhouse annuals. 1755 Globe Amaran'thus, flesh colour, 2 ft. 1756 , golden, 2 ft. 1757 , red, 2 ft. 1758 , white, 2 ft. 1759 , wariegated, 2 ft. 1759 , mixed, 2 ft. 1760 , mixed, 2 ft. 1761 Gloxin'la, saved from magnificent erect, horizontal, and pendulous large flowered select varietics: Spring-sown seedlings are decorative in Summer and Autumn, 1 ft. 1750 Gode'tia al'ba, pure white, fine graceful habit, 1½ ft. 1761 Gloxin'la, mauve, a very dwarf variety, for small beds, edgings, etc., ½ ft. 1762 , Lady Albemarle, rintense beautiful carmine-crimson, compact branching growth, 1 ft. 1763 , "The Bride," white, rick carmine centre, 1½ ft. 1764 , "The Bride," white, rick carmine centre, 1½ ft. 1765 , "The Bride," white, rick carmine centre, 1½ ft. 1766 , "The Bride," white, rick carmine centre, 1½ ft. 1767 , "The Bride," white, rick carmine centre, 1½ ft. 1768 , "The Bride," white, rick carmine centre, 1½ ft. 1769 , "The Bride," white, rick carmine centre, 1½ ft. 1760 , "The Bride," white, rick carmine centre, 1½ ft. 1761 , "The Bride," white, rick carmine centre, 1½ ft. 1762 , "The Bride," white, rick carmine centre, 1½ ft. 1763 , "The Bride," white, rick carmine centre, 1½ ft. 1764 , "The Bride," white, rick carmine centre, 1½ ft. 1765 , "The Bride," white, rick carmine centre, 1½ ft. 1766 , "The Bride," white, rick carmine centre, 1½ ft. 1767 , "The Bride," white, rick carmine centre, 1½ ft. 1768 , "Wittheny con'color flowers glossy peanly satin white, beautiful, 1½ ft.

1,	2		
]	HELLEB ORUS (Christmas-rose), Nat. Ord. Ranuncula'cea. Hardy perennials.	cr p	d.
1831	Helleb'orus ni'ger, white, a most beautiful winter-flowering plant, r ft. 6d. & angustifolius, colchicus, guttatus, and new hybrids each r ft.	I	0
1832	mixed, from the foregoing. (For Plants of Helleborus see page 12.)	Î	0
HE	RACLE'UM (Cow-parsnip), Nat. Ord. Umbellif'era. Ornamental hardy perenn	ials	3.
Majes	tic umbrageous plants of commanding aspect, admirable for sub-tropical gardens, woodland walks, ba lakes, rivers, and waterfalls.	nks	of
1834	Heracle'um glgan'teum, a gigantic plant, with large umbrageous foliage, 10 ft	0	3
1835 1836	em'inens, a highly ornamental foliage plant, 10 ft	0	6
1837	" mixed from above varieties.	0	6
	HIBIS'OUS, Nat. Ord. Malva'cea. Splendid greenhouse and hardy plants.		
The	hardy herbaceous varieties are beautiful flowering plants and should be extensively cultivated in shrubb and flower borders. The tender varieties are ornamental conservatory and sub-tropical plants.	eri	25
1838	Hibis'cus Africa'nus, cream colour, rich brown centre, hardy annual, 14 ft	0	3
1839 1840	choice mixed greenhouse and half-hardy varieties	I	0
2010	HOLLYHOOK (Althea rosea), Nat. Ord. Malva'ceæ. Hardy perennials, etc.		
	As a picturesque relief, and for majestic growth and massive beauty the Hollyhock stands unrivalled.		
	Hollyhock, saved from the newest exhibition varieties, 6 ft	2	6
1842 1843	", fine mixed varieties, 6 ft	0	6
	HONEYSUCKLE, FRENCH (Hedysarum coronarium), Nat. Ord. Legumino'sa.		
1844		0	3
1845	HU'MEA, Nat. Ord. Compos'ita. Elegant and picturesque half-hardy biennials.		3
1846	Hu'mea el'egans, unequalled for its graceful feathery panieles, foliage powerfully scented, 6 ft	0	6
1847	al'ba, the graceful feathery panieles are pure white, 6 ft	0	6
1848	", " purpu'rea, the feathery panicles are darker than in H. elegans, 6 ft	Ŭ	
1849	HUNNEMAN'NIA, Nat. Ord. Papavera'ceæ. Handsome hardy perennial. Hunneman'nia fumariæfo'lia, tulip-shaped yellow flowers, and Eschscholtzia-like foliage, 1½ ft	0	6
2020	HYACIN'THUS, Nat. Ord. Lilia'ceae. Handsome hardy bulb.		
1850	Hyacin'thus gan'dicans. This is perhaps the most ornamental summer-flowering hardy bull	w	itlı
	white flowers in cultivation: it should be well represented in every garden, and no conservatory e	an	De
	considered furnished which is without this grand plant. The flower-stem, 3 ft. to 4 ft. in heig surmounted with numerous graceful pendant, bell-shaped, snow-white flowers	I	0
	HYMENOX'IS, Nat. Ord. Compos'ita. An early summer flowering hardy annual		
1851	Hymenox'is Califor'nica, sown in autumn is a carpet of golden yellow in spring, \frac{1}{2} ft3d. &	0	6
	IBE'RIS, Nat. Ord. Crucif'eræ. Valuable spring flowering hardy perennials.	0	6
1852 1853	Ibe'ris semperfio'rens, white, \(\frac{1}{2}\) ft. \(\) Indispensable plants for filling beds in the \(\frac{1}{2}\) sempervi'rens, pure white, \(\frac{1}{2}\) ft. \(\) spring flower garden, for covering rock-	0	6
1854	"Gibraltar'ica, rose, very beautiful, 1 ft work, filling baskets, planting perma-	0	6
1855 1856	Ibe'ris semperfio'rens, white, \frac{1}{2} ft. \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qquad \qqqq\qqqq\qqqq\qqqq\qqqq\qqqq\qqqq\q	0	6
1857	mixed from the above varieties	0	6
	ICE-PLANT, Nat. Ord. Mesembrya'cea. Very effective half-hardy annual.		
1858	Ice-Plant, the leaves are covered with crystal-like icy globules, and on this account are much prized for garnishing, for rock-work, sloping banks, and slower borders	0	6
	INDIGOF'ERA, Nat. Ord. Leaumino'sa. Elegant free-flowering hardy shrubs.		
	Examisitely graceful foliage plants, charming in centres of beds and in mixed flower borders.	0	6
1859	Indigof'era, mixed varieties, these require a little protection during severe winters, 3 ft	Ĭ	
1860	Ionopsid'ium acau'ie, sky blue, a charming early-flowering plant, growing best in damp situations,		
	such as edgings to rock-work, also a neat pot plant, 13 in.	0	6
	IPOMOP'SIS, Nat. Ord. Polemonia'eeæ. Beantiful half-hardy biennials.		6 '
1861 1862		0	6
1863	,, mixed beautiful varieties	0	6
	I'RIS, Nat. Ord. Thida'rece. Hardy bulbs.		
12 - 1	The English and Spanish Iris embrace so much that is rare and beautiful in the combinations of their courts only plants to compare them with are the rare and beautiful tropical orchids, the Lælias, Cattleya	lou s. a	rs,
Oncio	linns. The Rearded Flag Iris for mixed borders and surrounding artificial lakes and pon-	75,	25
unriv	alled; a single plant will produce a hundred spikes of bloom, and may be had in an infinite variety of c the richest yellow, the intensest purple, the most delicate blue, the softest mauve, the most beautiful c	otot lar	et-
red, I	to whites and primroses; of bronzes the shades are innumerable, and the combinations indescribable.	Th	ese
are be	st had in plants. See descriptive list, p. 71. I'ris mixed, including the English, Spanish, and bearded Flag Iris	I	0
1865	,, Kæmpfe'ri, saved from the choicest varieties of this beautiful Japanese Iris	2	6
	ISOT'OMA, Nat. Ord. Lobelia'cee. Charming Lobelia-like half-hardy annuals.		6
1866 1867	Isot'oma petræ'a, cream-coloured, 1 (t.) Pretty star-shaped flowers in profusion, and effective in { " cœru'lea, blue, 1 (t.) small beds, edgings, rock-work, and pots.	0	6
	IX'IA, Nat. Ord. Irida'eea. Pretty half-hardy bulbs.		
1868	Ix'ia choice mixed; charming early summer flowering bulbs. A fine collection in Bulb Catalogue	0	6

```
JACOBE'A (Senecio), Nat. Ord. Compos'itæ. Valuable bedding-out plants.
        Per pkr
 1869
 1870
 1871
                                                                                                                                      6
 1872
                                                                                                                                     6
 1873
                                                                                                                                     6
                                                                                                                                  O
 1874
                                                                                                                                     6
 1875
                                                                                                                                     6
 1876
        Kaulfus'sta amelloi'des atroviola'cea, violet, \( \frac{1}{2} \) ft....\\

, al'ba, white, \( \frac{1}{2} \) ft...\\
kermesi'na, crimson, \( \frac{1}{2} \) ft...\\
mixed borders.
 1877
                                                                                                                                     6
 1878
 1879
                     KITAIBELIA, Nat. Ord. Malvacea. Showy hardy perennial.
        Kitaibelia vitifolia, white, a very handsome plant in large borders, 5 ft. .....
 1880
           LANTA'NA, Nat. Ord. Verbena'cea. Half-hardy pretty bedding perennials.
        Charming bedding plants, with beautiful verbena-like heads of rich coloured flowers.

Lanta'na, newest French hybrid varieties, in many colours; seedlings flower thesame season, 1st., 6d. &
      LARKSPUR (Delphin'ium), Nat. Ord. Ranuncula'cea. Splendid hardy annuals.
        ARKSPUR (Delphin'ium), Nat. Ord. Manuncutus voc.

Larkspur double stock-flowered dwarf mixed, I ft.

" Hyacinth-flowered dwarf mixed, I ft.

" Ranunculus-flowered dwarf mixed, I ft.

" Candelabrum-shaped dwarf mixed, I ft.

" Candelabrum-shaped dwarf mixed, I ft.

" The dwarf-growing varieties make flow flowered that the dwarf growing varieties make flow flowered that the dwarf mixed, I ft.

" Candelabrum-shaped dwarf mixed, I ft.

" Functor mixed a very fine variety, I ft.

" branching variety of great beauty.
                                                                                                                                     6
 1883
                                                                                                                         3d.&
 1884
 1885
                                                                                                                         21 8-
                                                                                                                                     6
                               Candelabrum-shaped dwart mixed, i. it.

Emperor, mixed, a very fire variety, i. ft...

branching variety of great beauty.

Stock-flowered tall mixed, 2½ ft.

branching mixed, 2½ ft.

branching mixed, 2½ ft.

branching mixed, 2½ ft.

branching mixed borders and amongst shrubs;

blue, 2½ ft.

white, 2½ ft.

they are constantly in bloom, especially tricolor elegans, 2½ ft...) those from autumn sowings.
 1886
                                                                                                                                     6
 1887
 1888
                                                                                                                                     3
 1889
                                                                                                                                     3
 1890
                                                                                                                                 ^
                                                                                                                                     3
 1891
             LASTHE NIA, Nat. Ord. Compos'ita. A spring flowering hardy annual.
        Lasthe'nia Califor'nica, sown in August, it is a sheet of golden yellow flowers in spring, 3 ft....3d. &
 1892
                                                                                                                                     6
                                                                                                                                 0
LATH'YRUS (Everlasting Pea), Nat. Ord. Legumino'sæ. Useful hardy perennials, etc.
        1893
 1894
 1895
                                                                                                                                     6
                                                                                                                                 O
 1896
                                 splen'dens, rose, large, 5 ft. .....
                                                                               hedges to protect more tender plants, while the flowers are always prized
             "
                    choice mixed .....
                                                                                                                                 o
                                                                                                                                     3
1897
             **
                                                                                                                                 o
 1898
                    rotundifolius, rose-purple, very showy, 2 it...)
for bouquets.

azu'reus, bright blue, a charming little annual, ½ ft.
             ..
                                                                                                                                 n
                                                                                                                                     3
1899
                   LAVATERA, Nat. Ord. Malva'ceæ. Showy hardy annuals, etc.
        1900
1901
                      arbo'rea, rose-purple, a stately plant for shrubbery borders, hardy perennial, 5 ft. ......
1902
                                                                                                                                     3
                      Thuringla'ca, pale purple, handsome border hardy perennial, 5 ft.
1903
                                                                                                                                     3
              LEPTOSI'PHON, Nat. Ord. Polemonia'ceae. Charming hardy annuals.
        1904
                                                                                                                                     6
1905
1906
                                                                                                                                     6
1907
1908
                        LEPTOSY'NE, Nat. Ord. Compos'itæ. Half-hardy annual.
        Leptosy'ne marit'ima, golden yellow, flowers in large heads elevated on long foot stalks, 3 ft. .....
                    LIA'TRIS, Nat. Ord. Compos'itæ. Handsome hardy perennials.
        1910
1911
                        LIL'IUM, Nat. Ord. Lilia'cea. Magnificent hardy bulbs.
Seedlings seldom appear above ground till the second season; care should on this account be taken to sow either in pans or pits where they will not be disturbed. The raising of these bulbs from seed is a very slow process; bulbs should therefore be purchased in preference. For a fine collection, correctly named in accordance with the Monograph of J. G. Baker, Esg., and embracing the most recent introductions, see page 68.

1912 Lil'ium mixed, including Auratum, Speciosum, Giganteum, Humboldit, Callosum, Albanicum, &c, 1s. & 2 6
                 marta'gon Dalmat'icum, rich purple, the most beautiful of the Martagon section .......
                 monadel'phum Szovitzianum, fine yellow, 3 ft.
LIMNAN'THES, Nat. Ord. Tropxola'ceæ. Pretty hardy annuals.
          Very effective plants for spring and summer decoration, may be grown in shady or damp situations.
        Limnan'thes Douglas'ii al'ba, white, \(\frac{1}{2}\) ft. 3d. & grandiflo'ra, bright yellow, bordered white, \(\frac{1}{2}\) ft. 3d. & 3d. &
1916
1917
                 LINA'RIA, Nat. Ord. Scrophularia'ceæ. Useful hardy annuals, etc.
        Very pretty small Snapdragon-like flowers, remarkable for the beauty and variety of their colours.

Lina'ria alpi'na, blue and orange, hardy perennial, \(\frac{1}{4}\) ft.

Cymbala'ria, purple, hardy perennial trailer, \(\frac{1}{4}\) ft.

tris'tis, yellow, bloiched crimson, hardy annual, \(\frac{3}{4}\) ft...

plants,
1918
1919
                                                                                                                                     6
1920
```

```
Per pkt.
           Lina'ria biparti'ta al'ba, pure while, I ft.

"" " stria'ta, white, striped purple, I ft.

"" splen'dida, rich deep purple, I ft.

"" delphinioi'des, in the way of Bipartita, but larger, I ft...

for bouquets. If sown in
                                                                                                                                                                                d.
 1921
                                                                                                                                                                            0
 1922
                                                                                                                                                                                 3
                                                                                                                                                                            0
 1923
                                                                                                                                                                                 3 3 6 6
 1924
       marocca'na, rich purple, profusc bloomer, 1 ft.
 1925
                                                                                                                          for bouquets. If sown in
August, they are very effec-
 1926
 1927
 1928
 1929
 1930
 1931
 1932
 1933
 1934
 1935
 1936
 1937
                                                                                                                                                                                  6
 1938
 1939
 1940
                 LISIAN'THUS, Nat. Ord. Gentiana'ceæ. Splendid greenhouse perennial.
 1941 Listan'thus Russellia'nus, rich blue, shaded purple, a charming plant, 13 ft. ......

LOBE'LIA, Nat. Ord. Lobeliu'ceæ. Beautiful half-hardy annuals, etc.

Gems of the slower garden; the Erinus varieties are indispensable for beds and ribbons; and amongst these the varieties of Pumila, with their compact, tuffy growth, are very attractive. Ramosa is distinguished for its large slowers and branching habit. No plant in the slower garden is more useful than the blue Lobelia sheciosa, or required for so great a variety of purposes. As an edoing the Lobelia
           than the blue Lobelia speciosa, or required for so great a variety of purposes. As an edging the Lobelia is unsurpassed, while in front lines and ribbons no plant is more effective. Intermingled in small beds with the Variegated Alyssum, Cerastium, or White Centaurea, the effect of the blue Lobelia is very
           beautiful; but when associated with the Silver-leaved Grass (Dactylis elegantissima), the combination
           is chasteness perfected. Seeing the importance therefore attached to this plant, it is very desirable to have seed from a pure and a good stock. Our Lobelia speciosa superba is by far the finest typical form, the colour is rich and bright.
          Lobe lla Fabri varieties, mixed, 2 ft. .....

, ful gens multifio ra, scarlet, 2 ft. ....

, Queen Victoria, scarlet, 2 ft. ....

, syphilitica hybrida, various, 2 ft.

, fine varieties in mixture, 2 ft. ....

Victoria is very striking.
 1942
1943
 1944
 1945
                                                                                                                                                                 ..... I
                        1946
 1947
                                                                                                                     ( The Erinus varieties of Lobelia are
                ,,
                                                                                                                                                                  ..... 0
1948
                                                                                                                       universally cultivated, and by far
                                                                                                                                                                           I
                                                                                                                                                                                0
1949
                                                                                                                       the most useful for bedding. They
                                                                                                                                                                  6d. & 1
                                                                                                                       are easily managed, and may be
1950
                ,,
                                                                                                                                                                  ..... I
 1951
                                                                                                                       had in the greatest abundance from
                                                                                                                       seed. The sred may be sown late
1952
                                                                                                                       in autumn or in spring, and the
plants pricked off singly into pots,
1953
                                                                                                                                                                   ..... 0
1954
                ,,
                                                                                                                       and plunged in a gentle bottom.
                                                                                                                                                                  ..... 0
1955
                ,,
                                                                                                                       heat for a few weeks, they will soon
                                                                                                                                                                  ..... 0
1956
                                                                                                                       make nice plants. The new white
varieties of Erinus, "The Bride"
                ,,
                                                                                                                                                                  ..... I
                                                                                                                                                                               0
1957
                                                                                                                                                                          I
                                                                                                                                                                                0
1958
                                                                                                                       and "While Queen," are very beau-
                                                                                                                                                                  6d. & I
1959
                                                       Cobalt blue, fine clear blue, beautiful
                                                                                                                       tiful, but being liable to sport, it is
                                                                                                                       desirable they should be got into
                                                        compact growing variety, \(\frac{1}{2}\) ft. super ba, rich blue, beautiful, \(\frac{1}{2}\) ft. ...
                                                                                                                      flower before planting out. Crys-
lal Palace Compacta and the
                                                                                                                                                                  ..... I
1960
                              >>
1961
                                                        kermesi'na, light rosy crimson, 1/2 ft.
               "
                              12
                                                                                                                       varieties of Pumila, are now exten-
                                                                                                                                                                  ..... 0
1962
                                      mixed, all colours of Erinus varieties, & ft. ...
                ,,
                              ,,
                                                                                                                      eively used, being less spreading
                                      Crystal Palace compac'ta(new), intense blue, 1/2 ft
1963
                                                                                                                      than the different forms of Specio
               ,,
                              17
                                                                                                                                                                  ..... I
                                      pu'mila azu'rea, celestial blue, ‡ ft.

" magni'fica, rich blue, ‡ ft.

" grandiflo'ra, rich blue, ‡ ft.

" Mauve Queen, rose-lilac, ‡ ft.
1964
                                                                                                                      so. The varieties of Gracilis are
                              ,,
                                                                                                                                                                  ..... I
1965
                                                                                                                      very useful. Those who have no glass can sow the Lobelias out-of-
                                                                                                                                                                  .... I
1966
1967
                                                                                                                      doors end of April, where in-
                ,,
                         gra'cilis erec'ta compac'ta, celestial blue, ½ ft.....
                                                                                                                      tended to flower, simply making
1968
                ,,
                                                                                                                      the soil very fine and firm, and sowing the seed thinly on the sur-
                                                     al'ba, pure white, \frac{1}{2} ft.

celesti'na, clear light blue, \frac{1}{2} ft
1969
1970
                ,,
                                                                                                                     face, covering with a sprinkling of
                        ramo'sa, deep blue, \( \frac{3}{4} \) ft.

"al'Da (Snowflake), white, \( \frac{3}{4} \) ft.

"ro'sea, rose-lilac, \( \frac{3}{4} \) ft.

"bese are quite different to the Erinus varie-ties, the flowers are much larger, and the plants grow more upright \( \frac{5}{4} \) ftanching; very beautiful.

LO'TUS, Nat. Ord. Legumino'sce. Pretty half-hardy perennials.
1971
               ,,
1972
               ,,
1973
1974
           Lo'tus, fine mixed varieties, for rockwork ......
1975
          6
1976
                                                                                                                                                                               6
1977
1978
1979
1980
1981
          1982
1983
1984
```

```
Splendid hardy annuals, etc.
                       LUPI'NUS, Nat. Ord. Legumino'sæ.
        The Lupines are oli handsome and graceful; the tall varieties are effective in borders, the dwarf in beds.
         The Lupines are oil handsome and graceful; the late varieties are office-flowering shrub, 5 ft. ....... o Hadsome free-flowering shrub, 5 ft. ....... o Hadsome free-flowering shrub, 5 ft. ....... o
1985
1986
                          al'bifrons, blue, leaves and stems covered with silvery down, hardy perennial, 3 ft.......
1987
                          Hartwe'gii al'bus, pure white, 2 ft.
1988
                          celesti'nus, sky blue, 2 ft.

"ru'ber, dark purple and red, 2 ft.

hyb'ridus atrococcin'ous, crimson-scarlet, white tropped, very handsome, 3 ft.

"insig'nis, purple, white, and yellow, 3 ft.

"super'bus, lilac, white, and yellow, 2 ft.
                 ,,
1989
                 9.0
1990
                 11
1991
                 33
                         1992
1993
1994
1995
                                                                                                                                                                              3
1996
1997
                 .,
1998
                 22
1999
                 11
2000
2001
                          2002
2003
2004
                 "
2005
                          mixed hardy perennial varietics ......3d. &
2006
          2008
                                                                                                                                                                         0
                                                                                                                                                                              366
                          ful'gens, brilliant scarlet, 1 ft. ...... Truly charming hardy peren-
                                                                                                                                                                         0
2009
                          Haagea'na, bright scarlet, 1 ft .....
                                                                                                                                                                         0
2010
                                                                                                                    nials, indispeusable wherever
                 ,,
                                          gigan'tsa, orange scarlet, 1 ft. ......grandifio'ra stria'ta, scarlet and white, 1ft.
                                                                                                                                                                              6
                                                                                                                                                                         o
2011
                 ,,
                                                                                                                   herbaceous plants are culti-
                                                                                                                                                                              0
2012
                                                                                                                    vated; their rich coloured flowers and dwarf growth
                 91
                                                              al'ba, white, I ft.....
2013
                 31
                                                             cocci'nea, scarlet, I ft .......
2014
                 ..
                                                                                                                    adapt them for almost any
                          Viscar'ia splen'dens, rose-pink, 1 ft. .....
                                                                                                                                                                         0
2015
                                                                                                                    situation.
                          mixed varieties of Haageana, &c. .....
2016
                         MAGNO'LIA, Nat. Ord. Magnolia'cea. Magnificent hardy tree.
          Magno'lia grandifio'ra, white, large fragrant flowers; a grand plant for covering walls, 10 ft. .....
                  MAGYDA'RIS, Nat. Ord. Umbellif'eræ. Ornamental hardy perennial.
          Magyda'ris tomento'sa, a picturesque plant, with gigantic hoary leaves and yellow flowers, 5 ft ...
                                MAL'OPE, Nat. Ord. Malva'ceæ. Showy hardy annuals.
          Mal'ope grandifio'ra, dark crimson, 2 ft... \ Very showy plants, suitable for large beds, and \ mixed flower and shrubbery borders.
2019
2020
           MALVA (Mallow), Nat. Ord. Malva'cea. All exceedingly effective plants.
2021 · Mal'ya Califor'nica, rose, a fine hold plant of sub-tropical aspect, half-hardy perennial, 4 ft. .......
                      Tournefor'tia, rose, foliage finely eut, hardy perennial, 1 ft.

lateri'tia, salmon-red, procumbent, very distinct, hardy perennial, 1 ft.

zebri'na atroru'bens, beautiful white and purple-striped flowers, hardy annual, 2 ft.
2022
2023
2024
                   MARIGOLD, Nat. Ord. Compositæ. Indispensable half-hardy annuals.
          2025
2026
2027
                                                                                                                                                                             6
2028
2029
2030
                                                                                                                                                                             6
2031
                                                                                                                                                                             6
2032
2033
                                       au'reo-iloribun'da, yellow, i st. ) inferior and single varieties.

ranunculæsio'ra, rich chestnut, laced gold, i st.
dwarf miniature, brown, \( \frac{1}{2}\) st. \\ These compact profuse showering varieties \( \frac{3}{2}\) d. &
tall striped, 2 st. \\
\) These are best adapted for planting in mixed \( \frac{3}{2}\) d. &
yorange, 2 st. \\
\) These are best adapted for planting in mixed \( \frac{3}{2}\) d. &
Southumberland Perfection. A grand shrubbery borders: 2 to 3
inches in diameter, with the ray petals developed to the centre; many of these
come single, and should be pulled up, 3 st. \
\text{gold etriped single, golden, striped crimson, a very attractive variety, I st. &
\text{Souther South Destalished and the course of the course
2034
2035
2036
                 ..
2037
                 13
                               11
2038
2039
2040
2041
             MARTYNIA, Nat. Ord. Pedalia'cea. Beautiful fragrant half-hardy annuals.
          Martyn'ia fragrans, crimson-purple, 1½ ft. These are really fine plants when well grown; flow-{3d. & o proboect'dea ro'sea, rose, 1½ ft. ... } ers as large and handsome as Gloxinias, succeeded ..... o by fruit curiously double-horned and hooked. ..... o
2043
 2044
     MARVEL-OF-PERU (Mirabilis), Nat. Ord. Nyctagina'cca. Beautiful hardy annuals.
fol'ils variega'tis, leaves light yellowish green, striped dark green, exceedingly effective, 3 ft. choice mixed, from the above beautiful rich coloured varieties
 2047
 2048
 2049
```

```
MATHI'OLA, Nat. Ord. Crucif'era. Hardy annual night-seented Stock.
                                                                                                                                                                                Per pkt
 2050 Mathi'ola bicor'nis, the delicious perfume emitted by the flowers of this plant in the afternoon, evening, morning, and after a shower, is truly delightful, and perceptible some distance off: it should be scattered about the garden like Mignonette, 1 ft. ......6d, &
                         MELIAN'THUS, Nat. Ord. Zygophylla'ceæ. Sub-tropical perennial.
 2051 Melian'thus ma'jor, an extremely handsome sub-tropical plant, with beautiful pinnate foliage.

(See illustration in Mr. Robinson's "Parks and Promenades of Paris,") 6 ft. ......6d. &
 MESEMBRYAN'THEMUM, Nat. Ord. Mesembrya'cew. Charming half-hardy annuals, etc.
           Mesembryan'themum, Cape perennial species, in mixture, for greenhouse decoration.

"capita'tum, pale yellow, \( \frac{3}{4}\) ft.

"cordifo'lium, variega'tum, leaves green & white, \( \frac{3}{4}\) ft.

"gla'brum, yellow, \( \frac{3}{4}\) ft.

"pomeridia'num, brilliant yellow, \( \frac{3}{4}\) ft.

"pomeridia'num, brilliant yellow, \( \frac{3}{4}\) ft.

"tri'color, rose, purple centre, \( \frac{1}{4}\) ft.

"Beautiful plants for rock.

work, dry banks, and sunny siluations. Cordifolium, variega's ft.

yem for flower beds and hanging baskets.

"tri'color, rose, purple centre, \( \frac{1}{4}\) ft.

Beautiful dwarf plants on \( \frac{3}{4}\) d. & o

"al'bum, white, purple centre, \( \frac{1}{4}\) ft. \( \frac{5}{5}\) southborders, rock-work, &c. \( \frac{3}{4}\) d. & o
 2054
 2055
 2056
 2057
 2058
                  MICHAUXIA, Nat. Ord. Campanula'cew. Handsome hardy biennial.
2059 Michaux'ia campanuloi'des, large white Passion-flower-like blossoms in profusion, 3 ft. .....
        MIGNONETTE (Reseda odorata), Nat. Ord. Resedu'cew. Hardy annuals.

Seed of this universal favourite should be scattered liberally in flower and shrubbery borders, also on dry
Seed of this universal favourite should be scattered tweratty in hower and shruovery vorders, also on ary banks, old walls, and any sunny situation, such for instance as the margins of gravel paths close under the windows. The varieties enumerated are all delightfully fragrant, but differ in shade of colour or habit of growth. The finest for pot-culture are the new varieties, Pyramidatis gigantea, bouquet, multiflora compacta and Miles' spiral.
 6
                                                                                                                                                                                       O
                                                         gigan'tea, the tallest, large-flowered, and the best for pyramids ...6d. &
 2063
 2064
                                                         multiflora compacta, large-flowered and the most compact .........6d. &
                                 Parson's New Tree, r ft.

""", White Tree, very select, r ft.

Victoria crimson, a very fine variety, r ft.

Miles' New Spiral, robust, profuse flowering, and fine for pot culture, r ft.
 2065
                     22
 2066
 2067
 2068
        MIMO'SA (Scnsitive Plant), Nat. Ord. Legumino'sa. Curious greenhouse annual.
2069 Mimo'sa pudi'ca, so sensitive is this plant, that the leaves when touched, instantly fold up; it grows
                      freely in the conservatory or sitting-room, and out doors from June, 2 ft.
      · MIM'ULUS (Monkey-flower), Nat. Ord. Scrophularia'cea. Beautiful perennials.
Splendid conservatory and sitting room plants, with singularly shaped and brilliantly coloured flowers, distinguished by their rich hieroglyph-like markings. When cultivated indoors they succeed best if the pots are placed in sources of water. Raised in heat, seedlings flower in a few weeks; in the open ground they are hardy, and flower freely; they also succeed admirably in shady, damp, and marshy situations, or by the sides of lakes.
6
                                                                                                                                                                                      0
2072
                                                                 atropurpu'reus, calyx and corolla purple spotted, I ft. ..... 6d. &
                          Henderson's new beautifully spotted varieties, I ft. 15. & Clapham's superb strain of spotted Minulus, I ft. 15. &
2073
2074
                  .,
                           cu'preus, orange erimson, fine bedder, I ft.

"Brillian t, scarlet, effective in beds, I ft.

"Brillian t, scarlet, effective in beds, I ft.

"Gu'plex, calyx and corolla orange crimson, fine bedder, I ft.

"re'pens, purple lilac, upper lip spotted orange or yellow, I ft.

Roezlii, bright yellow, spotted crimson, a valuable new bedding species, I ft.

Tillin'gl, rich golden yellow, a fine bedding plant, not soon affected by drought, I ft....

choice, mixed, including the foregoing varieties, I ft.

Is & fine mixed, including the older varieties, I ft.
2075
                  ..
2076
2077
                                                                                                                                                                                      6
2078
2079
2080
                  12
2081
                  ,,
                             fine mixed, including the older varietics, r ft.
2082
            MUSK-PLANT, Nat. Ord. Scrophularia'ceæ. A favourite hardy perennial.
MYOSO'TIS (Forget-me-not), Nat. Ord. Boragina'cca. Hardy perennials.
For filling beds or for conservatory decoration, we can supply plants of the Cliveden varieties of Forget-me-not and of Dissitisfora in quantity, prices on application. The name M, alpestris we have omitted, as this charming little forget-me-not can only be had in plants; the seed which is commonly sold under this name is quite different. For spring gardening M, sylvatica and M, dissitisfora are by fur the best; Sylvatica we recommend where great quantities are planted; Dissilisfora for select beds, and sheltered situations, and where a very early effect is required.
effect is required. All the Forget-me-nots are valuable for winter and spring-howering under glass.
2084 Myoso'tis Azo'rica, blue, shaded purple, 1 ft.... Charming erect-growing Forget-me-nots, valuable for pot culture, and very effective in the flower borders during June and July.
                                                                                                                                                                                      6
                                                                                                                                                                                      6
                                                                                                                                                                                 0
                           \sylvat'aca, blue, \frac{1}{2} ft.\
\tag{These are the true Cliveden Forget-me-nots, which have attained so much celebrity through the extensive no made of them by Mr. Fleming, at Cliveden.
2087
                                                                                                                                                                                 o
                                                                                                                                                                                      6
2088
                                                                                                                                                                                      6
                  ,,
2089
                                                                                                                                                                                      6
                                                                                                                                                                                 a
                                                                                       nse made of them by Mr. Fleming, at Cliveden.
                                              -compao'ta, blue, ft.
2090
                                                                                                                                                                                      6
                  ,,
                                                                                                                                                                                 O
                             dissitifio'ra, clear bine, the earliest of the Forget-me-nots; flowering in February, when the season is favourable, and continuing throughout the spring, \( \frac{1}{2} \) ft......15. &
2091
                            oblonga/ta, bright blue, a robust growing continental variety, \( \frac{3}{2} \) ft.

palus'tris semperflo'rens, blue, flowers through the summer in moist situations, \( \frac{1}{2} \) ft. ...
2092
2093
                            MYR'TUS (Myrtle), Nat. Ord. Myrta'ceæ. Half-hardy shrubs.
2094' Myr'tus commu'nis, a fine plant for the sitting-room, conservatory, and terrace ......
                   NÆGE'LlA, Nat. Ord Gesnera'ceae. Beautiful stove perennial bulbs.
           Næge'lia, saved from the choicest varieties .....
2095
```

```
NASTUR'TIUM (Tropæ'olum), Nat. Ord. Tropæola'ceæ. Beautiful hardy annuals.

Unrivalled for beauty, effect, and utility. In dry soils, or soils made poor with lime-rubbish, they will surpass the Geranium and Calceolaria in brilliancy and in profusion of bloom. To amateurs who have no glass they are a boon, and a valuable supplementary plant in cases of deficiency or failure of "bedding stuff."

2096 Nastur'tium scarlet King of Tom Thumb, intense scarlet, I ft. 2097 golden King of Tom Thumb, golden yellow, I ft. and unquestionably the finest and most distinct of the varieties of 3d. & o 6 2d. & o 6 2d
                                                                                                     6
                                                                                                                                                                                                                                                                                                                                                    a
 2102
 2103
 2104
                                                                                     93
 2105
                                                            2106
 2107
 2108
                                                                                                                                                                                                                                                                                                                                                               6
 2109
 2110
 2111
mixed, the many of malvern, scarlet, \( \frac{1}{2} \) fit. \( \) which bloom till late in aulumn. \( \) 6d. \( \) i \\

NEME'SIA, Nat. Ord. Scrophularia'ce\( \) Pretty compact growing half-hardy annuals. \( \)

NEME'SIA, Nat. Ord. Scrophularia'ce\( \) Pretty compact growing half-hardy annuals. \( \)

Neme'sia compac'ta, mixed, \( \) \( \) fit. \( \) Thexe are neat bushy profuse-blooming plants, \( \) (3d. \( \) 0 6

114 Neme'sia compac'ta, mixed, \( \) \( \) fit. \( \) they commone thouse yroung half-hardy annuals. \( \)

115 \( \) alba, pure white, \( \) \( \) fit. \( \) they commone flowering when a few inches \( \) \( \) o3 3

116 \( \) b'' color, blue \( \) white \( \) white \( \) high, and continue in beauty for months. \( \) 0 3

117 \( \) b'' color, blue \( \) white \( \) white \( \) high, and continue in beauty for months. \( \) 0 3

118 \( \) NEMOPH'ILA, Nat. Ord. Hydrophylla'ee\( \) Charming hardy annuals, etc.

118 \( \) NEMOPH'ILA, Nat. Ord. Hydrophylla'ee\( \) Charming hardy annuals, etc.

119 \( \) all exceedingly beautiful. Their height being nearly uniform, and their colours presenting strong contrasts, they are admirably adapted for sowing in circles or ribbons, especially in aulumn for spring flowering.

118 \( \) Nemoph'IIa atoma'ria coles vits ocula'ta, eelestial blue, blotched with black, \( \) it. \( \) 3d. \( \) 0 6

119 \( \) e''egans, pure white, with dark chocolate courte, very fine, \( \) \( \) ft. \( \) 3d. \( \) 0 6

110 \( \) discolda'IIs aurtcula'ta, rick crimson-brown, with white eye, \( \) ft atomating, \( \) 3d. \( \) 0 6

1122 \( \) argent'tea, silvery white, spotted chocolate, charming variety, \( \) ft. \( \) 3d. \( \) 0 6

1123 \( \) insig'nis grandiflo'ra, char bright blue, white centre, \( \) ft. \( \) 3d. \( \) 0 6

1126 \( \) insig'nis grandiflo'ra, char bright blue, white centre, \( \) ft. \( \) 3d. \( \) 0 6

1127 \( \) insig'nis grandiflo'ra, char bright blue, white centre, \( \) ft. \( \) 3d. \( \) 0 6

1128 \( \) in mixed varieties of insignis, \( \) ft. \( \) 3d.
 2112
                        Nep'eta Mey'eri, clear azure blue, fine dwarf variety, 1 ft.
  2140
                                                                                al'ba, white, I ft.
    2141
   2143
                                                           2144
                                                                                                                                                                                                                                                                                                                                                                 6
   2145
  2146
                                                    NIEREMBER'GIA, Nat. Ord. Solana'ceae. Half-hardy perennials.
                       Nierember'gia frutes'cens, white, veined lilac, I ft.

gra'cilis, white, veined lilac, I ft.

grandiflo'ra al'ba, white, I ft.

over baskets, vascs, and rock-work, and prized for edgings.
                                                                                                                                                                                                                                                                                                                                                       0
  2147
                                                                                                                                                                                                                                                                                                                                                                  6
   2148
                                                                                                                                                                                                                                                                                                                                                                 6
   2149
             NIGELLA (Love-in-a-Mist), Nat. Ord. Ranuncula'ccæ. Effective hardy annuals.
                       Nigel'la Hispan'ica al'ba, pure white, 1½ ft.

"atro-purpu'rea, purple, 1½ ft.

"Damasce'na, pure white, 1 ft.

"in ixed varieties,

"Nola'na atriplicifolia described in the popular name "Love-in-a-Mist."

Nola'na atriplicifolia described in the popular name "Love-in-a-Mist."

Nola'na atriplicifolia described in the popular name "Love-in-a-Mist."
                                                                                                                                                                                                                                                                                                                                                                 333
    2150
                                                                                                                                                                                                                                                                                                                                                       a
    2151
    2152
                                                                                                                                                                                                                                                                                                                                                       a
                       2154
    2155
    2156
     2157
            NYCTERINIA, Nat. Ord. Scrophularia'ccæ. Pretty miniature half-hardy annuals.
    6
```

Per	pkt.
	a

Q	ENO'THERA (Evening Primrose), Nat. Ord. Onagra'cow. Perennials and annuals					
(E. bistorta Veitchii, a gem for small beds and rock-work: Rosea Mexicana, a pretty dwarf plant. Dr	~7/ 999 _				
mona	tii, a fine, bold bedding plant; the others are valuable for borders, and prized either for their majestic groo rge handsome flowers. In shrubberies and semi-wild places the tall varieties should be largely cultivated.	wth,				
2161	Eno'thera bistor'ta Veit'chii, pure yellow, spotted crimson, pretty rock plant, annual, 1 ft					
2162	"", Drummon'dii na'na, bright yellow, 1 it. \ Superb continuous blooming beautiful \ ad. & c	5 6				
21.63	al Da. white Tit. (annuals for hede harders and hanhs) ad &	6				
2164 2165	Fra'seri, yellow, a fine variety, hardy perennial, 13 ft.	3				
2166	" Lamarckia'na, bright yellow, immense flowers, hardy biennial, 3 ft					
2167	prostra ta, pure yellow, profuse bloomer, fine hardy perennial, 11 ft	3 3				
2168	,, ro sea mexica na, rose, an exceedingly pretty miniature plant, hardy perennial. I fr.	5 6				
2169 2170	,, taraxacio na, pure white, immense flowers, hardy perennial, 4 ft	_				
2171	fine mixed hands necessarial contains					
2172	" fine mixed annual varieties	3				
	OR'OBUS, Nat. Ord. Legumino'sæ. Elegant hardy perennials.	3				
2173	Or'obus lathyrol'des, purple, 1 ft					
2174	ni'ger, red-violet, 1 ft	, 3				
		J				
2175	OX'ALIS, Nat. Ord. Oxalida'ceæ. Hardy perennials, etc.					
2176		. 0				
2177	,, ro'sea, bright rose-purple, hh. annual, & ft. pact; for edgings and front lines in ribbons, it	-				
2178 2179	", delica'ta, delicate pale rose, ½ ft bedding plants, the one a bright yellow, the O					
2180		~				
	• • • • • • • • • • • • • • • • • • • •	, ,				
2181	OXYU'RA, Nat. Ord. Compos'itæ. Beautiful showy hardy annual. Oxyu'ra chrysanthemoi'des, golden yellow, edged white, effective in beds and borders, 1 ft3d. & o					
DIOL		0				
0100	PALA'VIA, Nat. Ord. Malva'cca. Half-hardy annual.					
2182	Pala'via flexuo'sa, rose-pink, an elegant plant, covered with small saucer-shaped flowers, charming for small bcds, on rock-work, in rustic baskets, and for pot culture, 1 ft	. 6				
		6				
	PANSY, see VIOLA TRIOOLOR, page 44.					
	PAPA'VER, Nat. Ord. Papavera'ceæ. Exceedingly showy hardy perennials.					
2183	Papa'ver involuera'tum max'imum, brilliant orange-scarlet, a grand border plant, 3 ft	3				
2184 2185	" nudleau'le, bright yellow, fine plant for rock-work, r ft	3				
2186	,, offenda ie, acep scarter with black bisiches, a grand border plant, 23 it	6				
		_				
· PI	PEAS, SWEET (Lath'yrus odora'tus), Nat. Ord. Legumino'sæ. Fragrant h. annuals.					
	Peas, Sweet invincible, righ crimson-scarlet, 6 ft	-				
· PH 2187 2188	Peas, Sweet invincible, rich crimson-scarlet, 6 ft	6				
2187 2188 2189	Peas, Sweet invincible, rich crimson-scarlet, 6 ft	6				
2187 2188	Peas, Sweet invincible, rich crimson-scarlet, 6 ft	6 6				
2187 2188 2189	Peas, Sweet invincible, rich crimson-scarlet, 6 ft. """, scarlet, striped, 6 ft. """, black, very dark, 6 ft. """, blucterfly, white, delicately laced lawender blue, 6 ft. """, blue, 6 ft. "", blue, 6 ft. """, blue, 6 ft.	6 6				
2187 2188 2189 2190 2191 2192	Peas, Sweet invincible, rich crimson-scarlet, 6 ft. """, scarlet, striped, 6 ft. """, black, very dark, 6 ft. """, Butterfly, white, delicately laced lawender blue, 6 ft. """, Crown Princess of Prussia, blush, 6 ft. """, painted lady, 6 ft. """, painted lady, 6 ft.	6 6 0 6				
2187 2188 2189 2190 2191 2192 2193	Peas, Sweet invincible, rich crimson-scarlet, 6 ft. """, scarlet, striped, 6 ft. """, black, very dark, 6 ft. """, blue-edged, 6 ft. """, painted lady, 6 ft. """, blue-edged, 6 ft. """, scarlet, striped, 6 ft. """, blue-edged, 6 ft. """, scarlet, striped, 6 ft. """, blue-edged, 6 ft. """, scarlet, striped, 6 ft. """, striped, 6 ft. """, black, very dark, 6	6 6 6 6 6 6				
2187 2188 2189 2190 2191 2192 2193 2194	Peas, Sweet invincible, rich crimson-scarlet, 6 ft. """, scarlet, striped, 6 ft. """, black, very dark, 6 ft. """, black, very dark, 6 ft. """, Butterfly, white, delicately laced lawender blue, 6 ft. """, Crown Princess of Prussia, blush, 6 ft. """, painted lady, 6 ft. """, blue-edged, 6 ft. """, blue-edged, 6 ft. """, puble, 6 ft.	666666666666				
2187 2188 2189 2190 2191 2192 2193	Peas, Sweet invincible, rich crimson-scarlet, 6 ft. """, scarlet, striped, 6 ft. """, black, very dark, 6 ft. """, Butterfly, white, delicately laced lawender blue, 6 ft. """, Crown Princess of Prussia, blush, 6 ft. """, painted lady, 6 ft. """, blue-edged, 6 ft. """, purple, 6 ft. """, purple, 6 ft. """, striped, 6 ft.	666666666666666666666666666666666666666				
2187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197	Peas, Sweet invincible, rich crimson-scarlet, 6 ft. """, scarlet, striped, 6 ft. """, black, very dark, 6 ft. """, Butterfly, white, delicately laced lavender blne, 6 ft. """, Crown Princess of Prussia, blush, 6 ft. """, painted lady, 6 ft. """, The Queen, white and crimson, 6 ft. """, purple, 6 ft. """, striped, 6 ft.	666 06666666				
\$187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198	Peas, Sweet invincible, rich crimson-scarlet, 6 ft. """, scarlet, striped, 6 ft. """, black, very dark, 6 ft. """, Butterfly, white, delicately laced lavender blne, 6 ft. """, Crown Princess of Prussia, blush, 6 ft. """, painted lady, 6 ft. """, The Queen, white and crimson, 6 ft. """, purple, 6 ft. """, striped, 6 ft.	666 0666666666				
2187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199	Peas, Sweet invincible, rich crimson-scarlet, 6 ft. """, scarlet, striped, 6 ft. """, black, very dark, 6 ft. """, Butterfly, white, delicately laced lavender blne, 6 ft. """, Crown Princess of Prussia, blush, 6 ft. """, painted lady, 6 ft. """, The Queen, white and crimson, 6 ft. """, purple, 6 ft. """, striped, 6 ft.	666 06666666				
\$187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198	Peas, Sweet invincible, rich crimson-scarlet, 6 ft. """, scarlet, striped, 6 ft. """, black, very dark 6 ft. """, black, very dark 6 ft. """, Butterfly, white, delicately laced lawender blue, 6 ft. """, painted lady, 6 ft. """, blue-edged, 6 ft. """, purple, 6 ft. """, striped, 6 ft. """, scarlet, 6 ft. """, striped, 6 ft. """, white, 6 ft. """, mixed, 6 ft. """, white, 6 ft. """, mixed, 6 ft.	666 0666666666				
2187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200	Peas, Sweet invincible, rich crimson-scarlet, 6 ft. """, scarlet, striped, 6 ft. """, black, very dark, 6 ft. """, Butterfly, white, delicately laced lavender blue, 6 ft. """, painted lady, 6 ft. """, blue-edged, 6 ft. """, purple, 6 ft. """, scarlet, 6 ft. """, scarlet, 6 ft. """, striped, 6	6666 066666666666666666666666666666666				
\$187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 F	Peas, Sweet invincible, rich crimson-scarlet, 6 ft. """ scarlet, striped, 6 ft. """ black, very dark, 6 ft. """ blue-6 ft. """ painted lady, 6 ft. """ painted lady, 6 ft. """ The Queen, white and crimson, 6 ft. """ striped, 6 ft. """ striped, 6 ft. """ striped, 6 ft. """ white, 6 ft. """ white, 6 ft. """ striped, 6 ft. """ white, 6 ft. ""	6666 066666666666666666666666666666666				
\$187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 F match beautij	Peas, Sweet invincible, rich crimson-scarlet, 6 ft. """, scarlet, striped, 6 ft. """, black, very dark, 6 ft. """, Butterfly, white, delicately laced lawender blue, 6 ft. """, painted lady, 6 ft. """, purple, 6 ft. """, striped, 6 ft. """, striped, 6 ft. """, scarlet, 6 ft. """, scarlet, 6 ft. """, white, 6 ft. """, mixed, 6 ft. """, striped, 6 ft. """, white, 6 ft. """, white	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6				
\$187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200	Peas, Sweet invincible, rich crimson-scarlet, 6 ft. """, scarlet, striped, 6 ft. """, black, very dark, 6 ft. """, Butterfly, white, delicately laced lawender blue, 6 ft. """, painted lady, 6 ft. """, the geage of the grand crimson, 6 ft. """, striped, 6 ft. """, striped, 6 ft. """, striped, 6 ft. """, white, 6 ft. """, white, 6 ft. """, striped, 6 ft. """, white, 6 ft. """, white, 6 ft. """, striped, 6 ft. """, white, 6 ft. """, white, 6 ft. """, white, 6 ft. """, striped, 6 ft. """, white, 6 ft. """	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6				
\$187 2188 2189 2190 2191 2192 2193 2194 2195 2197 2198 2199 2200 F match beauti plants advan 2201	Peas, Sweet invincible, rich crimson-scarlet, 6 ft. """, scarlet, striped, 6 ft. """, black, very dark, 6 ft. """, Butterfly, white, delicately laced lawender blue, 6 ft. """, painted lady, 6 ft. """, the geage of the grand crimson, 6 ft. """, striped, 6 ft. """, striped, 6 ft. """, striped, 6 ft. """, white, 6 ft. """, white, 6 ft. """, striped, 6 ft. """, white, 6 ft. """, white, 6 ft. """, striped, 6 ft. """, white, 6 ft. """, white, 6 ft. """, white, 6 ft. """, striped, 6 ft. """, white, 6 ft. """	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6				
\$187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 Finatchipolaris advan 2201 2202	Peas, Sweet invincible, rich crimson-scarlet, 6 ft. """, scarlet, striped, 6 ft. """, black, very dark, 6 ft. """, Butterfly, white, delicately laced lavender blue, 6 ft. """, painted lady, 6 ft. """, purple, 6 ft. """, striped, 6 ft.	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6				
\$187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 F match beauti plants advan 2201 2202 2203	Peas, Sweet invincible, rich crimson-scarlet, 6 ft. """, scarlet, striped, 6 ft. """, Butterfly, white, delicately laced lavender blue, 6 ft. """, Butterfly, white, delicately laced lavender blue, 6 ft. """, Butterfly, white, delicately laced lavender blue, 6 ft. """, painted lady, 6 ft. """, Diue-edged, 6 ft. """, The Queen, white and crimson, 6 ft. """, striped, 6 ft. """, scarlet, 6 ft. """, scarlet, 6 ft. """, white, 6 ft. """, white, 6 ft. """, white, 6 ft. """, white, 6 ft. """, striped,	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6				
\$187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 Finatchipolaris advan 2201 2202	Peas, Sweet invincible, rich crimson-scarlet, 6 ft. """, scarlet, striped, 6 ft. """, Butterfly, white, delicately laced lavender blue, 6 ft. """, Butterfly, white, delicately laced lavender blue, 6 ft. """, painted lady, 6 ft. """, purple, 6 ft. """, striped, 6 ft. """, scarlet, 6 ft. """, striped, 6 ft. """, striped, 6 ft. """, striped, 6 ft. """, striped, 6 ft. """, white, 6 ft. """, white, 6 ft. """, striped, 6 ft. """, striped	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6				
\$187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 F match beauti plants advan 2201 2202 2203 2204	Peas, Sweet invincible, rich crimson-scarlet, 6 ft. """ scarlet, striped, 6 ft. """ black, very dark, 6 ft. """ blue-edged, 6 ft. """ painted lady, 6 ft. """ required, 6 ft. """ painted lady, 6 ft. """ required, 6 ft. """ scarlet, 6 ft. """ striped, 6 ft. """ striped, 6 ft. """ striped, 6 ft. """ white, 6 ft. """ white, 6 ft. """ required, 6 ft. "" required, 6 ft. """ required, 6 ft. """ required, 6 ft. """	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6				
\$187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 F match beauti plants advan 2201 2202 2203 2204	Peas, Sweet invincible, rich crimson-scarlet, 6 ft. """ scarlet, striped, 6 ft. """ black, very dark, 6 ft. """ Butterfly, white, delicately laced lavender blue, 6 ft. """ painted lady, 6 ft. """ scarlet, 6 ft. """ striped, 6 ft. """ strip	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6				
\$187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 F match beauti plants advan 2201 2202 2203 2204 2205	Peas, Sweet invincible, rich crimson-scarlet, 6 ft. """ scarlet, striped, 6 ft. """ black, very dark, 6 ft. """ Butterfly, white, delicately laced lawender blue, 6 ft. """ painted lady, 6 ft. """ painted lady, 6 ft. """ The Queen, white and crimson, 6 ft. """ scarlet, 6 ft. """ striped, 6 ft. """ striped, 6 ft. """ striped, 6 ft. """ white, 6 ft. """ striped, 6 ft. """ striped, 6 ft. """ white, 6 ft. """ white, 6 ft. """ striped, 6 ft. """ striped, 6 ft. """ white, 6 ft. """ striped, 6 ft. """ striped, 6 ft. """ striped, 6 ft. """ the Queen, white and crimson, 6 ft. """ striped, 6 ft. """ striped, 6 ft. """ striped, 6 ft. """ the decoration of the greenhouse, no plant is more popular than this, and when well grown its effect less. At our summer flower shows it is a conspicuous object; the large bold flowers of the English, ful spotting of the French, and the elegant and delicate colours of the Francy, make them deservedly popular can be planted to the first season. Pelargo'nium fancy, saved from the choicest varieties, 2 ft. """ English and French large-flowered, saved from the choicest varieties, 2 ft. """ the seeds we offer have been saved from the choicest varieties, 2 ft. """ the seeds we offer have been saved from the choicest varieties, 2 ft. """ the seeds we offer have been saved from the choicest varieties, 2 ft. """ the seeds we offer have been saved from the choicest varieties, 2 ft. """ the seeds we offer have been saved from the choicest varieties, 2 ft. """ the seeds we offer have been saved from the choicest varieties, 2 ft. """ the seeds we offer have been saved from the choicest varieties, 2 ft. """ the seeds we offer have been saved from the choicest varieties, 2 ft. """ the seeds we offer have been saved from the choicest varieties, 2 ft. """ the seeds we offer have been saved from the choicest varieties, 2 ft. """ the seeds we offer have been saved from the choicest varieties, 2 ft. """ the decoration of the greenhouse planted the plants can be flowered	66666666666666666666666666666666666666				
\$187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 Fmatch beauti plants advan 2201 2202 2203 2204	Peas, Sweet invincible, rich crimson-scarlet, 6 ft. """, scarlet, striped, 6 ft. """, Butterfly, white, delicately laced lavender blue, 6 ft. """, Dive-edged, 6 ft. """, painted lady, 6 ft. """, painted lady, 6 ft. """, parple, 6 ft. """, scarlet, 6 ft. """, striped, 6 ft.	66666666666666666666666666666666666666				
\$187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 F match beauti plants advants 2201 2202 2203 2204 2205	Peas, Sweet invincible, rich crimson-scarlet, 6 ft. """ scarlet, striped, 6 ft. """ black, very dark, 6 ft. """ blue-edged, 6 ft. """ blue-edged, 6 ft. """ blue-edged, 6 ft. """ blue-edged, 6 ft. """ striped, 6 ft. """ striped, 6 ft. """ white, 6 ft. """ white, 6 ft. """ white, 6 ft. """ white, 6 ft. """ striped, 6 ft. """ white, 6 ft. """ white, 6 ft. """ striped, 6 ft. """ striped, 6 ft. """ white, 6 ft. """ the decoration of the greenhouse, no plant is more popular than this, and when well grown its effect less. At our summer flower shows it is a conspicuous object; the large bold flowers of the English, and French large-lowered, saved from the choicest varieties, 2 ft. """ Pelargo'nium fancy, saved from the choicest varieties, 2 ft. """ mixed, from the above varieties, 2 ft. """ had blook, very dark, 6 ft. """ to shut out unsightly objects, or to shut	66666666666666666666666666666666666666				
\$187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 Fmatch beauti plants advan 2201 2202 2203 2204 2205	Peas, Sweet invincible, rich crimson-scarlet, 6 ft. """ scarlet, striped, 6 ft. """ black, very dark, 6 ft. """ blue-edged, 6 ft. """ painted lady, 6 ft. """ purple, 6 ft. """ striped, 6 ft. """ white, 6 ft. """ striped, 6 ft. "" striped, 6 ft. """ striped	66666666666666666666666666666666666666				
\$187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 Fmatch beauti plants advan 2201 2202 2203 2204 2207 FEngiti	Peas, Sweet invincible, rich crimson-scarlet, 6 ft. """ scarlet, striped, 6 ft. """ black, very dark, 6 ft. """ blue, 6 ft. """ painted lady, 6 ft. """ The Queen, white and crimson, 6 ft. """ scarlet, 6 ft. """ striped, 6 ft. """ striped, 6 ft. """ striped, 6 ft. """ white, 6 ft. """ striped, 6 ft. """ striped, 6 ft. """ white, 6 ft. """ white, 6 ft. """ striped, 6 ft. """ white, 6 ft. """ striped, 6 ft.	666 0666666666666666666666666666666666				
\$187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 Fmatch beauti plants advan 2201 2202 2203 2204 2205 2206 2207	Peas, Sweet invincible, rich crimson-scarlet, 6 ft. """ scarlet, striped, 6 ft. """ black, very dark, 6 ft. """ blue, 6 ft. """ painted lady, 6 ft. """ The Queen, white and crimson, 6 ft. """ striped, 6 ft. """ striped, 6 ft. """ striped, 6 ft. """ scarlet, 6 ft. """ scarlet, 6 ft. """ may blue-edged, 6 ft. """ striped, 6 ft. """ striped, 6 ft. """ striped, 6 ft. """ white, 6 ft. """ white, 6 ft. """ white, 6 ft. """ the Georation of the greenhouse, no plant is more popular than this, and when well grown its effect elses. At our summer flower shows it is a conspicuous object; the large bold flowers of the English, fall spotting of the French, and the elegant and delicate colours of the Fancy, make them deservedly popular fancy, saved from the choicest varieties, 2 ft. """ English and French large-flowered, saved from the choicest varieties, 2 ft. """ in fancy, saved from the choicest varieties, 2 ft. """ in fancy, saved from the choicest varieties, 2 ft. """ in fancy, saved from the choicest varieties, 2 ft. """ in fancy, saved from the choicest varieties, 2 ft. """ in fancy, saved from the choicest varieties, 2 ft. """ in fancy, saved from the choicest varieties, 2 ft. """ in fancy, saved from the choicest varieties, 2 ft. """ in fancy, saved from the choicest varieties, 2 ft. """ in fancy, saved from the choicest varieties, 2 ft. """ in fancy, saved from the choicest varieties, 2 ft. """ in fancy, saved from the choicest varieties, 2 ft. """ in fancy, saved from the choicest varieties, 2 ft. """ in fancy, saved from the choicest varieties, 2 ft. """ in fancy, saved from the choicest varieties, 2 ft. """ in fancy, saved from the choicest varieties, 2 ft. """ in fancy, saved from the choicest varieties, 2 ft. """ in fancy saved from the choicest varieties, 2 ft. """ in fancy saved from the choicest varieties, 2 ft. """ in fancy saved from the choicest varieties, 2 ft. """ in fancy saved from the cho	66666666666666666666666666666666666666				
\$187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 Fmatchi plants advan 2201 2202 2203 2204 2206 2207 FRIGHE While the Pe Society	Peas, Sweet invincible, rich crimson-scarlet, 6 ft. """ black, very dark, 6 ft. """ blutterfly, white, delicately laced lavender blne, 6 ft. """ painted lady, 6 ft. """ painted lady, 6 ft. """ painted lady, 6 ft. """ prainted lady, 6 ft. """ prainted lady, 6 ft. """ prainted lady, 6 ft. """ purple, 6 ft. """ striped, 6 ft. """ striped, 6 ft. """ striped, 6 ft. """ white, 6 ft. """ white, 6 ft. """ white, 6 ft. """ striped, 6 ft. """ white, 6 ft. """ white, 6 ft. """ record of the economic of the econom	6666 066666666666666666666666666666666				
\$187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 Fmatch beauti plants advan 2201 2202 2203 2204 2205 2206 2207 FRIGHT While the Pe Societ, gardet,	Peas, Sweet invincible, rich crimson-scarlet, 6 ft. """ black, very dark, 6 ft. """ bluterfly, white, delicately laced lawender blue, 6 ft. """ painted lady, 6 ft. """ painted lady, 6 ft. """ purple, 6 ft. """ striped, 6 ft. """ striped, 6 ft. """ purple, 6 ft. """ striped, 6	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6				
\$187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 Fmatch beauti plants advan 2201 2202 2203 2204 2205 2206 2207 FRIGHT While the Pe Societ, gardet,	Peas, Sweet invincible, rich crimson-scarlet, 6 ft. """ black, very dark, 6 ft. """ blutterfly, white, delicately laced lavender blne, 6 ft. """ painted lady, 6 ft. """ painted lady, 6 ft. """ painted lady, 6 ft. """ prainted lady, 6 ft. """ prainted lady, 6 ft. """ prainted lady, 6 ft. """ purple, 6 ft. """ striped, 6 ft. """ striped, 6 ft. """ striped, 6 ft. """ white, 6 ft. """ white, 6 ft. """ white, 6 ft. """ striped, 6 ft. """ white, 6 ft. """ white, 6 ft. """ record of the economic of the econom	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6				

	2210	Pentste mon,	acumina'tus, blue-purple, fine raceines of flowers, 1\frac{1}{2} ft	6
	2211	"		6
	2213	"	barba'tus coccin'eus, bright scarlet, also known as Chelone barbata, 3 ft o	6
	2214	,,	" Tor'reyi, bright scarlet, a noble border plant, 5 ft	6
	2215	2,5	centrantbifolius, scarlet, a very fine distinct species, 2 ft	6
	2216	9.9	Clevelan'di, dark red, flowers large and very handsom e, 3 ft	6
	2217	21	cordifo'lius, red, r\frac{1}{2} ft	6
	2218 2219	**	digita'ta, white, streaked crimson, 1½ ft.	6
	2220	"	gla'ber, fine dwarf species, with bright blue terminal racemes, \(\frac{3}{4}\) ft	6
	2221	93 33	glandulo'sus, light blue, a very beautiful species, 1½ ft	6
	2222	11	grandifiorus, purple lilac, a fine species, with large Foxglove like flowers, 4 ft o	6
	2223	,,	heterophyllus, fine blue, a free-flowering species, with a fine dwarf branching habit, 1 ft. o	6
	2224	99	Jaffraya'nus, sky-blue, throat rose-tinted, very handsome, 2 ft	6
	2225	99	Lob'bii, yellow, a handsome species, 2 ft	6
	2226	11	Pal'meri, peach colour, very ornamental, 4 ft.	6
	2228	,,	specio'sus, deep caruleau blue flowers, most beautiful, 2 ft	6
	2229	"	specta/bills, blue-purple, flowers in long racemes, exceedingly beautiful, 2 ft	6
		POTT /T A N	at. Ord. Labia'ta. Valuable ornamental foliaged half-hardy annuals.	
	These	are useful pl	ants for back lines and ribbons, or as single specimens in mixed borders; the new variety	y
	2230	Dawlina Nan	atro-purpurea foliis laciniatis is a really fine acquisition. kinen'sis, deep mulberry foliage, a most useful plant in ribbons, 1½ ft,3d. & o	6
	2231		atra mumulyan fallig laciningthis foliage elegantly corrected at ft and & a	6
	2201	"		ľ
		PET	U'NIA, Nat. Ord. Solana'ceæ. Splendid half-hardy perennials.	
	71		lants, succeeding almost anywhere. When grown in large beds hooped over, and the plants train	100
	to the	books the effe	et produced is spleudid. Trained on trellises, or against rustic fences, the effect is gran	ıd,
	Plan	ed on old wa	lls, in old stumps of trees, vases, rustic baskets, or fissures in rock formations, and allowed	to
	Arnot	over they are	matchless. On vock-work and amongst old roots and ruins the effect is beautiful. As a pot pla	177
	and f	or hanging bas	thets they are valuable, continuing in beauty till very late in the autumn. Sown in Mar.	ch.
	and.	April they com	mence flowering in June and July occept mixed, finesi English varieties, 1½ ft	6
	2233		noice mixed, from largest flowered German varieties, 1½ ft	6
	2234	o)	police mixed, saved from the finest striped French varieties, 1½ ft	6
	2235	,, cl	holce mixed, small-flowered, saved from striped & blotched German varieties, 11 ft., 15. & 2	6
	2236	,, c:	hoice mixed, large-flowered fringed German varieties, 1½ ft	6
_	2237	fl:	ne mixed, from foreign varieties, 15 ft	C
~	-2238	,, n	dxed, from good ordinary sorts, 1½ ft	6
	2239	" R	ull's new English hyprids, beautiful sell and striped varieties, 13 ft	0
	2240 2241		unnett's English hybrids, self, striped and blotched varietics, $1\frac{1}{2}$ ft	-
	2242	99 20.	tro-viola'cea, rich purple, 1½ ft.	6
	2343	,, cı	rimson, very fine, right.	4
	2244	c	ountess of Ellesmere, rose with white throat, very pretty, 13 ft	6
	2245	ir	nimitable, rose-purple, spotted white, splendid, 14 ft	6
	2246	,, k	ermesi'na splen'dens, rich crimson, 14 ft. a Superbe, magenta, white centre, an improved variety of "Countess of Elles-	6
	2247	,, 1.	a Superbe, magenta, white centre, an improved variety of "Countess of Elics-	6
	2248	m	nag'na coccl'nea, scarlet, 1\frac{1}{2} ft	6
	2219	,, r	ed-purple, splendid self-coloured large flowers, 1 ft	6
	2250	,, S'	triped, splendid large flowers, beautifully striped, 1½ ft	(
	2251	,, n	ew large-flowered compac'ta elegantis'sima, various colours, 1 tft 1	C
	2252	1)	,, striped, 1 ft.	C
	2253	31	", illus'tris, 1½ ft	C
	2254 2255	99	reticula'ta libre durb spined throat I ft	-
	2256	"	aumarhis cima colours rose to hurdle with substa centres vi fr	0
	2257	33	choice mixed from the foregoing 6 varieties	6
	2258		erman double hybrids, saved from the finest fertilized flowers, 12 ft	6
	2259	,, G	erman double hybrids, large-flowered, saved from the finest fertilized flowers, 11 ft. 3	6
	2260	,, P	rench double hybrids, saved from finest fertilized flowers, 1½ ft	C
]	PHLOX, Nat. Ord. Polemonia'cew. Half-hardy annuals, etc.	
	- 2	Superb plants.	prized for their profusion of richly-coloured flowers of many hues, and for their exceeding	7/1
	fine e	ffect in beds, p	ots, and rock-work, also in rustic baskets, and as drooping plants. The new large-flower	rea
	varie	ties of Phlox I	Orummondii are very handsome, and the Nana varieties are fine dwarf plants-for pot cultu	16
		mall beds, edg		-
	2261		amond'ii mixed, from the following choice varieties, 1 ft	6
	2262 2263	. "	altha sure autite x ft	6
	2264	"	Ocula'ta satin-anhite cremson eve T tt	4
	2265	"		c
	2266	"	atropurpu'rea stria'ta, dark purple, striped white, rft	
	2267	99	chamoise rose, very pretty distinct colour, 1 ft	6
	2268	22		6
	2269 2270	**	hortenelfo're brilliant rose) ft	0
	2271	"	Teahalling Assimples vit	6
	2272	"	kermesi'na, most brilliant aeep scarlet, 1 ft	
	2273	"	,, King of Purple, splendid crimson-purple, 1 ft	€
	2274	10	" Leopoldia'na, pink, white eye, 1 ft	6

	51	_	
2275	Phior Drummand'i may'ma etallo/ta att.	Perp	d.
2276	Queen Victoria violet subite sur 18	0	6
2277	", Radowit'zkii Princess Royal, purble robite striped v ft	0	4
12378 2279		0	6
2280	" " ro'sea, bright rose, 1 ft.	0	
2281	" variab'ilis, blue, marbled dark purple, 1 ft. " grandiflora, choice mixed, large flowered varieties, 1 ft. 11. &	0	6
2282	", fine mixed, large flowered varieties, 1 ft	2	6
2283	" " al'ba, white, t ft	1	0
2284 2285	ii a a control of the	I	0
2296		r	0
2237	kermesi'na al'ba ocula'ta, brilliant scarlet, white centre, I ft.	ľ	0
2288	" " " " " " " " " " " " " " " " " " "	ľ	0
2289	" " " " " " " " " " " " " " " " " " "	2	6
2290 2291	" " " " " " " " " " " " " " " " " " "	Y	0
2292	") 11 COMI, thiense scaries R II	ĭ	0
2293	"Snowball, pure white, \(\frac{3}{4} \) ft. "Rerennial, saved from choice named varieties, \(2 \) ft. "Saved from the news of Liverble works." 6d. &	r	0
2294		1	0
	at the colors, of these it is more satisfactory to purchase plants. We have a fine collection at	2	6
	03., 91., and 12s, per dozen.		
	PHOR'MIUM, Nat. Ord. Lilia cea. Highly ornamental hardy perennials.		
2295	and military to have they regarded that, a figure of an entart of the	0	6
2296	" " " " " " " " " " " " " " " " " " "	2	6
	THIGH DIVE, Nat. Of C. Scronliniana com Boontiful bandy name 1		
2297	2 Hygo Hab capen sis, nanasome curmine powers, inside golden vellow, 11 ft.	0	6
	111 1 ULAUUA, Nat. Urtl. Phytologya'com Chuit booming about a		
2298	Phytolac ca decan dra, produces handsome spikes of crimon fruit hardy paramiel	_	6
2299	if all the sub-tropical plant, 4 ft.	0	6
	11001D E. Nat. Ord. Caryoohylla cece. Most beautiful bands none 11		
2300	Picote'e, choice mixed, 14 ft.) The elegantly fringed fragrant flowers of the Picotee are farmarites for	r	
2301	in fine mixed, 11 ft than propagated plants and therefore are more floriferous	2	6
2302	Picote'e, choice mixed, 1½ ft. """ The elegantly fringed fragrant flowers of the Picotee are favourites for button holes, leaves dresses, and bouquets. Seedlings are more floriferous than propagated plants, and therefore are recommended in preference to be grown for cut flowers; the best quality seed yields a large per centage of doubte flowers.	1	6
	DIAMPI TVA NI . O	U	
0202	PIMELE'A, Nat. Ord. Thymela'ceæ. Charming greenhouse shrubs.		
2303	2 micro a choice mixed, very beautiful greenhouse plants, 2 it	I	0
	FINA, Nat. Ord. Caryonhylla cea. Most beautiful hardy perenniels		
0204	Charmingly beautiful tragrant flowers, esteemed for floral decoration and honouse		
2304		r	0
2306		1	0
	Brown's mule, Pheasant's eye, and mixed, 1 ft	0	6
0207	PLATYSTE'MON, Nat. Ord. Papavera'ceæ. A charming hardy annual.		
2307	2d &	0	6
0000	TUDDMUNIUM, Nat. Ord. Polemonia/cer Hardy bonhacoons nanomials		
2308	Polemo'nium cœru'leum, blue, 2 ft	0	3
2003	" aloum, white, 2 it.) Jacob's Ladder.	0	3
	PULLANTHUS, Nat. Ord. Primula'cea. Spring-Rowering hardy paramiels		
2310	Polyan'thus saved from best varieties 4 ft	2	6
2311	", fine mixed varieties, 1 ft anthus is a very effective and almost 6d.&		0
2313	", finc mixed varietics, \(\frac{1}{2} \) ft. "Webb's new giant, \(\frac{1}{2} \) ft. "new Fancy, \(\frac{1}{2} \) ft. "new Fancy, \(\frac{1}{2} \) ft. "arthus is a very effective and almost \(\frac{1}{2} \) 6d. & indispensable plant. The new Fancy \(\frac{1}{2} \) 6d. & varieties include the Hose-in Hose \(\frac{1}{2} \) 11. & varieties include the Hose-in Hose \(\frac{1}{2} \) 12.		0
2014	new Fancy, \(\frac{1}{2} \text{ft.} \) du'plex Hose-in-Hose, \(\frac{1}{2} \text{ft.} \) and Duplex flowers.		6
	POT VC/ATA Not Only Dilly 11/2	I	0
2315	POLYG'ALA, Nat. Ord. Polygala'ccæ. Splendid greenhouse shrubs.		
	2035 and choice mixed, from the iniest varieties, 3 it	r	0
0010	POLYG'ONUM, Nat. Ord. Polygona'cece. Hardy annuals.		
2316	Polyg onum orientale, red, Sub-tropical plants of imposing effect, and of the simplest culture: also (3d.&	0	6
2318	Polyg'onum orientale, rcd,	ο.	6
	POPPY (Populary) N. d. d. P. d. d. R. d. d. & C. d. &	0	6
	POPPY (Papa'ver), Nat. Ord. Papavera'ceee. Remarkably showy hardy annuals.		
2319	These are showy flowers for distant effect and for flower borders, shrubberies, woodland walks, etc. Poppy, French, or Ranunculus, double choice mixed, 1 ft		
2320			
2321			6 6
2322	" mixed from the above	0	6
	PORTULA'OA, Nat. Ord. Portulaca'cee. Splendid half-hardy annuals.		
2333	Portula'ca al'ba stria'ta, white, striped crimson, & ft) In brilliuncu, delicuou and beauty of ad &	•	6
2324	, au'rea, golden yellow, 1 ft. colour, the Portulueu surpusse all other 1 of &		6 6
2325	Blensoull, light scarter, & it out-door plants, thriving in places where I ad &		6
2026	wites stricts vellor striped red 1 ft delight in sunny situations and light sails 3d.&	0 (6
2328	splen'dens, rich crimson, & ft. \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		6
2329	"Thellusso'nii, crimson, if the sun, on stumps of trees in the state of the sun, on stumps of trees in the state of the st		6 6
2330	1) TO'8ea, rose, & ft vases, on dry banks and wherever plants of ad &		
2331		0 (6
2032	" splendid mixed varieties, ½ ft	r)

```
d.
              2333
                                                                                                                                                         The double Portulaces are of the same
                                                                                                                                                          The double Portulaces are of the same brilliant and beautiful colours us the single. Their saucer-shaped flowers being filled with petals, greatly enhance their general effect, so that wherever beds can be formed of these, they will surpars in effect all other dwarf bedding plants.
                                                                                                                                                                                                                                                                0
2334
                                                                                                                                                                                                                                           .....
2335
                                          ro'sea fl. pl., rose, ½ ft.
splen'dens fl. pl., rich crimson, ½ ft.
 2336
                                                                                                                                                                                                                                           ..... I
 2337
                                         2338
 2339
                                                                                                                                                                                                                                        15.8 2
                                           splendid mixed fl. pl. varieties, \frac{1}{2} ft. .....
 2340
                         POTENTIL'LA, Nat. Ord. Rosa'ceæ. Beautiful showy hardy perennials.
               Potentil'la atrosanguin'ea, scarlet, 2 ft.....
 2341
                                          au'rea, orange, ½ ft.
insig'nis, yellow, orange centre, 1½ ft.
Mackaya'na, yellow and pink, beautiful, 1½ ft.
McNabia'na, orange and red, 1½ ft.
                                                                                                                                                                                                                                                         0
                                                                                                                                                                 A flower border must indeed be in-
 2342
 2343
                                                                                                                                                                 complete which is not represented
                                                                                                                                                                compete which is not represented
by some of the beautiful varieties
of this genus. They are almost
always in flower, and may be-
usefully grown to cut for filling
                                                                                                                                                                                                                                                                33
                                                                                                                                                                                                                                                         o
 2344
 2345
                                           pyrena'ica, yellow, distinct, early, and of fine dwarf
 2346
                             99
                                                                                                                                                                                                                                                         0
                                              habit, Ift .....
                                                                                                                                                                                                                                                                6
                                           choice mixed varietics....
                                                                                                                                                                                                                                                         0
                                                                                                                                                                 Nower baskets, etc. In the rock-
                                           3
                                                                                                                                                                garden, and for naturalization in
 2348
                             93
 2349
                                                                                                                                                                 semi-wild places, they are valuable.
                                                                                                                                                                                                                                                                 6
                                            double, several choice varieties in mixture, I ft. ...
  2350
                    PRIMROSE (Primula vulgaris), Nat. Ord. Primula'ceæ. Hardy perennials.
                2352
 2853
                                          Dean's Prize varieties......
                     PRINOE'S FEATHER, Nat. Ord. Amaranta'cea. Ornamental hardy annuals.
                2354
  2355
 2356
                       PRIM'ULA, Nat. Ord. Primula'ceæ. Charming greenhouse perennials, etc.
 PRIM'ULA, Nat. Ord. Primula cew. Charming greenhouse perentities, etc.

For winter decoration Primula Sinensis is amongst the most important of greenhouse plants, and it is of the first moment that the seed should be saved from the finest fringed flowers. It is well known that several of the growers for Covent Garden Market are noted for their Primulas, the flowers being large, rich in colour, and of great substance, while the habit of the plant is robust and the flowers stand well above the foliage. It is from this style of plant the seed we offer has been saved. We mention this simply on account of the pretensions put forth by some houses, intended to convey that this Covent Garden quality of Primula is possessed only by them.

2357 Prim'ula Sinen'sis mixed, Barr's select Covent Garden strain, the finest, \(\frac{1}{2}\) it. \( \ldots \) 1 0
                                                               2358
  2359
                                                               , fine variety of white, $ ft.
ru'bra, Barr's select red Covenl Garden strain, the finest, $ ft. 2/6 &
                                                99
  2360
                                                 9.9
   2361
                                                                2362
   2363
                                                               Alexandra, winte, with conspicuous yellow centre, a carmin'ea al'ba puncta'ta, rick crimson, spotted white, beautiful, \( \frac{1}{3} \) ft.

Florence, a beautiful deep scarlet, shaded madder, \( \frac{3}{4} \) ft.

Grand Duchess Maria, lilac, with conspicuous yellow centre, \( \frac{3}{4} \) ft.

Willage Mald, white, speckled and striped carmine, \( \frac{4}{3} \) ft.

margina'ta, lilac, bordered white, \( \frac{3}{4} \) ft.
   2364
                            ,,
   2365
   2366
                            99
   2367
   2368
                                                               2369
                                                 ,,
    2370
                                                                                                                                                                                                                                                                   6
   2371
                                                                                                                                                                                                                                                                   6
    2372
    2373
                                                               double white, \( \frac{3}{1} \tau. \)

white fern leaved, \( \frac{3}{2} \tau. \)

"rich magenta, \( \frac{3}{2} \tau. \)

"rose, \( \frac{4}{3} \tau. \)

"rose, \( \frac{4}{3} \tau. \)

"Prince of Wales, rose scarlet

"scarlet fern-leaved

"mixed, \( \frac{1}{3} \tau. \)

"mixed only only one of their flowers like the single varieties.

"and ouble white, \( \frac{3}{2} \tau. \)

"These double Primulas

are a valuable acquisition, especially to cut from; they do not drop their flowers like the single varieties.
                                                                                                                                                                                                                                                                   6
   2374
                             ,,
                                                                                                                                                                                                                                                                   6
                                                                                                                                                                                                                                                           2
   2375
                             **
                                                 22
                                                                                                                                                                                                                                                                   6
    2376
                             -
                                                 99
    2377
                                                 22
    2378
                             ,,
                                                 ,,
                                                                                                                                                                                                                                                                   6
    2379
                                                                                                                                                                                                                                                                   6
                                                                                                                                                                                                                                          2/6 &
                                                                                      mixed, 3 ft.
    2380
                                                                 mixed, from the whole of the foregoing Primulas
des, rose-lilac, § ft.

pink, a charming Alpine, ‡ ft.

English saved seed, I ft.

yellow

produces massive whorks of flowers, seeding the produces produces the produces of flowers, seeding the produces massive whorks of flowers, seeding the produce which we have a seed of the produce where the prod
                                                                                                                                                                                                                                                                   6
                                                                                                                                                                                                                                   .....
     2381
                                          6
    2382
     2383
                                                                                                                                                                                                                                            6d.&
     2384
                              ,,
                                          lute'ola, yellow
denticula'ta, purple, ½ ft.
mixed, from hardy varieties
     2385
                                                                                                                                                      and is extremely decorative either as
     2386
                                                                                                                                                     a pot plant or in the flower garden. (1s.&
     2387
           PYRE'THRUM (Golden Feather), Nat. Ord. Compos'itæ. Splendid hardy perennials.
                     Pyre'thrum Golden Feather, golden foliage, 1 ft. 6d. & au'reum lacinia'tum, fine golden foli-
                                                                                                                                                      The Golden Feather Pyrethrum is indeed the gardener's friend, always to be relied upon. In spring it looks like masses of gold, in summer it relieves the somble likes, lightlying up the whole garden, and harmonizing with the garden, and harmonized with the garden, and harmonized with the garden, and harmonized with the free former former former with differential the garden with differential the garden with differential the garden with differential the garden form seed, as seedling plants continue longer in condition. Sow several times a year under glass, or in any shady corner out of doors. Golden fiem is recommended for ribbons or lines where the white flower as well as the yellow foliage are considered a desideratum.
     2388
     2389
                                                                                                                                                                                                                                                            2
                                                                                                                                                                                                                                                                   6
                                                              age, 1 ft.....
                                                   Golden Gem, golden foliage, 1 ft. ......atrosanguin'eum, rich crimson, 11 ft.
     2390
                                                                                                                                                                                                                                                                    6
                                                                                                                                                                                                                                                            0
     2391
                                                                                                                                                                                                                                                                   6
                                                                                                                                                                                                                                                            0
                                                    Tchihat'chewii, newlawn Pyrethrum, & ft
     2392
                                                                                                                                                                                                                                                            0
                                                    Parthe'nium grand. fl. pl., white, 12 ft ...
                                                                                                                                                                                                                                                                   46
     2392
                                 ,,
                                                    Matrica'ria exi'mium, white, double, 12 ft
                                                                                                                                                                                                                                                            0
     2394
                                                   choicest mixed double, 14 ft.......15. & single, 15 ft.......6d. & French Hybrids, 15 ft.
                                                                                                                                                                                                                                                                   6
      2395
                                                                                                                                                                                                                                                                   0
      2396
```

It would be impossible to speak too highly of the New Double Pyrethrums, their large Aster-like flowers are charming in May and June, and again in autumn. It is more satisfactory to purchase plants of Double Pyrethrum, and we have them at all seasons in pots ready to plant out; 9s., 12s. and 18s. per dozen.

RANUN'CULUS, Nat. Ord. Ranuncula'ceæ. Beautiful early summer flower	
0400 Panin online adations are an halling to 1.	d.
PARTICIPATE - TRICORDANCE	O
RHODAN'THE, Nat. Ord. Compositie. Half-hardy everlasting annuals.	
2401 Rhodan'the Mangle'sii, bright rase, I ft3d. & 2402 ,, ma'jor, bright rose, I ft These floral gems should be universally cultivated. Few 0 6	6 6
2403 ,, fl. pl. Prince Bismarck, of the plants brought to Covent Garden Market Charm	J
2404 atrosane uin'ea. purple-crimson Tft flowers of the Rhodanthe. In private establishments	6
2405 macula'ta race durate with evincen they should be grown in pans of about a dozen plants	6
circle, 12 ft3d. & and spring. In the flower parden they are very charme.	6
0407 missed in leading 11 and 61 0	6
" — — — — — — — — — — — — — — — — — — —	Q.
RHODODEN'DRON, Nat. Ord. Erica'ceæ. Magnificent shrubs.	
2409 , , , greenhouse varieties	o O
RI'CINUS, Nat. Ord. Euphorbia'cea. Highly ornamental foliage plants.	
Picturesque, umbrageous, elegant foliage plants, which in autumn are studded with grotesque fruit. As	s
specimens on the lawn or terrace they are unsurpassed, and for the Sub-tropical garden indispensable. In shrub- bery borders, and by the sides of ravines, rivulets, and lakes, they impart o majesty possessed by few, if any other	20
plant. From seed they speedily attain eigentic proportions, and are ornamental till destroyed by frost.	
	6
2411 ,, Borbonen'sis, silvery stems and large ornamental foliage, 10 ft	
2413 ,, cœrules'cens, a very distinct, handsome, large foliaged variety, with bluish	_
green fruit, 5 ft	
2415 ,, Duchess of Edinburgh, a fine variety, with handsome foliage, 5 ft. 0 6	6
2416 ,, elegantis'simus, stems dark red and branching, a fine species, 5 ft	5
tion 5 ft	0
2418 , Halseya'na, the grandest of this family, height 10 ft. to 20 ft	
2419 , insignis a large handsome foliaged variety, 6 ft	
2421 ,, macrocar'pus al'bidus, silvery powdered stems and bronzed green foliage, 8 ft 0 4	
macrophyl'lus atropurpu'reus, a fine variety, with silvery bronzed stems, 6 ft	
3424 , sanguin'eus tri'color, stems and fruit spotted red, fine foliage, 8 ft	6
2425 , cris'pus, a beautiful new variety, 6 ft. 0 6 2426 , choice mixed varieties	
RIVI'NA, Nat. Ord. Phytolacca'ceæ. Greenhouse fruit-bearing shrubs.	
Exceedingly ornamental plants for dinner-table decoration, producing long drooping elegant racemes	
of berries; seed sown in spring produces fine plants by autumn.	
2427 Rivi'na hu'milis (the Rouge Plant), scarlet berries, 2 ft	0
ROOKET, Nat. Ord. Crucif'erce. Valuable early-flowering hardy perennials.	
2429 Rocket, Sweet, purple, 13 ft. For the decoration of the spring flower garden the Sweet Rocket is 6 0 3	3
2450 ,, white, 13 n. > exceedingly useful, howeving early, and continuing beautiful for	3
	3
ROSE (Rosa), Nat. Ord. Rosa'ceæ. Splendid hardy shrubs.	0.
RUDBEC'KIA, Nat. Ord. Compos'itæ. Handsome hardy percanials.	
	3.
2433 Rudbec'kia califor'nica, golden yellow, 3 ft	3
2433 Rudbec'kia califor'nica, golden yellow, 3 ft	3 3.
2433 Rudbec'kla califor'nica, golden yellow, 3 ft	3 3 3
2433 Rudbec'kla califor'nica, golden yellow, 3 ft	3 3 3
2433 Rudbec'kla califor'nica, golden yellow, 3 ft	3 3 3 3 6
2433 Rudbec'kla califor'nica, golden yellow, 3 ft	3 3 3 3 6
2433 Rudbec'kia califor'nica, golden yellow, 3 ft	3 3 3 3 6 0 5
2433 Rudbec'kia califor'nica, golden yellow, 3 ft	3 3 3 3 6 0 5
2433 Rudbec'kia califor'nica, golden yellow, 3 ft	33.33.33.33.33.33.33.33.33.33.33.33.33.
2433 Rudbec'kia califor'nica, golden yellow, 3 ft	33333600051
2433 Rudbec'kia califor'nica, golden yellow, 3 ft	33333600051
2433 Rudbec'kia califor'nica, golden yellow, 3 ft	33333600051
2433 Rudbec'kia califor'nica, golden yellow, 3 ft	33333600051
2433 Rudbec'kia califor'nica, golden yellow, 3 ft	333336 o std 35535
2433 Rudbec'kia califor'nica, golden yellow, 3 ft	33336 0 54 35 35
2433 Rudbec'kia califor'nica, golden yellow, 3 ft	33336 0 54 35 35
2433 Rudbec'kia califor'nica, golden yellow, 3 ft	
2433 Rudbec'kia califor'nica, golden yellow, 3 ft	
2433 Rudbec'kia califor'nica, golden yellow, 3 ft	

```
Sal'via amab'ilis, lavender-blue and white, hardy, 2 ft.

" argen'tea, beautiful large ornamental procumbent spreading silvery leaves, 3 ft, hardy.
" au'rea, golden yellow, very handsome, half-hardy, 2 ft.
" bl'color, blue and white, long spikes, very beautiful, hardy, 3 ft.
" camphora'ta, leaves white, a fine shrubbery and sub-tropical plant, 5 ft.
" candela'orum, deep violet, spotted white, greenhouse, 2 ft.
" candidis'sima, large ornamental silvery foliage, 3ft.
" chionan'tha, large white, fine pyramidal habit, hardy, 2 ft.
" grandifio'ra mi'nor, violet, 1 ft.
" in'dica, pate violet, spotted, profuse blooming, 3 ft.
" pa'tens, rich deep blue, the best known and most beautiful, half-hardy, 3 ft.
" sp'eu'dens, bright sky blue, hardy perennial, 2 ft.
" sp'eu'dens, bright skarlet, well known as a winter-flowering greenhouse plant, 3 ft.
" verticilla'ta, blue, flowering in dense spikes, 1½ ft.
" choice mixed, hardy vareties
" 6d. &
2451
2452
2453
2454
2455
2456
2457
2458
2459
2460
2461
2462
2463
2464
                   2465
2466
          SANVITA'LIA, Nat. Ord. Compos'itae. Pretty dwarf bedding hardy annuals.
        These are very effective close growing plants, admirably suited from their continuous and free-blooming habit for filling beds, planting edgings, rock-work, etc.

Sanvitalia procum bens, rich crimson-brown, edged yellow, \frac{1}{2} ft.
2467
                                               fl. pl., golden yellow, double as a Ranunculus, very beautiful, \frac{1}{2} ft, ...3d. &
         2469
                                                                                                                                                      0
                                                                                                                                                           6
2470
                                                                                                                                                           6
2471
2472
         2473
2474
        SOABIO'SA, Nat. Ord. Dipsa'cere. Exceedingly showy hardy border biennials.

Scabio'sa na'na mixed double, 1 ft...

"striped double, 1 ft...

"German, mixed, 2 ft....

"candidis'sima ple'na, 2 ft...

"ma'jor compac'ta atro-purpu'rea, velvety dark purple, 2 ft.

"cherry and white, 2 ft...

"cherry and white, 2 ft...
2475
2477
2478
2479
2480
      SOHI'NUS, Nat. Ord. Anacardia'cew. An elegant and fragrant greenhouse shrub.
Schizan'thus ocula'tus atropurpu'reus, rich crimson, black eye, 1½ ft.

"pyramida'lis compac'tus, violet-purple, spotted black, 1½ ft.

"grandiflo'rus al'bus, large pure white flowers, sulphur eye, 1½ ft.

"papiliona'ceus, spotted and laced purple and yellow shading to crimson, 1½ ft.

"ne mived varieties, 1½ ft.
2488
2489
2490
2491
                            fine mixed varieties, 1 to ft. .....3d. &
               SOHIZOPET'ALON, Nat. Ord. Crucif'era. Sweet-scented hardy annual.
2492
         Schizopet'alon Wal'keri, white, delightfully fragrant, morning, evening and after a shower, 1 ft. 3d. &
                        SCHIZOSTY'LIS, Nat. Ord. Irida'cew. Handsome hardy bulb.
         Schlzosty lis coccin'ca, crimson-scarlet; a matchless autumn and winter flowering conservatory plant, 1 st. (It is more satisfactory to purchase plants than to sow seed of this; plants, 3s. 6d. per dozen, 6d. each. Established pots, 1s., 1s. 6d., and 2s. 6d.)
           SOIL'LA (The Wood Hyacinth), Nat. Ord. Lilia'ceæ. Showy hardy bulbs.
The Wood Hyacinth during May is the most attractive af our native Flora, and few sights can compare with the large breadths of those bright blue gems to be seen in almost every copse. The Spanish forms, Campanulata and Patula, have larger flowers, and are more suitable for furnishing vases, and more effective in the flower borders than the native plant, S. nutans, and are desirable to naturalize with our native plant. The seeds of those which we offer were saved from the grand collection we exhibited at the Royal Horticultural Gardens, South Kensington, and which was so much admired last May.
0
                    2496
2497
 2498
       SE'DUM (Stonecrop), Nat. Ord. Crassula'ceæ. Fine hardy perennial rock plants.
          2500
2501
                       macrophyl'lum, white, 2 ft.
```

,	1	er pl	
2502	Se'dum spectab'ile (Fabaria), a grand hardy border plant, with large corymbs of rose-coloured	8.	d.
	Acrosers. The most charming carpet and tapestry beds can be produced		
	with this plant, if in June the slower heads are cut of, with a piece of the stem, and planted where required, 1\frac{1}{2} st	I	0
2503	,, ,, variega'tum	ī	0
2504	" roʻseum grandifloʻrum	0	6
2505 2506	, reflex'um monstro'sum, tft	1 2	6
	SEMPERVI'VUM (Umbilious) Nat. Ord. Crassula'cea. Hardy biennial.		
2507	Umbil'icus Sempervi'vum, (new). This is one of the neatest, most beautiful and distinct of the		
	House-Leck family. It throws up a large umbel of blood-red flowers resembling Rochea falcata.		
	At the time of flowering the whole plant changes to red. It will be found most valuable for rockwork and for carpet gardening, \(\frac{1}{2} \) ft.	2	6
	SILE'NE (Catchfly), Nat. Ord. Caryophylla'ceae. Beautiful hardy annuals, etc.		
Al	ll exceedingly effective, some for rock-work, others for beds, and the taller sorts for borders, and to cut fro	om.	
2508 2509	Sile'ne orientalis, bright rose, flowers produced in large umhels, a fine border plant, h. p., 2 ft		3
2510	pen'dula, bright pink, 1 ft	0	6
2511	, al'ba, pure white, 1 ft play; the dark foliage of Ruberrima 3d. &	٥.	6
2512 2513	alba auhite 1 to of Dandula auhile Dannetti auarhe in ad Se	0	6
2514	", ruber'rima, pink, 1 ft effectively with the Compacta va- 3d. &	0	6
2515 2516	Bon'netti, piuk, \(\frac{1}{2}\) ft. \(\frac{1}{2}\) rielies.	0	6
2517	" pseudo-ato'cion, rosy pink, a very beautiful plant for beds and masses, I ft3d. & re'gia, crimson, a fine bardy perennial, I ft	0	3
2518	,, reticula'ta, deep rose, slender and graceful border plant, 2 ft	0	3
2519 2520	" Schaf'ta, pink-lilac, a fine hardy perennial for rock-work, ½ ft	0	3
2521	" perennial " " " " " " " " " " " " " " " " " " "	0	6
	SOLA'NUM, Nat. Ord. Solana'cece. Ornamental fruit and foliage plants.		
	The following list embrace a few of the most picturesque, and beautiful of this highly ornamental and e		
mostl	of plants for sub-tropical effect in summer, and conservatory decoration throughout the year. The y of rapid growth, seedling plants soan becoming effective and ornamental. Pyracanthum is a perfect	gen	;
Marg	inatum conspicuous for its white foliage; Robustum for its massive brown-linted leaves; Laciniatn	m fo	70
Solan	egantly divided foliage; and Warscewiczioides for majesty of form is unquestionably the grandest nums.	oj ii	16
2522	Sola'num acanthocar'pum, a stately branched species, with formidable spines, white foliage and		
2523	curious spiny fruit, the size of a small orange, 6 ft	0	6
2524	cllia/tum (Balbis'ii), foliage very ornamental, fruit rich soft orange-scarlet, 2 ft	0	6
2525	", citrullifo'lium, large rose purple flowers and handsonie elegantly divided foliage, 2 ft	0	6
2526 2527	", erythrocar'pum, ornamental palmated spiny foliage and searlet fruit, 2 ft	0	6
2528	gigan'teum, majestic species, with large ornamental oval leaves, downy white under-		6
2529	neath, and violet flowers, succeeded by scarlet berries, 6 ft	0	6
	white inside, and twice as large, and are succeeded by the richest blood-red berries, 3 ft.		6
2530 2531	n lacinia/tum, a particularly picturesque species, with long curiously cut foliage, 5 ft margina/tum a conspicuous and very ornamental plant for isolation or for groups, the	0	6
2001	leaves elegantly scolloped tomentose, and margined silvery white, 4 ft.	0	6
2532	pyracan'thum (Fire Thorn), picturesquely neat plant, covered with scarlet prickles, 3 tt. robus'tum, a magnificent species with extremely large effective foliage, covered with	0	6
2533	long spines; the young leaves are of a rich brown tint, 5 ft.	0	6
2534	werbaseifolium, large effective downy verbaseum-like brown foliage, 3 ft.	0	6
2535 2536	warscewiczioi'des, a grand species, with large handsome ornamental foliage, 6 it	0	0
	When in fruit the following are effective on the dinner-table, and handsome winter conservatory plant	5.	
253 7 2538	sola'num capsicas'trum, small orange-scarlet fruit, literally covering the plant, 1½ ft	0	6
2539	pseudo-cap'sicum, covered with pretty orange-scarlei berries, 2 ft	0	3
2540 2541	na'num, orange-scarlet fruit, freely produced in autumn, 1 ft Texa'num, rich vermilion fruit, resembling a small tomato, foliage ornamental, 2 ft	0	6
2542	Weatherill's hybrids, fine variety of <i>Pseudo-capsicum</i> for table decoration, 2 ft	0	6
2543	, choice mixed, from the above fruiting varieties	I	0
	SPHENO'GYNE, Nat. Ord. Compos'ita. Beautiful showy hardy annuals.		
2544 2545	Spheno'gyne au'rca, pure golden vellow, 1 ft. The dwarf compact and free flowering habit of these showy plants admi- sulphu'rea, bright sulphur, 1 ft. trably adapts them for beds, long lines, ribbons, etc.	{ 0	3
20.20	STATIOE, Nat. Ord. Plumbagina'ceæ. Highly ornamental perennials, etc.	•	
The	Significant for the Statices are Everlastings, and prized for vases and winter bouquets. Those enum	erat	ed
	in this section are splendid greenhouse plants.		
2546 2547	Stat'ice arbores'cens, flowers blue, plant very ornamental, 2 it. durius'cula, azure blue, a charming dwarf variety, 1 ft.	0	6
2548	Holfor'di, rich blue flowers, a very handsome variety, 2 it,	I	0
2549	imbrica'ta, blue, most beautiful, t\frac{1}{2} ft	0	6
2550 2551	choice mixed greenhouse varietics	I	0
	The following are all perfectly hardy very effective in flower borders, on rock-work, etc. Mr. Robinso.	72	
0550	illustrates S. latifolia in "The Parks, Promeuades, and Gardens of Paris." Stat'ioe exi'mia, pale purple, in large panicles, 13 ft	0	6
2552 2553	Fortuinet a fine species, with white and vellow flowers, I it	0	3
2554	inca'na na'na, red, compaet habit; very desirable, 1 ft	0	3

O

o

```
Stat'ice latifolia, a fine ornamental species, with beautiful blue flowers, I ft.....
                            2556
  2557
  2558
        The following are very showy, half-hardy annual Everlasting flowers for flower border summer decoration.

9 Statice Bonduel'H, golden yellow, flowers in large masses, 1\frac{1}{2} ft.

0 , sinua'ta, purple and white, very pretty, 1 ft.

0 Thoun'it, blue and white, charming variety, 1 ft.

0 choice mixed from half hards enough verifies.
  2559
  2560
  2561
  2562
                            choice mixed from half-hardy annual varieties ......3d. &
                           STENAO'TIS, Nat. Ord. Compos'itæ. Fine showy hardy perennial.
  2563
             Stenac'tis specio'sa, lilac, an exceedingly useful showy border plant, 2 ft, .....
                 STOCKS (Mathi'ola). Nat. Ord. Crucif'eræ.

For fragrance, beauty, and dazzling effect, "the Stock Gilliflower" is a matchless plant.

German Dwarf 10-week Double Stocks. Half-hardy Annuals. For collections see p. 6.
 2564
             New large flowering splendid mixed, embracing the best colours, 11 tt.
                                                   2565
 2566
                **
 2567
                                                                                                                                                                   each is. &
            "Giant Globe pyramidal, splendid mixed, a handsome Stock, 1\frac{1}{2} ft. ...1s. & Wallflower-leaved, "The Milton," rich blood-red, very beautiful new variety, 1\frac{1}{4} ft. ....1s. & New dwarf bouquet mixed, a most beautiful variety for edgings and small beds, \frac{3}{4} ft. .....
 2568
 2569
 2570
             Earliest Autumn flowering, splendid mixed, 13 ft.
 2571
            Fine mixed varieties, all colours .....
 2572
                                                     German Double Stocks. Half-hardy Biennials.
            Emperor, large-flowered mixed; a beautiful branching variety, which if sown early in spring, flowers in autumn; but if sown in July, the plants bloom continuously throughout the following summer and autumn. The Emperor or Imperial Stock is well deserving the
            most extensive cultivation, 1½ ft.

" large-flowered, crimson, violet, or white, for beds or ribbons of one colour, 1½ ft. each
" "The Byron," rich blood-red, very handsome, 1½ ft.

Brompton splendid mixed, should be sown in July to flower the following summer, 2 ft.

— each
 2574
 2575
 2576
           2577
 2578
 2579
 2580
           2581
 2582
                                                                                                                                                                                               0
 2583
                                                                                                                                                                                               0
 2584
                                                                                                                                                                                         1
                                                                                                                                                                                               0
 2585
2586
 2587
2588
                                                                                                                                                                                               0
 2589
                                                                                                                                                                                               0
2590
            2591
            SULTAN (Centaurea), Nat. Ord. Composities. Showy fragrant hardy annuals.
           Sultan, Sweet, dark purple, 1\frac{1}{2} ft. ...

"white, 1\frac{1}{2} ft. ...

"beautiful yellow, 1\frac{1}{2} ft.

"nixed varieties, 1\f
2592
2593
                                                                                                                                                                                               3
2594
                                                                                                                                                                                               3
2595
                                 SUTHERLANDIA, Nat. Ord. Legumino'sa. Hardy shrubs.
           2596
2597
2598
                                                                                                                                                                                              6
2599
                                                                                                                                                                                               6
2600
               SWAINSO'NIA, Nat. Ord. Legumino'sæ. Very beautiful greenhouse shrubs.
         2603
                                       auricula-nowered varieties, mixed colours, 1½ ft.

choice mixed, including all varieties, 1½ ft.

mixed double, of various beautifu: colours, 1½ ft.

n'gricans, very dark crimsor 1½ ft.

Dunnet'ti, beautifu! rich c n.son-scarlet, 1½ ft.

white, scarlet or striped, 1½ ft.

each colour new dwarf, very compact and profuse flowering, ¾ ft.

double

ne mixed, all colours, 1 ft.
2604
2605
2606
2607
2608
2609
2610
2611
                                        fine mixed, all colours, r ft. .....
                         TAGE'TES, Nat. Ord. Compos'itæ. Charming nalf-hardy annuals.
           Tage'tes pu'mila, bright yellow, 1 ft. ". pumila for bedding purposes give surpasses the Calcolaria the folioge carguistely praceful, and concred with bright yellow flowers which continue in beauty till late in autumn. Tenuifolia, orange, 2 ft. ..." tenuifolia, orange, 2 ft. ...
2612
2613
2614
```

	TRACHE'LIUM, Nat. Ord. Campanula'ceæ. Beautiful hardy biennials.	
2616	Trachelium cœruleum, sky blue, 1 ft	
2617 2618	Trachelium cœruleum, sky blue, 1 ft. "" al'bum, white, 1 ft. "" plants, exceedingly pretty for 0 3 "" "Illaed'num, lilae, 1 ft. "" conservatory decoration.	
2010	TRITO/MA Not Ond Titisam Mai disconstruction. (03	
2619	TRITO'MA, Nat. Ord. Lilia'ceæ. Majestie and beautiful hardy perennial. Trito'ma glauces'cens. The long spikes of bright flame-scarlet flowers of the Tritoma suggested	
	the popular appendicul. The Ken-not Poppy Plant (clausescens is in flower throughout the	
	summer; Granats continues the succession to Christmas Throughout Nov. 1828 when few	
	other plants were flowering in our Experimental Grounds Grandis was conspicuous; its long handsome spikes of searlet, with the successional spikes following on, proving this to be a winter-	
	unsurpassed. It is preferable to purchase plants rather than seed of the Tritoma, the plants of Grandis being inexpensive, each, 1s. & 1s. & d.; per doz., 1os. & d. & 15s seed of Glaucescens of	
	TROPE'OLUM, Nat. Ord. Tropæola'ceæ. Beautiful hardy annuals.	
2620	ALUDRI UIUII III III III COCCID PIIM CORPLET Love Avalle Leville 1 - 11 - 6 1 - 1 - 1	
2621	For Tom Thumb or dwarf var. of Tropwolum, see Nasturtium, p. 34. For Lobbianum var., see p. 49.	
	TIT'NICA Not Ond Comment of the Proposition, see Nasturtium, p. 34. For Lobbianum var., see p. 49.	
2622	TU'NIOA, Nat. Ord. Caryophylla'ceæ. A pretty hardy perennial. Tu'nica Saxif'raga, pale purple, charming for small beds, rock-work, and old walls, \(\frac{1}{2}\) ft 0 6	
	TYDEA Not Ond George Colondia and old walls, 11	
2623	TY'DÆA, Nat. Ord. Gesnera'cea. Splendid stove perenuial bulbs. Ty'dæa, saved from the choicest hybrid varieties, 1½ ft	
	VENI'DIUM, Nat. Ord. Compos'itæ. Beautiful half-hardy annual.	
2624	vem dium calendula ceum, bright orange Gazania-like floriers exceedingly effective in large hade	
	on rock-work, in rustic baskets, and mixed borders, \(\frac{1}{2}\) ft	
0.005	VENUS' LOOKING-GLASS, Nat. Ord. Campanula'ceæ. Pretty hardy annuals.	
2625 2626	venus Looking-glass, large flowered, rich blue, \frac{1}{2} ft. \ Very pretty annuals, for beds, baskets, \ 0 3	
	VENUS' NAVELWORT Not Old Popularia of the last last last last last last last last	
2627	VENUS' NAVELWORT, Nat. Ord. Boragina'ceæ. Pretty hardy edging annual. Venus' Navelwort, an elegant plant, with pure white flowers and silvery foliage, \(\frac{1}{2} \) ft	
	TPDDAGGTAR AT A O 1 O 7 3 1 4 C	
2628	Verbas'cum fra'grans, vellow, from Australia, 2 ft.	
2629 2630		
2631	n pyrialita tilli, yettoo, 3 11	
2632	" mixed, 3 ft	
1	VERBE'NA, Nat. Ord. Verbena'cea. Splendid half-hardy perennials.	
,		
quite	Verbenas in quantity are more easily obtained from seed than from cuttings; sown in spring they flower early in the season. The self-colours are generally to be depended whom and there is more over the change	
from	seedlings of raising new varieties.	
quette	Verbe'na hy'orida very choice mixed. If the superior of the su	
from 2633 2634 2635	Verbe'na hy'brida very choice mixed, I ft	
from 2633 2634 2635 2636	Verbe'na hy'brida very choice mixed, 1 ft	
from 2633 2634 2635 2636 2637 2638	Verbe'na hy'brida very choice mixed, I ft. """ Eckford's very choicest first-class Exhibition flowers, I ft. """ very fine mixed varieties, I ft. """ al'ba, pure white, I ft. """ blue-black, white eye, (new) I ft. """ candidl's sima, pure white, flowers in large trusses very fine I ft. """ candidl's sima, pure white, flowers in large trusses very fine I ft.	
from 2633 2634 2635 2636 2637 2638 2639	seedlings of raising new varieties. Verbe'na hy'brida very choice mixed, 1 ft. """, Eckford's very choicest first-class Exhibition flowers, 1 ft. """, very fine mixed varieties, 1 ft. """, al'ba, pure white, 1 ft. """, blue-black, white eye, (new) 1 ft. """, candidis sima, pure white, flowers in large trusses, very fine, 1 ft. """, candidis sima, pure white, flowers in large trusses, very fine, 1 ft. """, coxonian, blue-purple, 1 ft.	
from 2633 2634 2635 2636 2637 2638 2639 2640 2641	seedlings of raising new varieties. Verbe'na hy'brida very choice mixed, I ft. """ Eckford's very choicest first-class Exhibition flowers, I ft. """ very fine mixed varieties, I ft. """ al'ba, pure white, I ft. """ blue-black, white eye, (new) I ft. """ candidis sima, pure white, flowers in large trusses, very fine, I ft. """ Oxonian, blue-purple, I ft. """ Purple King, fine large purple flowers, I ft. """ Purple King, fine large purple flowers, I ft. """ Defiance, beautiful rich scarlet, I ft.	
from 2633 2634 2635 2636 2637 2638 2639 2640 2641 2642	seedlings of raising new varieties. Verbe'na hy'brida very choice mixed, 1 ft. """ Eckford's very choicest first-class Exhibition flowers, 1 ft. """ very fine mixed varieties, 1 ft. """ al'ba, pure white, 1 ft. """ al'ba, pure white, 1 ft. """ candidis sima, pure white, (new) 1 ft. """ oxonian, bine-purple, 1 ft. """ Purple King, fine large purple flowers, 1 ft. """ Purple King, fine large purple flowers, 1 ft. """ Lis. & 2 6 """ periodical sima, pure white, 1 ft. """ and the self-control simulation of the sel	
from 2633 2634 2635 2636 2637 2638 2639 2640 2641 2642 2643 2644	seedlings of raising new varieties. Verbe'na hy'brida very choice mixed, I ft. """ Eckford's very choicest first-class Exhibition flowers, I ft. """ very fine mixed varieties, I ft. """ very fine mixed varieties, I ft. """ al'ba, pure white, I ft. """ blue-black, white eye, (new) I ft. """ candidts sima, pure white, flowers in large trusses, very fine, I ft. """ Oxonian, blue-purple, I ft. """ Purple King, fine large purple flowers, I ft. """ Deflance, beautiful rich scarlet, I ft. """ Lis. & 2 6	
from 2633 2634 2635 2636 2637 2638 2639 2640 2641 2642 2643 2644 2645	seedlings of raising new varieties. Verbe'na hy'brida very choice mixed, 1 ft	
7rom 2633 2634 2635 2636 2637 2638 2639 2641 2642 2643 2644 2645 2646	seedlings of raising new varieties. Verbe'na hy'brida very choice mixed, 1 ft. "Eckford's very choicest first-class Exhibition flowers, 1 ft. "extractional pure white, 1 ft. "extractional pure w	
7rom 2633 2634 2635 2636 2637 2638 2639 2640 2641 2642 2643 2644 2645 2646	seedlings of raising new varieties. Verbe'na hy'brida very choice mixed, 1 ft. """ Eckford's very choicest first-class Exhibition flowers, 1 ft. """ very fine mixed varieties, 1 ft. """ very fine mixed varieties, 1 ft. """ al'ba, pure white, 1 ft. """ candidis sima, pure white, flowers in large trusses, very fine, 1 ft. """ candidis sima, pure white, flowers in large trusses, very fine, 1 ft. """ Coxonian, blue-purple, 1 ft. """ Purple King, fine large purple flowers, 1 ft. """ perple King, fine large purple flowers, 1 ft. """ auriculæflo'ra choice mixed, 1 ft. """ auriculæflo'ra choice mixed, 1 ft. """ tallan striped varieties, choice mixed, 1 ft. """ teucrio'des, white, with delightful jasmine fragrance, 1 ft. """ veno'sa, purple-rose, very effective in ribbons and beds, hardy perennial, 1 ft. """ yeno'sa, purple-rose, very effective in ribbons and beds, hardy perennial, 1 ft. """ the chance is moreover the chance """ Lemon-scented, foliage very fragrant, and much prized for bouquets, etc., 1 ft. """ ftenon'ICA, Nat. Ord. Scrophularia'ceæ. Splendid shrubs, beautiful annuals, etc. """ hrubby varieties bloom in aulumn and winter, and are prized for conservatory and stiting-room decoration.	
7rom 2633 2634 2635 2636 2637 2638 2639 2640 2641 2642 2643 2644 2645 2646 V	seedlings of raising new varieties. Verbe'na hy'brida very choice mixed, 1 ft. "Eckford's very choicest first-class Exhibition flowers, 1 ft. "Eckford's very choicest first-class Exhibition flowers, 1 ft. "Eckford's very choicest first-class Exhibition flowers, 1 ft. "Eckford's very choice mixed, 1 ft. "Eckford's very choice first-class Exhibition flowers, 1 ft. "Eckford's very choice, (new) 1 ft. "Eckford's very choice first-class Exhibition flowers, 1 ft. "Eckford's very choice fi	
7rom 2633 2634 2635 2636 2637 2638 2639 2641 2642 2643 2644 2645 2646 V The s	seedlings of raising new varieties. Verbe'na hy'brida very choice mixed, 1 ft	
7rom 2633 2634 2635 2636 2637 2638 2639 2641 2642 2643 2644 2645 2646 V The s.	Verbe'na hy'brida very choice mixed, 1 ft. """ """ """ Eckford's very choicest first-class Exhibition flowers, 1 ft. """ """ """ """ """ """ """	
7rom 2633 2634 2635 2636 2637 2638 2639 2641 2642 2643 2644 2645 2646 V The s	Seedlings of raising new varieties. Verbe'na hy'brida very choice mixed, 1 ft. "Eckford's very choicest first-class Exhibition flowers, 1 ft. "Eckford's very choice mixed, 1 ft. "Is & 2 6 "Candidis sima, pure white, 1 ft. "Candidis sima, pure white, flowers in large trusses, very fine, 1 ft. "Candidis sima, pure white, flowers in large trusses, very fine, 1 ft. "Eckford's very choice flowers, 1 ft. "Eckford's very choice flowers, 1 ft. "Eckford's very fine in large purple flowers, 1 ft. "Eck	
7rom 2633 2634 2635 2636 2637 2639 2640 2641 2642 2643 2644 2645 2646 V The s.	Seedlings of raising new varieties. Verbe'na hy'brida very choice mixed, 1 ft. "Eckford's very choicest first-class Exhibition flowers, 1 ft. "Eckford's very choice mixed, 1 ft. "Is & 2 6 "Candidis sima, pure white, 1 ft. "Candidis sima, pure white, flowers in large trusses, very fine, 1 ft. "Candidis sima, pure white, flowers in large trusses, very fine, 1 ft. "Eckford's very choice flowers, 1 ft. "Eckford's very choice flowers, 1 ft. "Eckford's very fine in large purple flowers, 1 ft. "Eck	
7rom 2633 2634 2635 2636 2637 2638 2639 2640 2641 2642 2643 2644 2648 2646 V The s 2647 2648 2649 2650 2651	seedlings of raising new varieties. Verbe'na hy'brida very choice mixed, 1 ft.	
7rom 2633 2634 2635 2636 2637 2638 2639 2641 2642 2643 2645 2645 2646 V The s. 2647 2648 2649 2650 2651 2652 2653	seedlings of raising new varieties. Verbe'na hy'brida very choice mixed, 1 ft. "Eckford's very choicest first-class Exhibition flowers, 1 ft. "Eckford's very choicest first-class Exhibition flowers, 1 ft. "Eckford's very choicest first-class Exhibition flowers, 1 ft. "Eckford's very choice mixed, 1 ft. "Eckford's very chief. "Eckford's very choice mixed, 1 ft. "Eckford's very chief. "Eckford's very chief. "Eckford's very choice mixed, 1 ft. "Eckford's very chief. "Eckford's chief. "Eckford's chief. "Eckford's very chief. "Eckford's chie	
7rom 2633 2634 2635 2636 2637 2638 2639 2640 2642 2643 2644 2645 2646 V The s 2647 2648 2649 2650 2651 2652 2653 2654	Seedlings of raising new varieties. Verbe'na hy'brida very choice mixed, 1 ft.	
7rom 2633 2634 2635 2636 2637 2638 2639 2641 2642 2643 2644 2645 2646 V The s 2647 2648 2649 2650 2650 2651 2652 2653 2654	Seedlings of raising new varieties. Verbe'na hy'brida very choice mixed, 1 ft.	
7rom 2633 2634 2635 2636 2637 2638 2639 2640 2642 2643 2644 2645 2646 V The s 2647 2648 2649 2650 2651 2652 2653 2654	Verbe'na hy'brida very choice mixed, 1 ft. """ Eckford's very choice st first-class Exhibition flowers, 1 ft. """ very fine mixed varieties, 1 ft. """ candidis sima, pure white, flowers in large trusses, very fine, 1 ft. """ candidis sima, pure white, flowers in large trusses, very fine, 1 ft. """ purple King, fine large purple flowers, 1 ft. """ purple King, fine large purple flowers, 1 ft. """ pefiance, beautiful rich scarlet, 1 ft. """ pefiance, beautiful rich scarlet, 1 ft. """ talian striped varieties, choice mixed, 1 ft. """ talian striped varieties, choice in striped produced, choice in striped produced, choice in striped	
7rom 2633 2634 2635 2636 2637 2638 2639 2640 2641 2642 2643 2645 2646 7re s 2647 2648 2649 2650 2651 2652 2653 2654	Verbe'na hy'brida very choice mixed, 1 ft. """ Eckford's very choicest first-class Exhibition flowers, 1 ft. """ very fine mixed varieties, 1 ft. """ very fine mixed varieties, 1 ft. """ blue-black, white eye, (new) 1 ft. """ candidis sima, pure white, flowers in large trusses, very fine, 1 ft. """ purple King, fine large purple flowers, 1 ft. """ Defiance, beautiful rich seartel, 1 ft. """ purple King, fine large purple flowers, 1 ft. """ Ltalian striped varieties, choice mixed, 1 ft. """ teueriol'des, white, with delightful pasmine fragrance, 1 ft. """ teueriol'des, white, with delightful pasmine fragrance, 1 ft. """ teueriol'des, foliage very fragrant, and much prized for bouquets, etc., 1 ft. """ ft. 3d. & o. 6 """ temon-scented, foliage very fragrant, and much prized for bouquets, etc., 1 ft. """ ft. 3d. & o. 6 """ ERONICA, Nat. Ord. Scrophularia'ceæ. Splendid shrubs, beautiful annuals, etc. """ hrise channel under the scarte, 1 ft. """ spica'ca, bright blue, \(\frac{1}{2} \) ft. """ al'ba, white, \(\frac{1}{2} \) ft. """ al'ba, white, \(\frac{1}{2} \) ft. """ ma'jor, blue, 1 ft. """ ma'jor, blue, 1 ft. """ ma'jor, blue, 1 ft. """ mixed perennial varieties. """ al'ba lu'tea, white, 2 ft. """ a	
7rom 2633 2634 2635 2636 2637 2638 2644 2645 2646 V The s 2647 2648 2649 2650 2651 2652 2653 2654	Seedlings of raising new varieties. Verbe'na hy brida very choice mixed, 1 ft. """ Eckford's very choicest first-class Exhibition flowers, 1 ft. """ very fine mixed varieties, 1 ft. """ very fine very very fine very fine very fine, 1 ft. """ very fine mixed varieties, 1 ft. """ very fine very fine very fine very fine, 1 ft. """ very fine mixed varieties, 1 ft. """ very fine mixed varieties, 1 ft. """ very fine mixed varieties, 1 ft. """ very fine very very fine very fine, 1 ft. """ very fine mixed very fine, 1 ft. """ very fine mixed varieties, 1 ft. """ very fine mixed varieties, 1 ft. """ very fine mixed varieties, 1 ft. """ very fine mixed very very fine very fine, 1 ft. """ very fine mixed very very very effective in ribbone and beds, hardy perennial, 1 ft. """ very fine mixed varieties, 1 ft. """ very fine mixed very fine very fine, 1 ft. """ very fine mixed very fine, 1 ft. """ very fine mixed very fine very fine, 1 ft. """ very fine mixed very fine very fine, 1 ft. """ very fine mixed very fine, 1 ft. """ very fi	
7rom 2633 2634 2635 2636 2637 2638 2639 2640 2641 2642 2643 2645 2646 V The s. 2647 2648 2650 2651 2652 2653 2654 2657 2658	seedlings of raising new varieties. Verbe'na hy'brida very choice mixed, 1 ft. """ Eckford's very choicest first-class Exhibition flowers, 1 ft. """ very fine mixed varieties, 1 ft. """ plue-black, white eye, (new) 1 ft. """ candidis sima, pure white, flowers in large trusses, very fine, 1 ft. """ purple King, fine large purple flowers, 1 ft. """ purple King, fine large purple flowers, 1 ft. """ purple king, fine large purple flowers, 1 ft. """ auriculæflo'ra choice mixed, 1 ft. """ talian striped varieties, choice mixed, 1 ft. """ teuerfol'des, white, with delightful jamine fragrance, 1½ ft. """ vero'sa, purple-rose, very effective in ribbons and beds, hardy perennial, 1½ ft. """ yat purple varieties of the beautiful shrubs, beautiful annuals, etc. hrubdy varieties bloom in autumn and winter, and are prized for conservatory and stitting-room decoration, and to cut for bouquets; Syriaca and Glanca for spring-blowning, and Spicata for borders. Veron'ica, mixed, including Henderso'ni, purpu'rea, Lindleya'na, &c., flowering shrubs """ al'ba, vohite, ½ ft. """ al'ba, vohite, ½ ft. """ al'ba, vohite, ½ ft. """ al'ba, vohite, 1 ft """ al'ba, vohite, 1 ft """ al'ba, vohite, 1 ft """ al'ba, vohite, 2 ft. """ al'ba, vohite, 1 ft """ al'ba, vohite, 2 ft. """ al'ba,	
7rom 2633 2634 2635 2636 2637 2638 2639 2640 2642 2643 2644 2645 2646 7rhe s. 2647 2648 2649 2650 2651 2652 2653 2654 2655 2656 2657 2658	Seedlings of raising new varieties. Verbe'na hy brida very choice mixed, 1 ft. """ Eckford's very choicest first-class Exhibition flowers, 1 ft. """ very fine mixed varieties, 1 ft. """ very fine very very fine very fine very fine, 1 ft. """ very fine mixed varieties, 1 ft. """ very fine very fine very fine very fine, 1 ft. """ very fine mixed varieties, 1 ft. """ very fine mixed varieties, 1 ft. """ very fine mixed varieties, 1 ft. """ very fine very very fine very fine, 1 ft. """ very fine mixed very fine, 1 ft. """ very fine mixed varieties, 1 ft. """ very fine mixed varieties, 1 ft. """ very fine mixed varieties, 1 ft. """ very fine mixed very very fine very fine, 1 ft. """ very fine mixed very very very effective in ribbone and beds, hardy perennial, 1 ft. """ very fine mixed varieties, 1 ft. """ very fine mixed very fine very fine, 1 ft. """ very fine mixed very fine, 1 ft. """ very fine mixed very fine very fine, 1 ft. """ very fine mixed very fine very fine, 1 ft. """ very fine mixed very fine, 1 ft. """ very fi	

punt for summer decoration. The varieties of Viola are very important, succeeding in situations where the Pansy is a failure. Viola odorata flower in winter, and are prized for their fragrance. For plants of Pansies and Violas, see Bulb Catalogue, pp. 41 and 42.

2659	A 1 O19	cornu'ta		(6d.&	1	0
2660	21	22	Purple Queen, \(\frac{1}{2}\) ft. \(\frac{1}{2}\) For continuous lines, ribbons,	6d.&	I	0
2661	11	11	Admitation, deep clear violet, & Il and edgings to large hade these	15.8	2	6
2662	13	,,	Bit Od, White, 5 Il	6d.&	I	0
2663	9.0	11	THE DEA STABILITION IS THE CONTRACT OF THE CON	6d.&	ĭ	0
2664	22	33	Magnificent, rich blue violet, 1 ft	15.&	2	6
2665	12	,,	Perfection, blue, 11.	15.&	2	6
2666	13	13	Bensalion, (leep Violet-purple, & H to The commute alle is Awiged	15.&	2	6
2667	33	Crown Je	ewel, pale yellow, very fine, if ft	3.21	2	6
2668	,,,	Sovereig	n large wellow a splendid hedder 1 ft	15.&	2	6
2669	11	Blue Bell	1 the most beautiful blue of all 1 ft	15.8		6
2670	29	lilaci'na,	soft lilac very beautiful & ft	15.80		6
2671	"	Mulberr	V large rich mulherry coloured flowers 1 ft 190 their alversity by colour	15.&		6
2672		Queen of	Illage doep lilac high vary distinct I ft	15.&		6
2673	"	Royal Bl	lue rich hale hlue extra fine 1 ft	15.&		6
2674	.,	Veetale	pure white, the best white, \(\frac{1}{2} \) ft ual flowering.	13.&		6
2675	11	mixed fr	om above varieties, § ft.			6
2676	11	mixed it	Ada sided years and beautiful North American are for 1 1 1 6	8.21	_	
2677	"	odoro'to	pule violet, a rare and beautiful North American species, for rock-work 1, ft			0
	- 11	ouora ba	semperflo'rens, sweet-seented violet, & ft.	• • • • • • • • • • • • • • • • • • • •		6
2678	11	"	al'0a, fine white, & ft.	• • • • • • •		6
2679	21	23	The Czar, violet, the largest flowering and the richest coloured, & ft			6
2680	12	2.1	The white Czar, white, the largest flowering, 4 it.			6
2681	12	1.7	wilso ii, light violet, large, and very fragrant, 2 it.		0	6
2682	"	33	mixed from many varieties, \(\frac{1}{2}\) ft. (Pansy or Heartsease), Scotch and English large-flowered varieties, \(\frac{1}{2}\) ft	.6d. &	I	o
2683	,,,	tri'color	r (Pansy or Heartsease), Scotch and English large-flowered varieties, 🖟 ft	.15. &	2	6
2684	,,,	,,	mariequin, or tancy choice varieties, & it.	. I.S. X	2	6
2685	,,,	19	very fine mixed, including fancy and florists' flowers, ½ ft.	6d. &		0
2686	,,	"	Black King, dense black \ ft)	6d. &		0
2687	,,	"		6d. &		ŏ
2688			brown red, \frac{1}{2} ft.	6d. &		0
2689	31	,,	Yellow Bedder, very fine, oft. These are all fine bedding Pansies. The seed			
2640	3.3	21	Total Doddon, very line, alt.	15. &	2	6
2691	,,,	11		Is. &		0
2692		11		6d. &		0
	- 12	22		6d. &	I	0
2693	22	19		6d &	I	0
2694	11	12	Punto John 11 1 11 1 11 1 1 1 1 1 1 1 1 1 1 1 1	6d. &	I	0
2695	22	,,	purple, 4 it.	6d. &	1	0
2696	33	22	ultra-marine, 1 ft plants beated out for spring decoration.	1s. &	2	6
2697	"	11	Blue Beard, rich deepblue, \frac{1}{3} ft. Autumn-sown seed will flower in spring.	1s. &	2	6
2698	**	- 11	Blue King, ½ ft.	15. &	2	6
2699	33	11		Is. &	2	6
2700	,,	12	German choice mixed, beautiful varieties, ½ ft.	6d. &	I	0
2701	1)		" ,, splendid large-flowcred varieties, ½ ft.			-
						0
			French large flowered Odier's 5-snotted fine varieties 1 ft			0
2702	37	יי, פמדאוד א ז	French large nowered Odier's 5-spotted, fine varieties, \frac{1}{2} ft			0
2702	Ϋ́ΙΙ	RGINIA1	N STOCK, Nat. Ord. Crucif'erg. Charming dwarf hardy annu	nals.		
2702 2703	Ϋ́ΙΙ	;; RGINIAI mian Stoc	N STOCK, Nat. Ord. Crucif'erg. Charming dwarf hardy annu	nals.	r	
2702	Ϋ́ΙΙ	RGINIAI	N STOCK, Nat. Ord. Crucif'erg. Charming dwarf hardy annu	nals.	0	0
2702 2703	Ϋ́ΙΙ	RGINIAI	N STOCK, Nat. Ord. Crucif'erg. Charming dwarf hardy annu	nals.	0 0	6
2702 2703 2704	Ϋ́ΙΙ	RGINIAI	N STOCK, Nat. Ord. Crucif'erg. Charming dwarf hardy annu	nals.	0 0 0	6 6
2702 2703 2704 2705	VIII	nian Stoo	N STOCK, Nat. Ord. Crucif'ere. Charming dwarf hardy annuals, red, \(\frac{1}{2}\) ft	uals. 3d. & 3d. &	0 0	6 6 6
2702 2703 2704 2705 2706	VIII Virgi	man Stoo	N STOCK, Nat. Ord. Crucif'ere. Charming dwarf hardy annuals, red, \(\frac{1}{2}\) ft	uals. '3d. & 3d. &	0 0 0 0	6 6 6
2702 2703 2704 2705 2706	VIII Virgi	Mian Stoo	N STOCK, Nat. Ord. Crucif'erce. Charming dwarf hardy annuals, red, \(\frac{1}{2}\) ft	uals. (3d. & 3d. & which is a second control of the second control	0 0 0 0	6 6 6
2702 2703 2704 2705 2706	VIII Virgi	SOA'RIA arcely possibicta, or the	N STOCK, Nat. Ord. Crucif'eree. Charming dwarf hardy and white, \(\frac{1}{2} \) ft	uals. (3d. & 3d. & 3d. &	0 0 0 0	6 6 6
2702 2703 2704 2705 2706	VIII Virgi	SOA'RIA arcely possibicta, or the	N STOCK, Nat. Ord. Crucif'ere. Charming dwarf hardy annuals, red, \(\frac{1}{2} \) ft	uals. (3d. & 3d. & 3d. &	0 0 0 0	0 6 6 6 6 6
2702 2703 2704 2705 2706	VIII Virgi	SOA'RIA arcely possibicta, or the	NSTOCK, Nat. Ord. Crucif'eree. Charming dwarf hardy anm white, \(\frac{1}{2} \) ft	uals. 3d. & 3d. & 3d. & ils. Elegand. 3d. &	1 0 0 0 0	0 66666
2702 2703 2704 2705 2706	VIII Virgi	Man Stoc	NSTOCK, Nat. Ord. Crucif'eree. Charming dwarf hardy anm ck, red, \(\frac{1}{2} \) ft	uals. (3d. & 3d. & als. f Elegandel. 3d. &	1 0 0 0 0	0 6 6 6 6 6
2702 2703 2704 2705 2706	VIII Virgi	Man Stoc	NSTOCK, Nat. Ord. Crucif'eree. Charming dwarf hardy anm ck, red, \(\frac{1}{2} \) ft	uals. (3d. & 3d. & als. f Elegandel. 3d. &	1 0 0 0 0	66666666666
2702 2703 2704 2705 2706 2707 2708 2709	VIII Virgi VIX Visca	mian Stoc	NSTOCK, Nat. Ord. Crucif'eree. Charming dwarf hardy and white, \$ ft	uals, (3d, & 3d, &) als, f Eleganul, 3d, & 3d, & 3d, &	1 0 0 0 0 0 0 0 0 0 0 0	0 66666
2702 2703 2704 2705 2706 2707 2708 2709 2710	VIII Virgi	mian Stoc	NSTOCK, Nat. Ord. Crucif'eree. Charming dwarf hardy and white, \$ ft	uals, (3d, & 3d, &) als, f Eleganul, 3d, & 3d, & 3d, &	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 66666
2702 2703 2704 2705 2706 2707 2708 2709 2710 2711	VIII Virgi VIX Visca	mian Stoc	NSTOCK, Nat. Ord. Crucif'eree. Charming dwarf hardy and white, \(\frac{1}{2} \) ft	uals, (3d. & 3d. & 3d. &	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 66666
2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712	VIII Virgit VIS Visca	SOA'RIA arcely poss. corruel's card cary al'ba fine 1	NSTOCK, Nat. Ord. Crucif'eree. Charming dwarf hardy anm white, \(\frac{1}{2} \) ft	nals. (3d. & 3d. & 3d. &	1 0 0 0 0 0 0 0 0 0 0 0	0 66666
2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712	VIII Virgit VIS VISCO VI	mian Stoc "" SOA'RIA arcely poss, bicla, or the rain arcely goss, bicla, or the coru coru coru al'ba fine in	NSTOCK, Nat. Ord. Crucif'eree. Charming dwarf hardy and white, \(\frac{1}{2} \) ft	nals, (3d, & 3d, & 3d, &) als, [Eleganul, 3d, &] 3d, & 3d, & 3d, & 3d, & 3d, & 3d, &	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 66666
2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712 2713	VIII Virgi	SCA'RIA arcely poss. bicta, or the virta cardi ceru el'eg cary al'ba fine 1	NSTOCK, Nat. Ord. Crucif'eree. Charming dwarf hardy anm white, \(\frac{1}{2} \) ft	nals, (3d, & 3d, & 3d, &) als, [Eleganul, 3d, &] 3d, & 3d, & 3d, & 3d, & 3d, & 3d, &	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 66666
2702 2703 2704 2705 2706 2706 2708 2709 2710 2711 2712 2713	VIII Virgi	mian Stock "" "" SCA'RIA urcely poss. "ica, or the viria cardi cardi cardi cary al'ba fine a Al'TZIA, A charmin tzla au're	NSTOCK, Nat. Ord. Crucif'eree. Charming dwarf hardy and white, \(\frac{1}{2} \) ft	nals. (3d. & 3d. & 3d. &) Ils. Elega: id. 3d. & 3d. & 3d. & 3d. & 3d. & 3d. &	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 66666 6666 6666 6666 6666 6666 6666 6666
2702 2703 2704 2705 2706 2707 2708 2709 2711 2712 2713 2714 2715	VIII Virgi	Mian Stoc	NSTOCK, Nat. Ord. Crucif'erre. Charming dwarf hardy and white, \(\frac{1}{2} \) ft	uals, '3d. & 3d. & 3d. & Elega: ils, General & 3d. & 3d. & 3d. & 3d. & 3d. & 3d. &	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 66666
2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712 2713	VIII Virgi VIS Visca Visca Visca Visca Visca Visca	mian Stock "" "" "" "" "" "" "" "" ""	NSTOCK, Nat. Ord. Crucif'eree. Charming dwarf hardy and white, \(\frac{1}{2} \) ft	uals. (3d. & 3d. & 3d. &) 1ls. (Eleganul. 3d. &) 3d. & 3d. & 3d. & 3d. & 1als	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 66666 6666 6666 6666 6666 6666 6666 6666
2702 2703 2704 2705 2706 2707 2708 2709 2711 2712 2713 2714 2715	VIII Virgi VIS VIS Visca Visca Visca Visca	mian Stock "" "" "" "" "" "" "" "" ""	NSTOCK, Nat. Ord. Crucif'eree. Charming dwarf hardy and white, \(\frac{1}{2} \) ft	uals. (3d. & 3d. & 3d. &) 1ls. (Eleganul. 3d. &) 3d. & 3d. & 3d. & 3d. & 1als	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 66666 6666 6666 66666 66666 66666 66666
2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712 2713	VIII Virgi VIS Visca Visca Visca Visca	mian Stock "" "" SCA'RIA arcely poss. "" "" "" "" "" "" "" "" ""	NSTOCK, Nat. Ord. Crucif'eree. Charming dwarf hardy and white, \(\frac{1}{2} \) ft	uals. (3d. & 3d. & 3d. & 18s. (18s.)	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 6666 6666 36 666
2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712 2713 2714 2716 2716 2717	VIII Virgi Vis see Vises WA	mian Stock "" SCA'RIA arcely poss. bicta, or the viria cardi ceru el'eg cary al'ba fine i A'TZIA, A charmin tzla au're acury cory gran mixe	NSTOCK, Nat. Ord. Crucif'eree. Charming dwarf hardy and white, \(\frac{1}{2} \) ft	uals. (3d. & 3d. & 3d. & 1ls. [Eleganial. 3d. &	ns 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 66666 6666 6666
2702 2703 2704 2705 2706 2707 2708 2710 2711 2712 2713 2714 2715 2716 2716 2718	VIII Virgi	mian Stock "" SCA'RIA arcely poss. "" ceru el'eg cary al'ba fine a A'TZIA, A charmin tzla au're acury cory mixe LFLOW	NSTOCK, Nat. Ord. Crucif'eree. Charming dwarf hardy and white, \(\frac{1}{2} \) ft	uals. (3d. & 3d. & 3d. & (1s. Eleganul.) (3d. &	ns 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 66666 6666666666666666666666666666666
2702 2703 2704 2705 2706 2707 2708 2710 2711 2712 2713 2714 2716 2716 2717 2718	VIII Virgi	Mian Stoc "" SGA'RIA recely poss. bicta, or the viria card "" cary al'ba fine in Al'TZIA, A charmin tzla au're tzla au're tzla au're tzla au're tzla u're	NSTOCK, Nat. Ord. Crucif'erre. Charming dwarf hardy and white, \(\frac{1}{2} \) ft	uals. (3d. & 3d. & 3d. & 4d. &	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 66666 66666 66666 6
2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712 2713 2714 2716 2716 2717 2718	VIII Virgi	mian Stock "" "" "" "" "" "" "" "" ""	NSTOCK, Nat. Ord. Crucif'eree. Charming dwarf hardy and white, \(\frac{1}{2} \) ft	uals. (3d. & 3d. & 3d. & (1s. Eleganul.) (3d. &	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 66666 66666 66666 60
2702 2703 2704 2705 2706 2707 2708 2710 2711 2712 2713 2714 2716 2716 2717 2718 2719 2720 2721	VIII Virgi	mian Stock "" "" "" "" "" "" "" "" ""	NSTOCK, Nat. Ord. Crucif'eree. Charming dwarf hardy and white, \(\frac{1}{2} \) ft	13d. & 3d. & 3d. & 13d. & 13d. & 13d. & 23d. & 3d. & 6d. & 6d. &	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 6666 66666 6666 603
2702 2703 2704 2705 2706 2707 2708 2710 2711 2712 2713 2714 2715 2716 2717 2718 2719 2720 2721 2722	VIII Virgi	Mian Stoc "" SGA'RIA Arcely poss. bicta, or the 'ria card "" A charmin tzla au're tzla au're tzla au're tzla au're tzla au're tzla u're tzla u'	NSTOCK, Nat. Ord. Crucif'erre. Charming dwarf hardy and white, \(\frac{1}{2} \) ft	13d. & 3d. & 3d. & 18s. & 18s. & 3d. & 3d. & 3d. & 3d. & 3d. & 3d. & 18s. & 18s	ns 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 6666 66666666666666666666666666666666
2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712 2713 2716 2716 2717 2718 2719 2720 2721 2722 2723	VIII Virgi	mian Stoc "" "" "" "" "" "" "" "" ""	NSTOCK, Nat. Ord. Crucif'erre. Charming dwarf hardy and white, \(\frac{1}{2} \) ft	13d. & 3d. & 3d. & 13d. & 13d. & 13d. & 23d. & 3d. & 6d. & 6d. &	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 6666 66666 6666 603
2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712 2713 2714 2716 2716 2717 2718 2719 2720 2721 2722 2723 2724	VIII Virgi	mian Stock "" "" "" "" "" "" "" "" ""	NSTOCK, Nat. Ord. Crucif'eree. Charming dwarf hardy and white, \(\frac{1}{2} \) ft	13d. & 3d. & 3d. & 18s. & 18s. & 3d. & 3d. & 3d. & 3d. & 3d. & 3d. & 18s. & 18s	ns 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 6666 66666666666666666666666666666666
2702 2703 2704 2705 2706 2707 2708 2710 2711 2712 2713 2714 2715 2716 2717 2718 2719 2720 2721 2722 2723 2724 2725	VIII Virgi	Mian Stoc "" "" SGA'RIA Arcely poss. bicta, or the viria card cary al'ba fine in I'TZIA, A charmin tzla au're cary gran , cory gran , mixe LFLO William Hower, Ge "" "" "" "" "" "" "" "" ""	NSTOCK, Nat. Ord. Crucif'erre. Charming dwarf hardy and white, \(\frac{1}{2} \) ft	als. (3d. & 3d. &	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 6666 6666666 60300
2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712 2713 2716 2716 2717 2718 2719 2720 2721 2722 2723 2724 2725 2726	VIII Virgi	Mian Stock "" "" "" "" "" "" "" "" ""	NSTOCK, Nat. Ord. Crucif'erce. Charming dwarf hardy and white, \(\frac{1}{2} \) ft	uals. (3d. & 3d. & 3d. & 18. (1s. Eleganul. 3d. & 3d. & 3d. & 3d. & 18. (3d. & 3d. & 19. (3	ns 000000000000000000000000000000000000	0 6666 66666666666666666666666666666666
2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712 2713 2714 2715 2716 2717 2718 2719 2720 2721 2722 2723 2724 2725 2726 2727	VIII Virgi	mian Stock "" "" "" "" "" "" "" "" ""	NSTOCK, Nat. Ord. Crucif'eree. Charming dwarf hardy and white, \(\frac{1}{2} \) ft	13d. & 3d. & 3d. & 18s. Eleganul. 3d. & & & 3d. & & & & 3d. & & & & & & & & & & & & & & & & & & &	ns 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 66666 666666 6030033
2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712 2713 2716 2716 2717 2718 2719 2720 2721 2722 2723 2724 2725 2726	VIII Virgi VISC Visca Visca Visca Visca Wai WAL Wai	mian Stock "" "" "" "" "" "" "" "" ""	NSTOCK, Nat. Ord. Crucif'erce. Charming dwarf hardy and white, \(\frac{1}{2} \) ft	als. (3d. & 3d. & 3d. & 18. (1s. Elega: 1d. & 3d. & 6d. & 6d	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 66666 666666 60300330
2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712 2713 2714 2715 2716 2717 2718 2719 2720 2721 2722 2723 2724 2725 2726 2727	VIII Virgi VISC Visca Visca Visca Visca Wai WAL Wai	mian Stoc "" "" "" "" "" "" "" "" ""	NSTOCK, Nat. Ord. Crucif'eree. Charming dwarf hardy and white, \(\frac{1}{2} \) ft	13d. & 3d. & 3d. & 18s.		0 6666 66666 603003300
2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712 2713 2714 2716 2716 2717 2718 2719 2720 2721 2722 2723 2724 2725 2726 2727 2728	VIII Virgi VISC Visca Visca Visca Visca Wai WAL Wai	mian Stoc "" "" SGA'RIA recely poss. bicta, or the 'ria card "" cary al'ba dine i A'TZIA, A charmin tzla au're tzla au're tzla au're tzla au're tzla au're tzla or the '" fine i "" GY "" "" "" "" "" "" "" ""	NSTOCK, Nat. Ord. Crucif'erre. Charming dwarf hardy and white, \(\frac{1}{2} \) ft	nals. (3d. & 3d. &	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 66666 66666 60 30 00 330 000
2702 2703 2704 2705 2706 2707 2708 2710 2711 2712 2713 2714 2715 2716 2717 2718 2719 2720 2721 2722 2723 2724 2725 2726 2727 2728 2729 2727 2728 2729 2729 2721 2722 2723 2724 2725 2726 2727 2728 2729 2729 2729 2729 2729 2729	VIII Virgi VISC Visca Visca Visca Visca Wai WAL Wai	mian Stoc "" "" "" "" "" "" "" "" ""	NSTOCK, Nat. Ord. Crucif'eree. Charming dwarf hardy and white, \(\frac{1}{2} \) ft	uals. (3d. & 3d. & 3d. & 18. (1s. Elegand) (3d. & 3d.	ns	0 66666 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712 2713 2716 2716 2717 2718 2719 2720 2721 2722 2723 2724 2725 2726 2727 2728 2729 2720 2727 2728 2729 2720 2721 2722 2723 2724 2725 2726 2727 2728 2729 2730	VIII Virgit VISCA Visca Visca Visca Waif	mian Stock "" "" "" "" "" "" "" "" ""	NSTOCK, Nat. Ord. Crucif'eree. Charming dwarf hardy and white, \(\frac{1}{2} \) ft	13d. & 3d. &	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 66666 6 66666 6 0 3 0 0 0 666
2702 2703 2704 2705 2706 2707 2708 2710 2711 2712 2713 2714 2715 2716 2717 2718 2719 2720 2721 2722 2723 2724 2725 2726 2727 2728 2729 2730 2731	VIII Virgi VISC Visco	mian Stoc "" "" "" "" "" "" "" "" ""	NSTOCK, Nat. Ord. Crucif'erre. Charming dwarf hardy and white, \(\frac{1}{2} \) ft	nals. (3d. & 3d. &		0 66666 66666 6030 00330 0006666
2702 2703 2704 2705 2706 2707 2708 2710 2711 2712 2713 2714 2716 2716 2717 2718 2719 2720 2721 2722 2723 2724 2725 2726 2727 2728 2729 2727 2728 2729 2729 2721 2729 2721 2729 2721 2729 2721 2729 2721 2729 2721 2729 2721 2729 2721 2729 2721 2729 2721 2729 2729	VIII Virgit Visca Visca Visca Visca Wair WAL Wall	mian Stock "" "" "" "" "" "" "" "" ""	NSTOCK, Nat. Ord. Crucif'eree. Charming dwarf hardy and white, \(\frac{1}{2} \) ft	13d. & 3d. &	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 66666 6 66666 6 6 0 3 0 0 0 6666 0 0

WHITIAVIA Not Ord Widowlasses Chamber Land Perpkt.
2736 " al'ba, pure white, I ft. their fine rich Gloxinia-like blossoms re-
2737 " " gloxinot'des, rft commend them for flower beds and bor 0 3
2735 Whitla'via grandiflo'ta, fine violet-blue, 1 st. 2736 " " al'ba, pure white, 1 st. 2737 " " gloxiniot'des, 1 st commend them for flower beds and borders for spring and summer decoration. 2738 " " mixed, 1 st ders for spring and summer decoration. 3d. & 0 6
WIGANDIA, Nat. Ord. Hydrolea'ceæ. Half-hardy perennials.
Midjestic Sub-tropical plants, with large ornamental undulating foliage extremely effective guber Alanted on large
in survivorites, by the sides of takes ranines and whore plants of large electric grounds are a decident
2739 Wigan'dia caraccasa'na, u'rens, vigle'ri, 5 ft. to 10 ft. each variety 1 o mixed varieties, (seedling plants are very soon effective)
" imped varieties, (seeding plants are very soon effective)
WINTER-CHERRY, Nat. Ord. Solana'cew. Hardy perennials.
The red-fruited is much used in the composition of bonquets and winter ornaments and, for sheletanising
2741 Winter-cherry, red-fruited (Physalis Alkekengi), 1 ft
VPD A Wint I Martin A 1 0 1 a
XERAN'THEMUM, Nat. Ord. Compos'itæ. Charming everlasting hardy annuals.
2744 Compactum 4 Pl autita 1 ft execution bonder plants, 0 3
2745 , atropurpu'roum plenis'simum, rich purple, 2 ft summer and water 0 3
imperiale fl. pl., deep violet, beautiful, 2 ft. bouquets. Compactum
,, compactum fl. pl., 1½ ft and should be grown 0 3
,, inixed from the above
ZE'A, Nat. Ord. Gramina'ceæ. Handsome ornamental feliage plants.
Japonica variegata is an ornamental foliage plant not surpassed in beauty of variegation by the choicest stove
plants. Caragua is tall and graceful; Gracillima the most dwarf.
2749 Ze'a japon'ica variega'ta, matchless in beauty for conservatory and flower garden, 3 ft6d. & 1 o 2750 , Caragu'a, Giant Maize, very graceful and majestic, 12 ft. to 15 ft. high
gracillima, the miniature Maize, very graceful and majestic, 12 ft. to 15 ft. high
ZIN'NIA, Nat. Ord. Compos'itæ. Splendid half-hardy annuals. The double Zinnia is one of the sterling novelties of recent years. The howers are large, beautifully
formed, and exceedingly handsome. Few plants in the flower border are more effective and scarcely any flower
when cut, is so beautiful in table bonquets. Well grown in bots it is a useful blant for in-door decoration
The Pumila varieties, which are dwarf and compact, are admirably adapted as pot plants, and valuable for beds.
The single Zinnias are also very aundsome, while it would be impossible to speak too highly of the doubte and single varieties of Haageana for beds, rock-work, and masses in the borders.
2752 Zin'nia el'egans double, vellow, carmine, rosy-purple, scarlet, crimson, orange, pink, lilac, white,
copper colour, carnea, and purple, 1\frac{1}{2} fteach variety 0 6
2753 ,, ,, choice mixed, all colours, $t_2^{\frac{1}{2}}$ ft. 6d. & 1 o
nne mixed, all colours, rg it
2756 , striped, rich colours, shaded, and beautifully striped, 1\frac{1}{2} ft
2767 Du'milla, mixed colours, very fine dwarf varieties 1 ft.
Darwi'nii, mixed colours, flowers beautifully impricated, 13 ft6d, & 1 o
2769 ,, , , COCCITCA, single, scarlet, 15 ft
2760 , purpur'ea, single, purple, 1½ ft. 0 3 2761 ,, choice mixed, superb single flowers, 1½ ft. 0 6
2762 fine mixed, 11 ft.
2763 , Haagea'na, yellow, striped rich orange, a charming dwarf bedding plant, rft
2764 ,, flore pleno, yellow, a fine plant and valuable to cut from, 1 ft
", plenis'sima imbrica'ta, yellow, very double and imbricated, 1 ft6d. & 1 o
DECENTARIAN CALARA DECENTAR AN ARMANARA MARANARA CONTRACTOR OF THE PROPERTY AND ARRANARA CONTRACTOR OF THE PROPERTY AND ARRANA
ORNAMENTAL CLIMBERS AND TWINERS.
This is an important section of our Catalogue, and fully merits the prominent position assigned to it, as no
glass erection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, pillars,
ctc., are covered with Climbers. In the adornment of the flower garden, the hardier kinds ste invaluable
for covering arbours, verandahs, trellises, rustic fences, and forming elegant chains and festoons such as now grace the Royal Horticultural Society's Gardens at South Kensington. For plants of climbers, see p. 49.
ABO'BRA, Nat. Ord. Cucurbita'ceæ. Half-hardy perennial. 2767 Abo'bra viridifio'ra, an elegant climber, foliage dark glossy green, and with scarlet miniature fruit o 6
A SEC MANAGEMENT A SECOND CO.
ADLUMIA, Nat. Ord. Fumaria'ceæ. Hardy biennial.
2768 Adlu'mia ctrrho'sa, flesh-coloured flowers, and delicate pale green pinnate foliage 0 6
AMPELOP'SIS, (Virginian Creeper) Nat. Ord. Vita'cea. Hardy climbers.
2769 Ampelop'sis hedera'cea, the Virginian creeper, an elegant plant
2770 , Veitchii, Veitch's Virginian creeper, a slender growing clegant plant o 6
ARISTOLO'OHIA, Nat. Ord. Aristolochia'ceæ. Handsome elimbers.
2771 Aristolo'chia choice mixed, greenhouse and hardy varieties) 4. Sipho is perfectly hardy, and if trained against [I O
2772 altis'sima, purple, for greenhouse the house or versadah or ever arches, the effect of 6
2773 , cilio'sa, purple and green, for greenhouse of its massive foliage is matchiess. On the 1 o 6 banks of the Rhine and in most continental o 6 Species from Martinique, very fine crites, the surgariant foliage of this plant is an o 6
Aristolo'chia choice mixed, greenhouse and hardy varieties 2772
ASPAR'AGUS, Nat. Ord. Lilia'ceæ. Hardy perennial.
2776 Aspar'agus verticilla'tus, a very graceful climoer

```
BIGNO'NIA (Trumpet-Flower), Nat. Ord. Bignonia'ceæ. Magnifieent plants.
2777
      Bigno'nia al'bo-lu'tea ......
                                                Magnificent climbers, with gorgeously brilliant
2778
                rad'icans, orange-searlet, hardy ...
                                                                                                   6
                                                 coloured stowers in panicles. For the conservatory truly noble plants. Radicans and Capreolata are perfectly hardy, and rank amongst the most
                                                                                                 o
2779
                sanguin'ea ....
                                                                                                    0
                sulphu'rea grandiflo'ra ......
2780
         22
2781
                Twecdia'na, yellow, greenhouse ...
                                                                                                    6
                                                  effective plants for covering walls, pillars, etc.
2782
                mixed varieties .....
        BOUGAINVILLEA, Nat. Ord. Nyctagina'ccæ. Warm greenhouse climbers.
     2784
2785
    2786
2788
                  OANARY OREEPER.—See Tropeolum Canariense, p. 49.
    OARDIOSPER'MUM (Balloon Vine), Nat. Ord. Sapinda'ceæ. Half-hardy annual.
     Cardiosper'mum Halicaca'bum, white, a rapid growing handsome climber, remarkable for its
2789
        inflated membranous capsule ......
                     CISSUS, Nat. Ord. Vita'ceæ. Ornamental climbers.
      Cissus antarc'ticus, the Kangaroo vine, used in Russia for screens in rooms......
2790
                                                                                                    6
             Royl'ei, foliage beautifully veined with rose-purple .....
                                                                                                    6
2791
               OLEM'ATIS, Nat. Ord. Ranuncula'cew.
2792
      3
2793
                                                                                                    6
2794
           OLITO'RIA, Nat. Ord. Legumino'sw.
                                                       Splendid greenhouse climbers.
      2795
      00BE'A, Nat. Ord. Polemonia'cea. Handsome half-hardy perennial climbers.
      Cobæ'a scan'dens, purple-lilac, large bell-shaped flowers, a rapid-growing climber, producing a grand effect under glass, and during summer on south walls, verandahs, arbours, &c.
2796
                                                                                                    6
                      fol. variega'tis, purple lilac, leaves beautifully variegated green and white .....
2797
                                                                                                    O
2798
                      al'ba, white, a fine novelty
    OONVOL'VULUS (Morning Glory), Nat. Ord. Convolvula'cea. Splendid elimbers.
     For covering rustic work, rough fences, trellises, verandahs, stumps of trees, and forming festoons, etc. Convol'vulus major, rich purple, carmine, lilac, white, white centre rose, or rose, h.-h. annuals, each
                         2800
                    11
2801
                                                                                                 0
                          choice mixed, in many beautiful colours .....
2802
                                                                                                 0
           "
                     33
                                                                                           .....
2803
                         fine mixed, in many colours .....
                                                                                                 0
      ORYPTOSTE'OIA, Nat. Ord. Asclepiada'ceæ.
Cryptoste'gia grandiflo'ra kermesi'na, crimson Splendid climbers for warm green-louse and stoves.
2804
                          OUOURBITA'OEÆ. Specially interesting.
The species enumerated under this heading are remarkable for the extremely ornamental and picturesque character of their miniature fruit and foliage. They are exceedingly suitable for training up conservatory pillars, covering the back walls of greenhouses, ctc., or as select objects out of doors in warm situations, trained on walls,
over ruins, in slower-boxes, and in tubs, where they may be made to cover balconies, or form garlands and festoons
for windows or porches.
6
2809
      Cyclanthe ra explodens, handsome foliage, and pretty oval fruit, loudly exploding when ripe .....
                                                                                                    6
2810
      Eope'pon aurantia'cus, h.h. perennial, growing from 20 to 30 feet in a season, yellow fruit......
      ", vitifo'lius, hardy perennial, growing from 20 to 30 feet in a season, yeardy run."

ornamental, flowers white, followed by small orange-coloured fruit

Melo'thria pen'dula, a very handsome foliage climber, with small black fruit.

Regel'il, a very pretty climber, with small white flowers and small oval fruit.

Momor'dica Balsami'na leucan'tha, new and beautiful.

Mu'kea scalern'lla a pretty climber, with small black heart-shaped leaves and small oval fruit.
2811
2812
2813
2814
      2815
                                                                                                    6
2816
                                                                                                    6
2817
2818
                                                                                                    6
2819
      2820
2821
                     palma'ta, foliage and fruit similar to T. cucumerina, but larger ......
2822
      DIO'CLEA, Nat. Ord. Legumino'sæ. Fine greenhouse climber.
      Dio'clea glycino'ides, red, a fine twining plant .....
```

DISEM'MA, Nat. Ord. Passiflora'cew. Handsome greenhouse perennial. Per pkt. 5. d.
0004 Disambus constitute of 0
DOLTOHOS, Nat. Ord. Legumino'sæ. Valuable half-hardy annual climbers.
Beautiful conservatory and greenhouse wall-climbers; if cut back in autumn, they flower freely in winter.
2825 Dol'ichos mixed varieties
E00REM00AR'PUS, Nat. Ord. Bignonia'cew. Elegant hardy perennial climber.
A magnificent plant for south walls, verandahs, pillars, etc. In South Wales, South of England, and South and West of Ireland, it continues green during winter, and even flowers if the season is mild.
and West of Ireland, it continues green during winter, and even flowers if the season is mild.
2826 Eccremocar'pus sca'ber, rich orange-scarlet; a beautiful rapid-growing climber 3d. & o 6
EPHEDRA, Nat. Ord. Gneta'ceæ. Ornamental half-hardy climber.
2827 Eph'edra altis'sima, if grown out of doors should be protected in winter 0 6
FAGE'LIA, Nat. Ord. Legumino'sæ. Handsome greenhouse twiner.
2828 Fage'lia bitumino'sa, long racemes of yellow flowers, a fine plant for pillars or trellises o 6
HARDENBER'GIA, Nat. Ord. Legumino'sw. Beautiful greenhouse twiners.
2829 Hardenber'gia cya'na, Lindleya'na, lu'cida, monophyl'la, etc., mixed o 6
HOY'A, Nat. Ord. Asclepiada'cca. Greenhouse climber.
2830 Hoy'a carno'sa, remarkable for its large drooping bunches of wax-like flowers I o
IPOMŒ'A (The Morning Glory), Nat. Ord. Convolvula'cew.
Pre-eminently beautiful plants for the conservatory, greenhouse, and stove: many of them succeed well out of doors
in summer: the new Japanese varieties are the most recent acquisitions.
GREENHOUSE AND OUT-DOOR ANNUAL VARIETIES.
The Ipomwas offered under this heading are of great heavily and well deserving of cultivation the flowers of the
ricaeracea varietics are very large and beautifully margined
2831 Ipomœ'a hedera'cea al'ba, satiny white, large and handsome 03 2832 atro-viola'cea, rich viebety purple, with pure white margin 03
" " " " " " " " " " " " " " " " " " "
2834 ,, choice mixed o 6 2835 ,, bo'na nox, delicate satin rose, sometimes truck handsome
2836 "Cop'tica, a charming little species, with start-like rosy white flowers in clusters 0 6
57 % T
2839 ", fol. variega'tis, choice mixed varieties with marbled foliage
inibata elegantis sima, varying from the richest burble to sky-blue
n grandino ra, clear blue, slightly shaded violet, beautiful species
2843 ", quercifo'lia, large white flowers, and ornamental oak-leaved foliage
remior mis, yellow, violet eye
2845 ,, ru'bro-cœru'lea, sky-blue, large handsome flowers 0 6 2846 , al'ba, pure white, large beautiful flowers 0 6
2846 " " al'ba, pure white, large beautiful flowers 0 6 2847 " mixed, including the above 10 varieties 6d. & 1 0
GREENHOUSE AND STOVE PERENNIAL VARIETIES.
As permanent climbers the beauty of the following ought to ensure them a place in every collection of plants. 2848 Ipomæ'a Bac'klii cæru'lca ru'bra, flowers and foliage very ornamental
2849 , chrysan'tha, flowers dazzling vellow
2000 , collecti na grandino ra, pale celestial blue, large handsome flowers 0 6
2851 ,, digita'ta, bcautifully divided foliage, and large <i>violet-lilac</i> flowers in bunches. 0 3 2852 , ficifo'lia, bcautiful <i>lilac</i> flowers, and ornamental lobed foliage 0 4
2000 " Harum gh, a beauthur hybrid variety, with time rose flowers
", Hearing (true), spendid large handsome tapis-tazuti blue flowers, changing to red 0 6
2000 , Mexica ha grandino ra al da, imiliense white flowers, deliciously fragrant 0 6
2857 , pentaphyria, flowers magnificent violet-lilac, foliage very ornamental
2859 ", verru'cipes, pure white flowers, and neatly lobed leaves; an interesting species of
2860 , mixed from the above 12 species
JASMI'NUM, Nat. Ord. Jasmina'ceæ. Favourite greenhouse climbers.
2861 Jasmi'num gra'cile, affi'ne, azo'ricum, Cape Verd, revolu'tum and dianthifio'rum, in mixture r
KENNE'DYA, Nat. Ord. Legumino'sæ. Splendid greenhouse twiners.
2862 Kenne'dya choice mixed, including the best varieties
LAPAGE'RIA, Nat. Ord. Smila'ceæ. Magnificent greenhouse climber.
2863 Lapage'ria ro'sea, large bell-shaped rosy carmine flowers, flecked with white
To Describe the second
LOPHOSPER'MUM, Nat. Ord. Scrophularia'ceæ. Half-hardy perennial climbers. 2865 Lophosper'mum coccin'eum, scarlet
2866 ,, grandiflo'rum, purple with beautiful Gloxinia-like flowers; 0 6
2968 planting in hanging-baskets, training on]
2869 , scall tells, adrk rose verandahs, etc. Plunts raised from seed 0 6 very soon come into bloom. 6d. & I o
MANDEVILLA, Nat. Ord. Apocyna'cea. A most beautiful greenhouse climber.
2870 Mandevilla suave olens, large and deliciously fragrant snow white flowers in bunches 0 6

```
Per pki.
       MAURAN'DYA, Nat. Ord. Scronhularia'cece.
                                                           Half-hardy perennial climbers.
      Mauran'dya Barclaya'na grandiflo'ra al'ba, white...
2871
                                                                                                  0
                                                             These are charming climbers, elegant
alike in flower and foliage, and from
their graceful stender growth are well
suited for hunging-baskets, trailing over
2872
                                           atro-purpu'rea
                                                                                                  0
                                                                                                    4
                                           crimson .....
2873
                                                                                                  0
2874
                                           ro'sea ..
                                                                                                  0
                   antirrhinislo'ra, violet, very graceful .....
2875
                                                                                                  0
                                                              vures, training on wire globes, up pillars, and on trellines, either under glass.
                   2876
                                                                                                  0
                                                                                                     6
2877
                                                              or out of doors.
2878
                   fine mixed
             MEDE'OLA, Nat. Ord. Melantha'cea. Elegant greenhouse climber.
      Mede'ola asparagot'des, an elegant plant for hanging baskets and to cut for table decoration,
2879
            flowers orange-scented .....
         NASTUR'TIUM, Nat. Ord. Tropcola'cece. Useful hardy annual climbers.
      Nastur'tium, crimson, orange, spotted, Schsuermannia'num, and car'neum .....each
0080
2881
                   mixed, various colours ......3d, & o
                Tropacolum Lobbianum is a superior class of climbing Nasturtium, see page 49.
     PASSIFLO'RA (Passion-flower), Nat. Ord. Passiflora'eeæ, Magnificent climbers.
    The matchless beauty of the Passiflora is realized in the highest degree when the long slender shoots, covered
with blossams, are unfastened and allowed to drape the conservatory with their unique slowers and foliage, making
one feel when walking beneath them as if they were traversing a Brazilian forest, or some enchanted grove, And what is more charming than to see the Blue Passion Flower (P. carulea) manthing a villa with its rich green foliage and sky-blue flowers, and in autumn loaded with a profusion of golden fruit.
     2884
2885
2886
2887
2888
                 heterophyl'la, yellowish white .....
          ..
2889
                 incarna'ta, pink, greenhouse
Lawsonia'na
          ..
2890
                 palma'ta, white, tinged azure blue, hardy
quadrangula'ris, red and white, very odoriferous, the Granadilla vinc of the French.
2891
2892
2893
          ..
2894
                 prin'ceps coccin'ea, magnificent scarlet, in bloom for many months, warm greenhouse.
         **
2895
                 trifascia'ta, rose-carmine .....
          13
2896
                 choics mixed.....
2897
                 fino mixed .....
     PHASE'OLUS, Nat. Ord. Legumino'sce. Handsome greenhouse climbers.

Phase'olus coccin'eus no'vus, scarlet, annual, very handsome

"Caraca'lla, lilac, perennial, very beautiful
2898
2899
          PHYSIAN'THUS, Nat. Ord. Asclepiada'ceæ. Fine greenhouse climber.
      Physian'thus undula'tus, white, a very fine plant for training to rafters or pillars.....
       PLUMBA'GO, Nat. Ord. Plumbagina'ccæ. Splendid greenhouse elimbers.
     2901
2902
                                                                                                    6
2903
       EHODOOHI'TON, Nat. Ord. Scrophularia'ceæ. Beautiful greenhouse elimber.
      Rhodochi'ton volu'bile, rose-pink, a fine old favourite climber....
2904
      RHYNCHOSPER'MUM, Nat. Ord. Apoeyna'cea. Handsome greenhouse twincr.
      2905
2906
     SOYPHAN'THUS, Nat. Ord. Loasa'cea. Ornamental half-hardy annual climber.
      Scyphan'thus el'egans, yellow, very curious in flower and foliage ......
2907
                                                                                                    6
         TACSO'NIA, Nat. Ord. Passiflora'cea.
                                                     Magnificent greenhouse climbers.
      Tacso'nia Exonien'sis, flame colour
,, ig'nea, vivid scarlet.....
2908
                                                                                                    0
                                                    For dazzliny brilliancy and beauty of flower, the Tacsonias are unsurpassed, amongst them T. Fen Volsenn is pre-eminent, flowers of intense scarlet followed by fruit of a pleasant subscaed flavour. The varieties are all vapul groucers, soon covering a larve space, and as the flowers are suspinded on long thread-like filaments, they give the voof of the conservatory the appearance of being studied with that thights.
2909
                                                                                                    0
               manica'ta, scarlet
mollis'sima, rosy pink.
sangui'nea, scarlet
2910
                                                                                                    0
2917
                                                                                                    0
         22
2912
                                                                                                    0
         22
               2933
                                                                                                    0
2914
             TEO'OMA, Nat. Ord. Bignonia'cea.
                                                      Beautiful greenhouse twiners.
      2915
                                                                                                    0
                                                                                                    0
              jasminoi'des grandiflo'ra, white, crimson throat ...
2917
            THLADIAN'THA, Nat. Ord. Cucurbita'cea.
                                                              Hardy showy elimber.
2918
      Splendid half-hardy annual climbers.
      THUNBER'GIA, Nat. Ord. Acantha'ceæ.
      Thunber'gia ala'ta, orange, rich brown eye .......
2919
                                                      These are all extremely elegant slender-
2920
                         al'ba, white, rich brown eye ...
                                                       growing climbers, rapidly covering wire
2921
                         aurantia'ca, orange, dark eye
                                                                                                 0
           33
                   22
                                                       globes, pillars, trellises, hanging-baskets, etc., in the greenhouse. In sheltered situa-
29 22
                         Ba'keri, pure white .....
                                                                                                    4
           22
                   11
                         Fry'eri, yellow ...... sulphu'rea, sulphur colour...
2923
                                                       tions they succeed well out of doors, and
2924
                                                       are very effective.
                         choice mixed from the above
2925
```

12,	Aling Direct,	oveni Guru		_	
	Pillers to a subside			Per p	kt. d.
2926	Thunbergia	cocci'nea, s	carlet, warm greenhouse perennial	I	0
2927					0
2928	>>	gramming re	4, viue, warm greenhouse perennial	_	0
2929 2930	22	TACUL LIDI, ULL	76, warm greenhouse perennial		0
	"	mixed from	the above 4 perennial varieties	2	6
T	ROPÆ'OLUI	I, Nat. O	rd. Tropwola'cew. Half-hardy annual and perennial climbe	337.07	
	The varieties of	T Lobbia	num are exceedingly elegant, and remarkable for their richly diversified of	rs.	
indoo	r culture, and	during the	winter and spring months they keep the conservatory gay, and supply a are all equally suitable for filling flower-beds in summer, covering trees the conservations of the summer, covering trees the summer of the s	d, f	or
quan	tity of cut flow	vers. They	are all equally suitable for filling flower-heds in summer covering to	lar	ge
30663.	Speciosum is	a charming	hardy species. Compactum Beauty of Malvern, and all the dwarf compact-gr under the heading Nasturtium, p. 34.	owi	ng
	The second of the second	Caeseriota a	nace the neatting trastartium, p. 34.		
2931	Tropæolum	Canarien's	e, beautiful bright yellow, pretty foliage	I	6
2932 2933					
2934	"	ahlon'iggan	is, yellow, greenhouse percontal.	I	0
2935	23	Jarat/tit	t, brilliant scarlet, greenhouse perennial. arlet, yellow, and black, splendid greenhouse perennial tuber (roots 25, 6d.)	I	0
2936	"	Moritzia'nı	im, yellow-red, very showy greenhouse perennial tuber (roots 2s, 6d.)	I	0
2937	,,	DOLL DOLD TEAT	MIII. SCATTEL LIDDER PIECE DATON DETERMINE INDOPERANTE TO 621	I	0
2938	"	MOTABITATIO	uii. Deauthul golden vellotti hardy perennial froots to 6/1 Ata Cana	I	0
2939		gheero sam	Oright scartet, hardy (established plants in nots, or 6.7) Ato cond		
2940	11	Lobbia'nun	I, FORGET'S NEW RISE-Class varieties, in mixture	2	6
2941	11	22	ULILIAND, Oright scarter, crimson throat		
2942	23	11	Caroline Schimut, Scarler	-	6
2943	23	"	Due de Buynes, very aark crimson	^	6
2945	"	"	Duc us magenta	-	6
2946	"	"	Duc de Malakoff, straw-coloured, edged and spotted red Duc de Vicenze, pale lemon	0	6
2947	"	"	flam'mula grandiflo'ra, yellow streaked carmine	0	6
2948	"	"			6
2949	"	"	wealth des batail les, brilliant carmine	_	
2950	33	33	gia di um varioga bum, orange-scartet	_	6
2951	**	99	madaine mercier Lacombe, citron, spotted rose and fringed	^	6
2952	11	11	MISS WEISON	-	6
2953 2954	***	>>	Mon. Colmet, lemon, spotted crimson	0	6
2955	"	"	Mon. Turrell, orange, striped vermilion multific/rum coccin/eum, scarlet	0	6
2956	"	"	Napoleon III., yellow, spotted crimson	0	6
2957	"	"	Perfection, brilliant scarlet, a great advance on Mrs. Tredwell	0	6
2958	23	39	Fresident Thiers	^	6
2959	**	,,	Frince of Wales, crimson, shotted margon		6
2960	***	**	Regalla, rich dark crimson, beaufilul	_	6
2961 2962	***	33	Not ues Notes, nowers atmost otack	^	4
2963	"	"	specio'sum, vermilion, spotted carmine.	0	6
2964	"	"	Spit-fire, bright fiery red, a good bedding variety Triomphe de Gand, fringed, bright orange-scarlet	0	6
2965	"	"	Triomphe de Marseilles, scarlet, shaded crimson	0	4
2966	"	"	Unique, crimson	^	6
2967	"	"	choice mixed, including the finest varieties	т	0
2968	. 12	,,,	nne mixen .	-	6
For .	rropæolum co	mpactum 1	Beauty of Malvern, and all the dwarf close growing bedding varieties, see	p. 3	4-
			Ord. Legumino'sæ. Showy hardy annual climber.		
	77 7 71	OLLI, IVAO	ora. Etgammoste. Dhowy hardy annual chimber.		
	v atuaot	e only for ro	ugh rock-work, wildernesses, and places where they can scramble about.		
2989	vicia Gera'r	a1	3d. &	0	6
00	WIN	LA MIA,	Nat. Ord. Legumino'sæ. Magnificent hardy climber.		
2970	wista'ria fru	tes'cens, bi	uish purple flowers	I	0
2971	1112	12 HT H Ca.			0
2972	11 211	ien sis, unri	valled for the beauty of its long racemes of blue laburnum-like flowers	I	0
		~~	41FW414		
		CL	IMBING AND TWINING PLANTS.		
			FOR COVERING WALLS OR FORMING EDGINGS.		
2973	Assorted Green	varieties	according to size, per dozen, 18s., 24s. and		
2974	Assurted Varie	gated Varie	ties	30	0
		VIRCINIAN	CREEPERS FOR COVERING WALLS AND TRELLISES.	42	G
2975	Fine Plants	VILVOINIAL	CAREFERS FOR COVERING WALLS AND TRELLISES.		-
2976	Veitch's small	leaved varie		3	6
			CLEMATIS.	3	6
2977	Assorted beaut	iful varieties	for beds, trellises, or wallsper dozen, 21s., 30s. and		
			TADY OF FREE A		
2978	Assorted		HARDY CHIMBERSper dozen, 181, 241, and		
			CDEENHOHGE CITWIDEDA		
2379	Assorted		per dozen, 18s., 24s., and	20	0
			243., and	30	

FEW FLOWER SEEDS BY WEIGHT,

Suitable for Bedding, Massing, Edging, Woodland Walks, etc.
The prices quoted are for not less than ½ 02. For smaller quantities see body of Catalogue.

DWARF ANNUALS, &c.							
	ner ov -	_1	d.		per oz,-	— s.	d.
2980	Alyssum saxatile, r ft	I	6	3013	Lsptosiphon densifiorus, 1 ft	0	9
2981 2982	Anomono coronaria mived 1 ft	2	6	3014 3015	,, albus, i ft	0	9
2983	Calandrinia speciosa, ½ ft	0		3016	hybridus, \frac{1}{3} ft., per \frac{1}{2} oz Limnanthes Douglasii or alba, \frac{1}{2}ft. each	I	
2984	,, alba, ½ ft	0	9	3017	Linaria, fine mixed, 1 ft.	0	9
2985	Calliopsis, dwarf mixed, 3 ft	I	0	3018	Linum grandiflorum coccineum, r ft	, T	6
2986	Campanula pentagonia, purple, 1 ft	ī	o	3019	Lupinus nanus, ½ ft	0	9
2987	,, ,, alba, ½ ft	I	o	3020	" subcarnosus, i ft	I	9
2938	Candytuft Dunnstti, crimson, 1 ft	I,	0	3021	Mignonette, g ft.	ō	
2989	" swset-scented, white, I ft	0	9	3022	,, crimson glant, § ft	I	9
2990	Centranthus macrosiphon nanus, 3 ft.	I	0	3023	Nasturtium Tom Thumb, scarlet, 1 ft.,	I	0
2991	Clarkia, Tom Thumb, mixed, 1 ft	I	0	3024	,, yellow, I ft	I	0
2992	Collinsia bicolor, I ft	0	9	3025	" pearl, 1 ft.	I	0
2993 2994	,, ,, alba, r ft, ,, mixed r ft	0	9	3026 3027	or man crimson, I ft.	I	0
2995	Convolvulus tricolor atro-purpureus	0	9	3028	T. T. Scarlet King, 1 ft	I	6
2996			9	3029	T. T. Golden King, x ft T. T. Spotted King, x ft	I	0
2997	,, ,, albus, r it ,, mixsd, r ft		9	3030	T. T. Ruby King, 1 ft	I	0
2998	Dianthus Sinensis, mixed, r ft	I	6	3031	Nemophila insignis, ½ ft	ō	9
2999	Eschscholtzia aurantiaca, r ft		9	3032	,, alba, i ft	o	9
3000	alba, r ft	0	9	3033	maculata, 4 ft.	0	9
3001	" mixed, 1 ft	0	9	3034	,, mixed, ½ ft	0	9
3002	Eucharidium grandislorum, pink, 1 ft.	I	0	3035	mixed, ½ ft. Sanvitalia procumbens, ½ ft.	I	6
3003	Gilia tricolor, or rosea, 3 fteach	0	9	3036	Saponaria calabrica, 1 it	I	0
3004	Godetia tenella, r ft	I	0	3037	alba, ½ ft	I	0
3005 3006	Gypsophila muralis, ½ ft	I	0	3038 3039	Silene pendula, pink, ift.	0	9
3007	Hymenoxis californica, ½ ft	I	6	3040	Tagetes pumila, Crystal Palace, var., 1ft.	0	9 6
3008	Kaulfussia atroviolacoa, ½ ft	Ī	6	3041	Venus' Looking-glass, blue, \frac{1}{2} ft.	2	
3009	Larkspur, dwarf stock flowering, 1 ft		0	3042	Virginian stock, pink, ½ ft	0	9
3010	rocket, r ft	1	0	3043	white, & ft.	0	6
3011	Lasthenia californica, 3 ft	I	6	3044	whitiavia grandinora, i ft	0	
3012	Leptosiphon aureus, 4 ft	I	0	3045	Zinnia Mexicana, 1 ft	I	9
	TA	LL	ANI	NUALS,	&c.		
2040	per oz	s.	d.	2072	DCT OZ.=		d.
3046	per oz Amaranthus melancholicus ruber, rlaft.	-s.	6	3073	Lupinus Hartwegii albus, 2 ft	I	0
3047	Amaranthus melancholicus ruber, 1_{2}^{1} ft. Antirrhinum fine mixed, 2 ft	-8. I I	6	3074	Lupinus Hartwegii albus, 2 ft	I	0
3047 3048	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft.	-s. I I	6		Lupinus Hartwegii albus, 2 ft. proz., pubescens elegans, 1½ ft. Love-lies-blssding, red, 2 ft.	I	0 0 9
3047	Amaranthus melancholicus ruber, 1_{2}^{1} ft. Antirrhinum fine mixed, 2 ft	-8. I I	6 6 9	3074 3075	Lupinus Hartwegii albus, 2 ft, pubescens elegans, 1½ ft Love-lies-blssding, red, 2 ft, straw-colour, 2 ft	I 0 0	0 0 9 9
3047 3048 3049	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina	-8. I I O 2	6 9 6	3074 3075 3076 3077 3078	Lupinus Hartwegii albus, 2 ft, pubescens elegans, 1½ ft Love-lies-blssding, red, 2 ft, straw-colour, 2 ft Maize, new striped-leaved, 4 ft. Malone, red or white, 2 ft. cach	I	0 0 9 9 0
3047 3048 3049 3050 3051 3052	Amaranthus melancholicus ruber, $r_2^{\rm pcr}$ oz. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina	-s. I I O 2 2	6 6 9 6 6 0 9	3074 3075 3076 3077 3078 3079	Lupinus Hartwegii albus, 2 ft, pubescens elegans, 1½ ft Love-lies-blssding, red, 2 ft, straw-colour, 2 ft Maize, new stripcd-leaved, 4 ft. Malope, red or white, 2 ft	I 0 0	0 0 9 9
3047 3048 3049 3050 3051 3052 3053	Amaranthus melancholicus ruber, $\mathbf{r}_2^{\mathrm{pr}}$ oz. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina , Brasilisnsis and chilensis, mixsd Calliopsis, tall mixed, 2 ft. Catchfly, red , $\mathbf{r}_2^{\mathrm{h}}$ ft. Centaurea cyanus mixed, 3 ft	-s. I I O 2 2 I O I	6 6 9 6 6 0 9 0	3074 3075 3076 3077 3078 3079 3080	Lupinus Hartwegii albus, 2 ft, pubescens elegans, 1½ ft. Love-lies-blssding, red, 2 ft. Straw-colour, 2 ft Maize, new stripcd-leaved, 4 ft. Malope, red or white, 2 ftcach Nasturtium, tall mixed Peas, Sweot, mixed, 6 ftper lb. 2/6	1 0 0 1	0 0 9 9 0 9 6
3047 3048 3049 3050 3051 3052 3053 3054	Amaranthus melancholicus ruber, 1\frac{1}{2}\text{ft}. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina , Brasilisnsis and chilensis, mixed Calliopsis, tall inixed, 2 ft. Catchfly, red, 1\frac{1}{2}\text{ft}. Centaurea cyanus mixed, 3 ft. , depressa, 1\frac{1}{2}\text{ft}.	-s. I I O 2 2 I O I I I	6 6 9 6 6 0 9 0 0	3074 3075 3076 3077 3078 3079 3080 3081	Lupinus Hartwegii albus, 2 ft. " pubescens elegans, 1½ ft. Love-lies-blssding, red, 2 ft. " straw-colour, 2 ft. Maize, new striped-leaved, 4 ft. Malope, red or white, 2 ft	1 0 0 0 0 0	0 0 9 9 0 9 6 3 6
3047 3048 3049 3050 3051 3052 3053 3054 3055	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina Brastlisnsis and chilensis, mixed Calliopsis, tall mixed, 2 ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. depressa, 1½ ft. Chrysanthemum double white, 2½ ft.	-s. I I O 2 2 I O I I I I I I	6 6 9 6 6 0 9 0 0 0	3074 3075 3076 3077 3078 3079 3080 3081 3082	Lupinus Hartwegii albus, 2 ft. " pubescens elegans, 1½ ft. Love-lies-blssding, red, 2 ft. " straw-colour, 2 ft Maize, new stripcd-leaved, 4 ft. Malope, red or white, 2 ft cach Nasturtium, tall mixed Peas, Sweot, mixed, 6 ft per lb. 2/6 " " in colours, cach variety Perilla Nankinensis, 1½ ft.	1 0 0 0 0 0 0 1	0 0 9 9 0 9 6 3 6 6
3047 3048 3049 3050 3051 3052 3053 3054 3055 3056	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina Brastlisnsis and chilensis, mixed Calliopsis, tall mixed, 2 ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. depressa, 1½ ft. Chrysanthemum double white, 2½ ft. double yellow, 2½ ft.	-8. I I O 2 2 I O I I I I I I	6 6 9 6 6 0 9 0 0 0 0	3074 3075 3076 3077 3078 3079 3080 3081 3082 3083	Lupinus Hartwegii albus, 2 ft, pubescens elegans, 1½ ft Love-lies-blssding, red, 2 ft, straw-colour, 2 ft Maize, new stripcd-leaved, 4 ft. Malope, red or white, 2 ftcach Nasturtium, tall mixed Peas, Sweot, mixed, 6 ftper lb. 2/6 "" in colours, cach variety Perilla Nankinensis, 1½ ft. Poppy, French, mixed, 1½ ft.	1 1 0 0 0 0 1 0	0 0 9 9 0 9 6 3 6 6 9
3047 3048 3049 3050 3051 3052 3053 3054 3055 3056 3057	Amaranthus melancholicus ruber, 1\frac{1}{2}\text{ft}. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina " Brasilisnsis and chilensis, mixsd Calliopsis, tall mixed, 2 ft. Catchfly, red, 1\frac{1}{2}\text{ft}. Centaurea cyanus mixed, 3 ft. " depressa, 1\frac{1}{4}\text{ft}. Chrysanthemum double vshite, 2\frac{1}{2}\text{ft}. " double yellow, 2\frac{1}{2}\text{ft}. " tricolor, mixed, 1\frac{1}{4}\text{ft}.	-8. I I O 2 2 I O I I I I I I	66966090000	3074 3075 3076 3077 3078 3079 3080 3081 3082 3083 3084	Lupinus Hartwegii albus, 2 ft. " pubescens elegans, 1½ ft. Love-lies-blssding, red, 2 ft. " straw-colour, 2 ft. Malope, red or white, 2 ft	1 1 0 0 0 0 0 0 0 0 0 0	0 0 9 9 0 9 6 3 6 6 9 9
3047 3048 3049 3050 3051 3052 3053 3054 3056 3056 3057 3058	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina "Brasilisnis and chilensis, mixsd Calliopsis, tall mixed, 2 ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. "depressa, 1½ ft. Chrysanthemum double vuhite, 2½ ft. "double yellow, 2½ ft. "tricolor, mixed, 1½ ft. Clarkia pulchslla integripetala, 1½ ft.	-8. I I O 2 2 I O I I I I I I	6 6 9 6 6 0 9 0 0 0 0	3074 3075 3076 3077 3078 3079 3080 3081 3082 3083	Lupinus Hartwegii albus, 2 ft. " pubescens elegans, 1½ ft. Love-lies-blssding, red, 2 ft. " straw-colour, 2 ft. Maize, new stripcd-leaved, 4 ft. Malope, red or white, 2 ftcach Nasturtium, tall mixed Peas, Sweot, mixed, 6 ftper lb. 2/6 " " in colours, cach variety. Perilla Nankinensis, 1½ ft. Poppy, French, mixed, 1½ ft. " Pæony, mixed, 2 ft. Prince's Feather, 2 ft.	1 1 0 0 0 0 0 0 0 0	0 0 9 9 0 9 6 3 6 6 9 9 9
3047 3048 3049 3050 3051 3052 3053 3054 3055 3056 3057	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina Brasilisnsis and chilensis, mixed Calliopsis, tall mixed, 2 ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. Chrysanthemum double white, 2½ ft. double yellow, 2½ ft. "tricolor, mixed, 1½ ft. Clarkia pulchsila integripetala, 1½ ft. "" "" "" "" "" "" "" "" "" "" "" "" ""	-8. I I O 2 2 I O I I I I I I	669660900009	3074 3075 3076 3077 3078 3079 3080 3081 3082 3083 3084 3085	Lupinus Hartwegii albus, 2 ft. " pubescens elegans, 1½ ft. Love-lies-blssding, red, 2 ft. " straw-colour, 2 ft Maize, new stripted-aved, 4 ft. Malope, red or white, 2 ft cach Nasturtium, tall mixed Peas, Sweot, mixed, 6 ft per lb. 2/6 " in colours, cach variety Perilla Nankinensis, 1½ ft. Poppy, French, mixed, 1½ ft. " Pæony, mixed, 2 ft. Prince's Feather, 2 ft. Richus, mixed	1 1 0 0 0 1 0 0 0 1 0 0 0 1 0 0 0 0 1 0	0 0 9 9 0 9 6 3 6 6 9 9 9 0
3047 3048 3049 3050 3051 3052 3053 3054 3055 3056 3057 3058 3059	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina "Brasilisnsis and chilensis, mixsd Calliopsis, tall mixed, 2 ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. "depressa, 1½ ft. Chrysanthemum double white, 2½ ft. "double yellow, 2½ ft. "treolor, mixed, 1½ ft. Clarkia pulchsila integripetala, 1½ ft. "mixed, 1½ ft. Convolvulus major choice mixed	-8. I I O 2 2 I O I I I I I I	6696609000090	3074 3075 3076 3077 3078 3079 3080 3081 3082 3083 3084 3085 3086	Lupinus Hartwegii albus, 2 ft. " pubescens elegans, 1½ ft. Love-lies-blssding, red, 2 ft. " straw-colour, 2 ft. Maize, new striped-leaved, 4 ft. Malope, red or white, 2 ft	1 1 0 0 0 0 0 0 0 0	0 0 9 9 0 9 6 3 6 6 9 9 9 0 0
3047 3048 3049 3050 3051 3052 3053 3054 3055 3056 3057 3058 3059 3060 3061 3062	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina " Brasilisnsis and chilensis, mixsd Calliopsis, tali nixed, 2 ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. " depressa, 1¼ ft. Chrysanthemum double white, 2½ ft. " double yellow, 2½ ft. " tricolor, mixed, 1½ ft. Clarkia pulchsila integripetala, 1½ ft. " " mixed, 1½ ft. Convolvulus major choice mixed Delphinium, mixed.	-s. I I O 2 2 I O I I I I I I I I I I I I I	66966090000900	3074 3075 3076 3077 3078 3080 3081 3082 3083 3084 3085 3086 3087 3088 3089	Lupinus Hartwegii albus, 2 ft. " pubescens elegans, 1½ ft. Love-lies-blssding, red, 2 ft. " straw-colour, 2 ft. Maize, new striped-leaved, 4 ft. Malope, red or white, 2 ft cach Nasturtium, tall mixed Peas, Sweot, mixed, 6 ft per lb. 2/6 " " in colours, cach variety. Perilla Nankinensis, 1½ ft. Poppy, French, mixed, 1½ ft. " Pæony, mixed, 2 ft. Prince's Feather, 2 ft. Ricinus, mixed Rocket, sweet, mixed, 1½ ft. Sultan, sweet, mixed Sunflower, mixed	1 I O O O O I I I O O O O I I I O O O O	0 0 9 9 0 9 6 3 6 6 9 9 9 0
3047 3048 3049 3050 3051 3052 3053 3054 3055 3056 3057 3058 3059 3060 3061 3062 3063	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina " Brasilisnsis and chilensis, mixsd Caltiopsis, tall mixed, 2 ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. " depressa, 1½ ft. Chrysanthemum double white, 2½ ft. " double yellow, 2½ ft. " tricolor, mixed, 1½ ft. " tricolor, mixed, 1½ ft. " " " alba. " " " " " alba. " " " " " " alba. " " " " " " " alba. " " " " " " alba. " " " " " " " alba. " " " " " " " alba. " " " " " " " " alba. " " " " " " " " " alba. " " " " " " " " " " alba. " " " " " " " " " " " alba. "	-s. I I O 2 2 2 I O I I I I O I I I I O I I I I	669660900000000000	3074 3075 3076 3077 3078 3079 3080 3081 3082 3083 3084 3085 3086 3087 3088 3089 3090	Lupinus Hartwegii albus, 2 ft. " pubescens elegans, 1½ ft. Love-lies-blssding, red, 2 ft. " straw-colour, 2 ft. Malope, new stripod-leaved, 4 ft. Malope, red or white, 2 ft	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 9 9 0 9 6 3 6 6 9 9 9 0 0 6 0 6
3047 3048 3049 3050 3051 3052 3053 3054 3055 3056 3057 3058 3059 3060 3061 3062 3063 3064	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft	-s. I I O 2 2 2 I O I I I I O I I I O I I I O I I I O I I I O I I I O O I I I I O O I I I I O O I I I I O O I I I I O O I I I I O O I I I I O O I I I I O O I I I I O O I I I I O O I I I I O O I I I I O O I I I I O O I I I I O O I I I I O O I I I I O O I I I I O O I I I I I O O I I I I O O I I I I O O I I I I O O I I I I O O I I I I I O O I I I I O O I I I I I O O I I I I I O O I I I I I O O I I I I I O O I I I I I O O I	669660900000000000	3074 3075 3076 3077 3078 3079 3080 3081 3082 3083 3084 3085 3086 3087 3088 3089 3090 3091	Lupinus Hartwegii albus, 2 ft. " pubescens elegans, 1½ ft. Love-lies-blssding, red, 2 ft. " straw-colour, 2 ft. Malze, new striped-leaved, 4 ft. Malope, red or white, 2 ft	1 1 0 0 0 1 0 0 0 0 1 1 1 1 1 1 2	0 0 9 9 0 9 6 3 6 6 9 9 9 0 0 6 0 6 6
3047 3048 3049 3050 3051 3052 3053 3054 3055 3056 3057 3058 3059 3060 3061 3062 3063 3064 3065	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft	-s.	6696609000090096090	3074 3075 3076 3077 3078 3079 3080 3081 3082 3083 3084 3085 3086 3087 3088 3099 3090 3091 3092	Lupinus Hartwegii albus, 2 ft. " pubescens elegans, 1½ ft. Love-lies-blssding, red, 2 ft. " straw-colour, 2 ft. Maize, new stripcd-leaved, 4 ft. Malope, red or white, 2 ftcach Nasturtium, tall mixed Peas, Sweot, mixed, 6 ftper lb. 2/6 " " in colours, cach variety. Perilla Nankinensis, 1½ ft. Poppy, French, mixed, 1½ ft. Prince's Feather, 2 ft. Ricinus, mixed Rocket, sweet, mixed, 1½ ft. Rocket, sweet, mixed Sultan, sweet, mixed Sunflower, mixed Sweet William fine mixed, 1½ ft. Tropæolum canariense " Lobbianum, mixed	1 1 0 0 0 1 0 0 0 0 1 1 1 1 1 1 2 1	0 0 9 9 0 9 6 3 6 6 9 9 9 0 0 6 0 6 6 0
3047 3048 3049 3050 3051 3052 3053 3054 3056 3057 3058 3059 3060 3061 3062 3063 3064 3065 3066	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina " Brasilisnsis and chilensis, mixsd Calliopsis, tall mixed, 2 ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. " depressa, 1½ ft. Chrysanthemum double white, 2½ ft. " double yellow, 2½ ft. " tricolor, mixed, 1½ ft. " tricolor, mixed, 1½ ft. " " " " alba. " " " " " mixed, 1½ ft. Convolvulus major choice mixed Delphinium, mixed Delphinium, mixed Delphinium, peroffskianum, 1½ ft. Erysimum Peroffskianum, 1½ ft. Eutoca viselda, 1½ ft. Codetta Lindleyana ft. pl., 1½ ft.	-s.	66966090000900960909	3074 3075 3076 3076 3077 3078 3079 3080 3081 3082 3083 3084 3085 3086 3087 3088 3090 3091 3092 3093	Lupinus Hartwegii albus, 2 ft. " pubescens elegans, 1½ ft. Love-lies-blssding, red, 2 ft. " straw-colour, 2 ft. Maize, new stripcd-leaved, 4 ft. Malope, red or white, 2 ft	1 1 0 0 0 1 0 0 0 0 1 1 1 1 1 1 2 1 1 1	0 0 9 9 0 9 6 3 6 6 9 9 9 0 0 6 0 6 6 0 0
3047 3048 3049 3050 3051 3052 3053 3054 3055 3056 3057 3058 3059 3060 3061 3062 3063 3064 3065 3066 3066 3066	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina " Brasilisnsis and chilensis, mixsd Calliopsis, tall mixed, 2 ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. " depressa, 1½ ft. Chrysanthemum double white, 2½ ft. " double yellow, 2½ ft. " tricolor, mixed, 1½ ft. " tricolor, mixed, 1½ ft. " " " " alba. " " " " " mixed, 1½ ft. Convolvulus major choice mixed Delphinium, mixed Delphinium, mixed Delphinium, peroffskianum, 1½ ft. Erysimum Peroffskianum, 1½ ft. Eutoca viselda, 1½ ft. Codetta Lindleyana ft. pl., 1½ ft.	-s. I I O 2 2 I O I I I I O I I I O O O O	6696609000009009609099	3074 3075 3076 3077 3078 3079 3080 3081 3082 3083 3084 3085 3086 3087 3089 3090 3091 3092 3093 3094	Lupinus Hartwegii albus, 2 ft. " pubescens elegans, 1½ ft. Love-lies-blssding, red, 2 ft. " straw-colour, 2 ft. Maize, new stripcd-leaved, 4 ft. Malope, red or white, 2 ft	I I O O O O O I I I I I I I I I I I I I	0 0 9 9 0 9 6 3 6 6 9 9 9 0 0 6 0 6 6 0 0 0
3047 3048 3049 3059 3051 3052 3053 3055 3056 3057 3058 3059 3060 3061 3062 3063 3064 3065 3066 3066 3066 3066 3066 3066 3066	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina " Brasilisnsis and chilensis, mixsd Calliopsis, tali mixed, 2 ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. " depressa, 1½ ft. Chrysanthemum double white, 2½ ft. " double yellow, 2½ ft. " tricolor, mixed, 1½ ft. Clarkia pulchsila integripetala, 1½ ft. " " mixed, 1½ ft. Convolvulus major choice mixed Delphinium, mixed Digitalis, mixed, 4 ft. Erysimum Peroffskianum, 1½ ft. Eutoca viscida, 1½ ft. Godetta Lindleyana ft. pl, 1½ ft. " " rosea alba, 1½ ft. " " mixed, 1½ ft. " " rosea alba, 1½ ft. " " mixed, 1½ ft.	-s. I I O 2 2 I O I I I I O I I O O O O	66966090000900960909	3074 3075 3076 3077 3078 3079 3080 3081 3082 3083 3084 3085 3086 3087 3088 3089 3090 3091 3092 3093 3094 3095	Lupinus Hartwegii albus, 2 ft. " pubescens elegans, 1½ ft. Love-lies-blssding, red, 2 ft. " straw-colour, 2 ft. Maize, new stripcd-leaved, 4 ft. Malope, red or white, 2 ft	I I O O O O O I I I I I I I I I I I I I	0 0 9 9 0 9 6 3 6 6 9 9 9 0 0 6 0 6 6 0 0 0 0
3047 3048 3049 3050 3051 3052 3053 3054 3055 3056 3057 3058 3059 3060 3061 3062 3063 3064 3065 3066 3066 3066	Amaranthus melancholicus ruber, 1\frac{1}{2}\text{ft}. Antirrhinum fine mixed, 2 ft. Beta vulgaris fol, kermesina , Brastlisnsis and chilensis, mixsd Calliopsis, tall mixed, 2 ft. Catchfly, red, 1\frac{1}{2}\text{ft}. Centaurea cyanus mixed, 3 ft. , depressa, 1\frac{1}{4}\text{ft}. Chrysanthemum double white, 2\frac{1}{2}\text{ft}. Chrysanthemum double white, 2\frac{1}{2}\text{ft}. Clarkia pulchslla integripetala, 1\frac{1}{2}\text{ft}. Clarkia pulchslla integripetala, 1\frac{1}{2}\text{ft}. Convolvulus major choice mixed Delphinium, mixed. Digitalis, mixed, 4 ft. Erysimum Perofiskianum, 1\frac{1}{2}\text{ft}. Codetta Lindleyana fl. pl, 1\frac{1}{2}\text{ft}. mixed, 1\frac{1}{2}\text{ft}. Hibiscus Africanus, cream, black centre	-s. I I O 2 2 I O I I I I O I I I O O O O	6696609000090096090999	3074 3075 3076 3077 3078 3079 3080 3081 3082 3083 3084 3085 3086 3087 3089 3090 3091 3092 3093 3094	Lupinus Hartwegii albus, 2 ft. " pubescens elegans, 1½ ft. Love-lies-blssding, red, 2 ft. " straw-colour, 2 ft. Maize, new stripcd-leaved, 4 ft. Malope, red or white, 2 ft	I I O O O O O I I I I I I I I I I I I I	0 0 9 9 0 9 6 3 6 6 9 9 9 0 0 6 0 6 6 0 0 0 0 6
3047 3048 3049 3050 3051 3053 3054 3055 3057 3058 3059 3061 3062 3061 3062 3064 3065 3066 3067 3068 3067 3068 3069 3069 3069	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina "Brasilisnsis and chilensis, mixsd Calliopsis, tall mixed, 2 ft. Catchfly, red, 1½ ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. "depressa, 1½ ft. Chrysanthemum double white, 2½ ft. "double yellow, 2½ ft. "tretolor, mixed, 1½ ft. Clarkia pulchslla integripetala, 1½ ft. "mixed, 1½ ft. Convolvulus major choice mixed Delphinium, mixed Digitalis, mixed, 4 ft. Erysimum Peroffskianum, 1½ ft. Eutoca viscida, 1½ ft. "rosea alba, 1½ ft. "mixed, 2½ ft.	-s. I	6696609000090096090999000	3074 3075 3076 3077 3078 3080 3081 3082 3083 3084 3085 3086 3087 3090 3091 3092 3093 3094 3095 3096	Lupinus Hartwegii albus, 2 ft. " pubescens elegans, 1½ ft. Love-lies-blssding, red, 2 ft. " straw-colour, 2 ft. Maize, new striped-leaved, 4 ft. Malope, red or white, 2 ft	I I O O O O O I I I I I I I I I I I I I	0 0 9 9 0 9 6 3 6 6 9 9 9 0 0 6 0 6 6 0 0 0 0
3047 3048 3049 3050 3051 3052 3053 3054 3055 3057 3058 3059 3060 3061 3062 3063 3064 3065 3066 3067 3068 3067	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina " Brasilisnis and chilensis, mixsd Calliopsis, tall mixed, 2 ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. " depressa, 1½ ft. Chrysanthemum double white, 2½ ft. " double yellow, 2½ ft. " tricolor, mixed, 1½ ft. " tricolor, mixed, 1½ ft. " " " alba. " " " alba. " " " alba. " " " " alba. " " " " alba. " " " " " alba. " " " " " " alba. " " " " " " " " alba. " " " " " " " " alba. " " " " " " " " alba. " " " " " " " " " alba. " " " " " " " " " " alba. " " " " " " " " " " " " alba. "	-s. I	6696609000090096090999000	3074 3075 3076 3077 3080 3080 3081 3082 3083 3084 3085 3087 3090 3091 3092 3093 3094 3095 3096	Lupinus Hartwegii albus, 2 ft. " pubescens elegans, 1½ ft. Love-lies-blssding, red, 2 ft. " straw-colour, 2 ft. Maize, new striped-leaved, 4 ft. Malope, red or white, 2 ft	I I O O O O O O I I I I I I I I I I I I	0 0 9 9 0 9 6 3 6 6 9 9 9 0 0 6 0 6 6 0 0 0 0 6 6
3047 3048 3049 3050 3051 3053 3054 3055 3057 3058 3059 3061 3062 3061 3062 3064 3065 3066 3067 3068 3067 3068 3069 3069 3069	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Beta vulgaris fol, kermesina " Brasilisnsis and chilensis, mixsd Calliopsis, tall mixed, 2 ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. " depressa, 1½ ft. Chrysanthemum double white, 2½ ft. " double yellow, 2½ ft. " tricolor, mixed, 1½ ft. " tricolor, mixed, 1½ ft. " " tricolor, mixed, 1½ ft. " " " " alba. " " " " alba. " " " " " " alba. "	-s. 1 1 0 2 2 1 0 1 1 1 1 0 1 1 0 1 1 0 0 1 1 1 0 0 1 1 1 0 1 1 0 1 1 1 1 0 1 1 1 1 0 1 1 1 1 0 1 1 1 1 0 1 1 1 1 0 1 1 1 1 0 1 1 1 1 0 1 1 1 1 0 1 1 1 1 0 1 1 1 1 0 1 1 1 1 0 1 1 1 1 0 1 1 1 1 0 1 1 1 1 0 1 1 1 1 0 1 1 1 1 0 1 1 1 1 1 0 1 1 1 1 1 1 0 1	669660900000900960909990000AR	3074 3075 3076 3077 3078 3080 3081 3082 3083 3084 3085 3086 3087 3090 3091 3092 3093 3094 3095 3097 3098 3099 3099 3099 3099 3099 3099 3099	Lupinus Hartwegii albus, 2 ft. " pubescens elegans, 1½ ft. Love-lies-blssding, red, 2 ft. " straw-colour, 2 ft. Maize, new stripcd-leaved, 4 ft. Malope, red or white, 2 ft	I I O O O O O O I I I I I I I I I I I I	0 0 9 9 0 9 6 3 6 6 9 9 9 0 0 6 0 6 6 0 0 0 0 6 6 6
3047 3048 3049 3050 3051 3052 3053 3054 3055 3057 3058 3059 3060 3061 3062 3063 3064 3065 3067 3068 3067 3068 3070 3071	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina "Brasilisnis and chilensis, mixsd Calliopsis, tali mixed, 2 ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. "depressa, 1½ ft. Chrysanthemum double white, 2½ ft. "tricolor, mixed, 1½ ft. "tricolor, mixed, 1½ ft. "tricolor, mixed, 1½ ft. "mixed, 1½ ft. Convolvulus major choice mixed Delphinium, mixed Delphinium, mixed Delphinium, mixed Delphinium, pixed Delphinium, pixed Delphinium, pixed Delphinium, pixed Delphinium, mixed Delphinium, mixed Delphinium, mixed Delphinium, mixed Delphinium, pixed	-s. 1 1 0 2 2 1 0 1 1 1 0 1 1 0 1 1 0 0 1 1 1 0 0 1 1 1 0 0 1 1 1 0 0 0 0 0 1 1 1 1 0	66966090000900960909990000 LAR	3074 3075 3076 3077 3078 3080 3081 3082 3083 3084 3085 3087 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 GE BA	Lupinus Hartwegii albus, 2 ft. " pubescens elegans, 1½ ft. Love-lies-blssding, red, 2 ft. " straw-colour, 2 ft. Maize, new stripcd-leaved, 4 ft. Malope, red or white, 2 ft. Masturtium, tall mixed Peas, Sweot, mixed, 6 ft. " in colours, cach variety. Perilla Nankinensis, 1½ ft. Poppy, French, mixed, 1½ ft. " Paeony, mixed, 2 ft. Prince's Feather, 2 ft. Richnus, mixed Rocket, sweet, mixed sunflower, mixed sunflower, mixed sunflower, mixed sunflower, mixed sunflower, dark 1½ ft. " yellow, 1½ ft. " yellow, 1½ ft. " Young's Blood Red " Golden Queen " Golden Prince, dwarf " mixed, 1½ ft. NKS, SIDES OF LAKES, &c. — per ¼ oz.	I I O O O O O O I I I I I I I I I I I I	0 0 9 9 0 9 6 3 6 6 9 9 9 0 0 6 0 6 6 0 0 0 0 6 6 6
3047 3048 3049 3050 3051 3052 3053 3054 3056 3057 3058 3059 3060 3061 3062 3063 3064 3065 3066 3067 3066 3067 3066 3067 3066 3070 3070	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Bartonia aurea, 2 ft. Beta vulgaris fol. kermesina "Brasilisnis and chilensis, mixsd Calliopsis, tall mixed, 2 ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. "depressa, 1½ ft. Chrysanthemum double white, 2½ ft. "double yellow, 2½ ft. "tricolor, mixed, 1½ ft. Clarkia pulchsila integripetala, 1½ ft. "mixed, 1½ ft. Convolvulus major choice mixed Delphinium, mixed Delphinium, mixed Delphinium, mixed Delphinium, mixed, 4 ft. Erysimum Peroffskianum, 1½ ft. Eutoca viscida, 1½ ft. "mixed, 1½ ft.	-s. 1 1 0 2 2 2 1 0 0 1 1 1 1 0 0 1 1 1 0 0 0 0	66966090000960960909990000LAR	3074 3075 3076 3077 3078 3080 3081 3082 3083 3084 3085 3087 3089 3090 3091 3092 3093 3094 3095 3096 3097 3099 GE BAI	Lupinus Hartwegii albus, 2 ft. " pubescens elegans, 1½ ft. Love-lies-blssding, red, 2 ft. " straw-colour, 2 ft. Maize, new stripcd-leaved, 4 ft. Malope, red or white, 2 ft. Masturttum, tall mixed Peas, Sweot, mixed, 6 ft. " in colours, each variety. Perilla Nankinensis, 1½ ft. Poppy, French, mixed, 1½ ft. " Pæony, mixed, 2 ft. Prince's Feather, 2 ft. Riclinus, mixed Rocket, sweet, mixed, 1½ ft. Sultan, sweet, mixed Sunflower, mixed Sweet William fine mixed, 1½ ft. Tropæolum canariense " Lobbianum, mixed Viscaria cardinalis, 1½ ft. Wallflower, dark 1½ ft. " yelluw, 1½ ft. " Young's Blood Red " Golden Queen " Golden Prince, dwarf " mixed, 1½ ft. NKS, SIDES OF LAKES, &c. — per ¼ oz.	I I O O O O O O O I I I I I I I I I I I	0 0 9 9 0 9 6 3 6 6 9 9 9 0 0 6 0 6 6 0 0 0 0 6 6 6 0
3047 3048 3049 3050 3051 3052 3053 3054 3055 3057 3058 3059 3060 3061 3062 3063 3064 3065 3067 3068 3067 3068 3070 3071	Amaranthus melancholicus ruber, 1\frac{1}{2}\text{ft}. Antirrhinum fine mixed, 2 ft. Beta vulgaris fol. kermesina " Brasilisnsis and chilensis, mixsd Calliopsis, tall mixed, 2 ft. Catchfly, red, 1\frac{1}{2}\text{ft}. Centaurea cyanus mixed, 3 ft. depressa, 1\frac{1}{4}\text{ft}. Chrysanthemum double white, 2\frac{1}{2}\text{ft}. " double yellow, 2\frac{1}{2}\text{ft}. Charkia pulchsila integripetala, 1\frac{1}{2}\text{ft}. " tricolor, mixed, 1\frac{1}{2}\text{ft}. Clarkia pulchsila integripetala, 1\frac{1}{2}\text{ft}. " mixed, 1\frac{1}{2}\text{ft}. Convolvulus major choice mixed Delphinium, mixed Digitalis, mixed, 4 ft. Erysimum Perofiskianum, 1\frac{1}{2}\text{ft}. Godetia Lindleyana fl. pl, 1\frac{1}{2}\text{ft}. Godetia Lindleyana fl. pl, 1\frac{1}{2}\text{ft}. " mixed, 1\frac{1}{2}\text{ft}. Godetia Lindleyana fl. pl, nl, ft. " mixed, 1\frac{1}{2}\text{ft}. Branching nixed, 2\frac{1}{2}\text{ft}. ORNAMENTAL GOURDS, FO Medium, choice mixed Large, choice inixed	-s. 1 1 0 2 2 1 0 0 1 1 1 1 0 0 0 0 1 1 1 1	66966090000960960909990000LAR	3074 3075 3076 3077 3078 3080 3081 3082 3083 3084 3085 3086 3087 3090 3091 3092 3093 3094 3095 3096 3097 3099 GE BAI	Lupinus Hartwegii albus, 2 ft. " pubescens elegans, 1½ ft. Love-lies-blssding, red, 2 ft. " straw-colour, 2 ft. Maize, new striped-leaved, 4 ft. Malope, red or white, 2 ft	I I O O O O O O O O O O O O O O O O O O	0 0 9 9 0 9 6 3 6 6 9 9 9 0 0 6 0 6 6 0 0 0 0 6 6 6 0 6
3047 3048 3049 3050 3051 3052 3053 3054 3056 3057 3058 3060 3061 3062 3063 3064 3066 3066 3067 3068 3069 3070 2071 3072 3100 3101 3102	Amaranthus melancholicus ruber, 1½ft. Antirrhinum fine mixed, 2 ft. Beta vulgaris fol, kermesina " Brastlisnsis and chilensis, mixsd Calliopsis, tall mixed, 2 ft. Catchfly, red, 1½ ft. Centaurea cyanus mixed, 3 ft. " depressa, 1¼ ft. Chrysanthemum double white, 2½ ft. " double yellow, 2½ ft. " tricolor, mixed, 1½ ft. Clarkia pulchslia integripetala, 1½ ft. " " " " " alba. " " " " " alba. " " " " " " " alba. " " " " " " " " " " " " " " " " " " "	-s. 1 1 0 2 2 1 0 1 1 1 1 0 1 1 1 0 1 1 1 0 1 1 1 0 1 1 1 0 1 1 1 0 1 1 1 0 1 1 1 0 1 1 1 0 1 1 1 0 1 1 1 0 1 1 1 0 1 1 1 1 1 0 1 1 1 1 1 0 1 1 1 1 1 0 1 1 1 1 1 0 1 1 1 1 1 0 1 1 1 1 1 1 0 1 1 1 1 1 0 1 1 1 1 1 0 1 1 1 1 1 1 0 1 1 1 1 1 1 1 0 1	66966090000960909990000LAR	3074 3075 3076 3077 3078 3080 3081 3082 3083 3084 3085 3086 3087 3091 3092 3093 3094 3095 3096 3097 3099 GE BAI	Lupinus Hartwegii albus, 2 ft. " pubescens elegans, 1½ ft. Love-lies-blssding, red, 2 ft. " straw-colour, 2 ft. Maize, new striped-leaved, 4 ft. Malope, red or white, 2 ft	I I O O O O O O O O O O O O O O O O O O	0 0 9 9 0 9 6 3 6 6 9 9 9 0 0 6 0 6 6 6 0 0 0 6 6 6 6 0 6 0
3047 3048 3049 3050 3051 3052 3053 3054 3056 3057 3058 3060 3061 3062 3063 3064 3066 3066 3067 3068 3069 3070 2071 3072 3100 3101 3102	Amaranthus melancholicus ruber, 1\frac{1}{2}\text{ft}. Antirrhinum fine mixed, 2 ft. Beta vulgaris fol. kermesina " Brasilisnsis and chilensis, mixsd Calliopsis, tall mixed, 2 ft. Catchfly, red, 1\frac{1}{2}\text{ft}. Centaurea cyanus mixed, 3 ft. depressa, 1\frac{1}{4}\text{ft}. Chrysanthemum double white, 2\frac{1}{2}\text{ft}. " double yellow, 2\frac{1}{2}\text{ft}. Charkia pulchsila integripetala, 1\frac{1}{2}\text{ft}. " tricolor, mixed, 1\frac{1}{2}\text{ft}. Clarkia pulchsila integripetala, 1\frac{1}{2}\text{ft}. " mixed, 1\frac{1}{2}\text{ft}. Convolvulus major choice mixed Delphinium, mixed Digitalis, mixed, 4 ft. Erysimum Perofiskianum, 1\frac{1}{2}\text{ft}. Godetia Lindleyana fl. pl, 1\frac{1}{2}\text{ft}. Godetia Lindleyana fl. pl, 1\frac{1}{2}\text{ft}. " mixed, 1\frac{1}{2}\text{ft}. Godetia Lindleyana fl. pl, nl, ft. " mixed, 1\frac{1}{2}\text{ft}. Branching nixed, 2\frac{1}{2}\text{ft}. ORNAMENTAL GOURDS, FO Medium, choice mixed Large, choice inixed	-s. 1 1 0 2 2 1 0 1 1 1 1 0 1 1 1 0 1 1 1 0 0 1 1 1 1 0 0 1 1 1 1 0 0 1 1 1 1 0 0 1 1 1 1 0 0 1 1 1 1 0 0 1 1 1 1 0 0 1 1 1 1 0 0 1 1 1 1 0 0 1 1 1 1 0 0 1 1 1 1 0 0 1 1 1 1 0 0 0 1 1 1 1 1 0 0 0 1 1 1 1 0 0 0 1 1 1 1 0 0 0 0 1 1 1 1 0 0 0 0 1 1 1 1 0 0 0 0 1 1 1 1 0 0 0 0 1 1 1 1 0 0 0 0 1 0 0 0 0 1 0	66966090000909990000LAR	3074 3075 3076 3077 3078 3080 3081 3082 3083 3084 3085 3086 3087 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3098 3099 3098 3099 3098 3098	Lupinus Hartwegii albus, 2 ft. " pubescens elegans, 1½ ft. Love-lies-blssding, red, 2 ft. " straw-colour, 2 ft. Maize, new striped-leaved, 4 ft. Malope, red or white, 2 ft	I I O O O O O O O O O O O O O O O O O O	0 0 9 9 0 9 6 3 6 6 9 9 9 0 0 6 0 6 6 6 0 0 0 6 6 6 6 0 6 0

MIXED FLOWER SEEDS.

For Shrubberies, Woodland Walks, Railway Embankments, decoration of Wildernesses, etc.,
55. 6d. per pound, or 6d. per ounce.

Many have availed themselves of the above suggestion, and bave scattered the Mixed Flowsr Seeds on large rockeries and rooteries, natural and artificial; in shrubberies, woodland walks, carriage drives, and wildernesses; also, by the sides of rivulets, railway embankments, and wherever a floral display was desired beyond the limits of the flower garden.

For a Summer and Autumn Display, sow during March and April, simply scattering the seed broadcast, at the rate of six or seven pounds per acre, and slightly covering it. It must not be sown amongst grass, but patches here and here might be cleared and the seed deposited, rolling or trampling the seed into the soil. For a Spring and early Summer display sow in September and October.

B. and S. test the growth of all Vegetable Seeds immediately they are received from the grawers.

BARR & SUGDEN'S COLLECTIONS OF VEGETABLE SEEDS.

These assortments consist of judicious selections from the different sections of the Catalogue, suited to gardens of various sizes; they contain the most approved varieties, and such as are best adapted to secure a succession of vegetables from January to December. However, as the wants of families are so varied, it may be more advantageous for purchasers to arder from the body of the Catalogue the quantities and sorts best suited to their requirements, using the Order Sheet which accompanies the Catalogue for this year. In the Order Sheet the names are printed consecutively as they appear in the Catalogue, so that it is only necessary to write in figures the quantity required opposite the name of the article, and, from the name to the quantity, draw a line as represented thus:—

Peas. Qt. Pt. Advancer Qt. Pt. 2

In this way the making out of a general order involves very little trouble, while il greatly facilitates correct and prompt execution.

Cultural Directions are printed on every Packet of Seed.

COLLECTIONS OF SEEDS FOR ONE YEAR'S SUPPLY.

		Fine	Selec	ctions.			Extr	a Sele	ctions.	
LEGUINAU OFOTION	No. 1.	No. 2.	No. 3.	No. 4.	No. 5.	NO. 0.	NO 7.	NO.8	No. 9.	No. 10.
LEGUMINOUS SECTION.	12/6	21/0	31/6	42/0	63/0	18/0	26/0	38/0	50/0	72/0
Peas, those best suited for succession		12 pt.		10 qt.					10 t.	18 qt.
Broad Beans, best sorts		3 pt.		бpt.	5 qts.	2 pt.	3 pt.	5 pt.	4 qt.	6 qt.
French Beans, Dwarf and Runners	1 pt.	ı∮pt.,	2 pt.	3 pt.	4 pt.	r pt.	1½ pt.	pt.	3 pt.	4 pt.
EDIBLE LEAVED AND EDIBLE FLOWERED SECTION.										
Borecole, including Cottager's Kalc	r pkt.	ı pkt.	2 pkt.	3 pkt.	3 oz.	ı pkt.	2 pkt.	3 pkt.	3 pkt.	4 07.
Broccoli, the best successional varieties	2 pkt.	3 pkt.	3 pkt.	4 pkt.	5 pkt.	2 pkt.	3 pkt.	4 pkt.	5 pkt.	6 pkt.
Brussels Sprouts Imported Seed	ı pkt.	ı pkt.	ı pkt.	2 pkt.	2 pkt.	r pkt	ı pkt.	ı pkt.	2 pkt.	2 pkt.
Cabbage, the best varieties	2 pkt.	3 pkt.	3 pkt.	4 pkt.	5 pkt.	2 pkt.	3 pkt.	3 pkt.	5 pkt.	
Couve Tronchuda	1 pkt.	r pkt.	2 pkt.	2 pkt.	3 pkt, 1 pkt,	I pkt.			2 pkt.	3 pkt.
Cauliflower	r pkt.	r pkt.	r pkt.	2 pkt.	2 pkt.	r pkt	2 pkt.	2 pkt.	2 pkt	- Inches
Spinach, summer and winter	2 02.	4 oz.	I pt.	Il pt.	2 pt.	3 0%.	4 OZ.	I pt.	Il nt.	3 pkt. 2 pt.
EDIBLE ROOTED SECTION.				2 1		5 02.		1	2 50	~ pt.
Beet, the best	ı pkt.	ı pkt.	I OZ.	2 OZ.	2 02.	Tokt	r pkt.	r oz.	2 OZ.	2 02.
Carrot	2 pkt.	3 OZ.	3 OZ.	5 OZ.	8 oz.			4 OZ.		10 OZ.
Onion, including White Spanish	∣ı pkt.	ı pkt.	ı pkt.	ı pkt.	I OZ.	ı pkt.	r pkt.	r pkt.	ı pkt.	I OZ.
Parsnip, including Hollow Crown	3 pkt.	4 pkt.	3 oz.	4 oz.		3 pkt.	4 pkt.	4 Oz.	5 oz.	9 oz.
Salsify, syn. Vegetable Oyster	ı pat.	I OZ.					I OZ.	2 07.		4 OZ.
Scorzonera, a fine-flavoured vegetable				ı pkt. ı pkt.				r pkt.	r pkt.	ı pkt.
Turnip, best for successional crops	2 pkt.	2 OZ.						4 OZ.		ı pkt.
EDIBLE FRUITED SECTION.			3	3		2 021			OL.	10 02.
						1				
Capsicum			r pkt.	ı pkt.	ı pkt.			ı pkt.	ı pkt.	ı pkt.
Melon, best	1	2 pkt.	2 pkt.	3 pkt.	3 pkt.	ı pkt.	2 pkt.	2 pkt	3 pkt.	4 pkt.
Tomato	1	I pkt.	I pkt.	2 pkt.	2 pkt.	I pkt.	I pkt.	pkt.	2 pkt.	3 pkt.
Vegetable Marrow	r nkt	r pkt.	T pkt	T pkt.	r pkt.	1-4	T pkt.	T pkt.	r pkt.	ı pkt.
	- pate	- picci	picci) pice	- picti	i pkt.	, picci	Patt	1 pkt.	I pkt.
SALAD SECTION.	1									
Com Soled valuable forming	ı pkt.	2 pkt.	2 pkt.	2 pkt.	2 pkt.	I pkt.	2 pkt.	2 pkt.	2 pkt.	2 pkt.
Corn Salad, valuable for winter use Cress, Curled, Plain, and Australian			I pkt.	r pkt.	I pkt.	1		r pkt.	ı pkt.	ı pkt.
oroso, carica, Fram, and Austranam	3 pkt.	30z.&	40Z. &	ooz. &	13pt&	3 oz.	3 0Z. &	T DIS	802 &	1½pt& 2 pkt.
Endive, best kinds	r nkt	I pkt.	T pkt.	2 pkt.	3 pkt.	I nkt	I pkt.	T Dkt	2 pkt.	2 pkt.
Lettuce, including Cov. Gar. Giant White Cos	2 pkt.	3 pkt.	4 pkt.	4 pkt.	5 pkt.	2 pkt.	3 pkt.	4 pkt.	a pkt.	5 pkt.
Mustard	2 OZ.	3 oz.	₫ pt.	I pt.	5 pkt.	3 oz.	4 02.	b pt.	Ipt.	I at.
Radish, for succession	2 pkt.	3 oz.	5 oz.	7 oz.	14 oz.	2 OZ.	3 oz.	5 oz.	7 oz.	I4 oz.
POT, SWEET, AND GARNISHING HERB SECTION.								-		
Herbs, Pot or Sweet	ı pkt.	2 pkt.	3 pkt.	4 pkt.	6 pkt.	r pkt.	2 pkt.	3 pkt.	4 pkt.	6 pkt.
Herbs, for Garnishing	r pkt.	ı pkt.	2 pkt.	2 pkt.	2 pkt.		ı pkt.	2 pkt.	2 pkt.	2 pkt.
Parsley	r pkt.	ı pkt.	I OZ.	I oz.	2 OZ.	ı pkt.	ı pkt.	I OZ.	I OZ.	2 OZ.
No. 11. Extra large selection of Vegetable Seco., 12.	ls for O	ne Yea	ır's Su	pply 👃	4 4	o Extr	a fine	Scleeti	on L5	5 0
10					5 5 6 6					
***			,))))	21	7	7 0
,, 15.			,,		7 7 8 8	U	2.0	21	10	10 0
(Any of our customers having a preference	for con	lection	is arra	inged b	y any	ather 1	London	ar lar	rge pro	vincial
house, may have the same made u	p by us	at the	prices	and co	udition	s af th	e adve	rtiscr.		

RITCHEN AND MARKET GARDEN. This is a useful general work on the Kitchen Garden, 4s. 6d.; by post, 5s. COTTAGE GARDENING, by HOBDAY. Directions concise and useful. 1s. 6d.; by post, 1s. 8d. GARDEN RECEIPTS. A collection of recipes for the eradication of garden pests, etc. 2s. 6d.; by post, 2s. 9d.

B, and S, test the growth of all vegetable Seeds immediately they are received from the growers.

SELECT LIST OF VEGETABLE SEEDS.

ARRANGED AND CLASSIFIED ON A NEW PRINCIPLE, AND EMBRACING ALL THE BEST VARIETIES OF VEGETABLES IN CULTIVATION, ESPECIALLY SUCH AS ARE MOST APPROVED IN COVENT GARDEN MARKET.

All orders for Vegetable Seeds amounting to 21s, and upwards, carriage may be deducted at settlement of acount. Vegetable Seeds offered under the heading "per packet," will be sent prepaid by post, or if sent by Rail (however small the amount of the order), carriage may be deducted at settlement. By this arrangement purchasers are enabled to obtain from our Warehouse small quantities of really superior seeds.

CULTURAL DIRECTIONS ARE PRINTED UPON EVERY PARCEL OF SEED.

Section I.-LEGUMINOUS PLANTS, &c.

NEW PEAS.

Most of these have been awarded First-class Certificates, and having	ng seen them in growth, we h	av	/e
confidence in recommending them.		s. c	1.
Marvel (Laxton), a fine main-crop pea of robust branching growth, pods is	n pairs, very abundant, peas		
large and of excellent quality, 3 ft per oz. 6d.,	per 4 pint is, 6d., per quart	5	0
Telephone (Carter), differing from Culverwell's Telegraph in the seed b	being wrinkled; an immense		
eropper, peas very large, and of exquisite flavourper oz. 6d.	, per 3 pint is. ca., per quart	5	
Giant Emerald (Sutton), the most distinct of wrinkled Marrow peas, 5 ft	per oz. 4a., per quart		6
Little Wonder (Carter), a large-podded dwarf wrinkled Marrow, early as Adv	ancer, 25 it., p. oz. sa., p pint		0
Supplanter (Laxton), a first class successional Marrow, 3 ft.	ft per oz 4d per pint	2	
Challenger (Carter), a handsome prolific, fine flavoured green Marrow, 23	c, the ecolud puss are deep	~	0
Culverwell's Telegraph, between Veitch's Perfection and Laxlon's Proliftingreen, flavour excellent, pods long and very productive, 4 ft.	per ox ad per pint	2	6
Criterion (Standish), this was one of Mr. Standish's favourite seedlings; it is		_	~
habit, the pods in pairs, and the peas of a deep green, 5 ft	per oz. 4d., per quart	2	6
Harbinger (Laxton), a cross between Dillistone's Early and Alpha, with the	ne habit of the former; puds		
small, slightly curved and well filled, good colour and fine flavour,	ftper oz. 9d., per 1 pint	3	6
Unique (Layton), a dwarf William the First, comes into use with Little Ge	m_1 13 ft. per oz. 4d., per pint	2	6
Standard (Laxton), Mr. Gilbert describes this as "the best Pea." It has long	curved pods, very handsome,		
prolific, and of excellent quality	per oz. 6d., per pint	3	0
Balmoral Castle, in the way of Supreme, but with longer pods, well filled as	nd borne from top to bottom		
of haulin, flavour excellent, 4 ft	per quart	2	6
Commander-in-Chief (Carter), a finc greenish blue wrinkled Marrow, in th	e way of G. F. Wilson, with		_
long slightly curved pods, filled with large-sized peas, 4 ft	per quart	2	6

PEAS.

The arrangement and descriptive matter following are the results of personal observations at our Experimental Grounds, and at the Chiswick Gardens of the Royal Horticultural Society.

perimental Grounds, and at the Chiswick Gardens of the Royal Horticultural Society.

All new Peas, or old Peas with new names, which are not quoted by us, can be supplied at advertised prices; but intending purchasers of either of these two classes would do well lo read the Report of the last important Pea Trials conducted at the Royal Horticultural Society's Gardens at Chiswick. It will be found in the Journal of Horticulture, 14th and 21st Nov., 1872. The Report is very full, fair, and unbiassed in dealing with the would-be novelties in Peas which for years past have been foisted upon the public, unintentionally, perhaps, on the purt of the introducers, but complimentary in the highest degree to the Peas which they had re-christened No two Peas, perhaps, have more synonymes, and no two Peas are to be matched in quality with the British Queen and Ne Plus Ultra. Nine-tenths of the new Peas, excepting, of course, Mr. Laxton's hybrids, are either British Queen or Ne Plus Ultra. The Vegetable Trials at Chiswick, which are being conducted under the very able management of Mr. Barron, the superintendent, will prove of great advantage to the gardening community, exposing, as these trials do, the fabrication of new names to standard varieties, giving due importance to bona tide introductions, and also encouraging growers to maintain pure "stocks."

The varieties of Peas, and also other vegetable seeds which we enumerate and describe, are the best representatives of their classes. We mention this as, in our present edition, we have omitted the descriptions to many names, but have fully described the varieties most worthy of cultivation.

names, but have fully described the varieties most worthy of cultivation.

Division L.—THE EARLIEST ROUND SEEDED PEAS.	per qt.
If sown from November to February, will be ready to gather in May and June.	s. d.
First Crop, syn. Ringleader, and Dillistone's Early, the earliest variety, 21 ft.	1 6
Sangster's No. 1 Improved, seven days later than Dillistone's Early, 3 ft.	1 3
Daniel O'Rourke a fine early variety, a ft.	I O
Gem (Beek), syn. Tom Thumb, for small gardens, for foreing, or sowing in sheltered situations, 12 ft	x 3
Kentish Invicta, a valuable blue pea, three days earlier than Sangster's, and finer flavoured, 3 tt	2 0
Rive Peter (Maclean) a first early blue seeded Tom Thumb, fine variety, I ft	2 0
The following is to is 6d per quart: -Farly Emperor, Sutton's Early Champion, Carter's Earliest, Die	creson s
First and Best, Caractacus, Hooper's Early Rival, Taber's Perfection, Early Warwick, Early Frame,	&c.
For very early Wrinkled Marrow Peas, see Division IV.	

Division II.—SECOND EARLY ROUND SEEDED PEAS.

If sown from January to April, will be ready to gather in June and July.

Auvergne, syn. Dickson's Favourite, long well-filled pods, a good succession to the above section, 4 ft. I o Bishop's Long-podded Dwarf, a fine branching variety, with long, well-filled pods, 2 ft. I o Hundredfold, an execedingly heavy cropper, with well-filled, dark green pods, a "Prizetaker," 4 ft. I o Laxton's Fillbasket, extremely productive, with long well filled pods, 3 ft. 2 o Laxton's Superlative, the longest and largest podded pea in cultivation, 5 ft. I o Laxton's Supreme, long scimitar-shaped well-filled pods, literally covering the foliage, 4 ft. I o Laxton's William the First, in the way of Supreme, but earlier by ten days, 4 ft. 2 6 Paradise Marrow, a very excellent second early, 4 ft. I o Prizetaker Green Marrow, a very productive, fine dark green-podded variety, 4 ft. I o Prizetaker Green Marrow, a very productive, fine dark green-podded variety, 4 ft. I o The following, 1s. to 1s. 6d. per quart:—Champion of Paris, Excelsior Marrow, Bellamy's Marrow, Noble's Green Marrow, Rising Sun, Leicester Defiance, &c. Division II.—SECOND EARLY ROUND SEEDED PEAS.

12, King Street, Covent Garden, 1879.] 53
Division III.—ROUND SEEDED PEAS, SUITABLE FOR MAIN CROP. If sown from February to May, will be ready to gather from the middle of July to the middle of August. Berkshire Challenge, a very prolific variety, with large well-filled pods, 6 ft
Forty-Fold, a first-class flavoured, Champion of England variety, with long well-filled scimitar pods, 5 ft. 1 6 Dr. Maelean, a grand pea, very prolific pods, well filled, and of good flavour, 3 ft. 2 0 G. F. Wilson, one of the very best varieties in the way of Veitch's Perfection, but a week earlier, 3 ft. 2 0 Hunting donian, the best variety of the "Champion of England" section, a splendid crooper, 5 ft. 2 6 James' Prolific, a first-rate variety, with large well-filled pods, 3 ft. 2 0 Laxton's Popular, in the way of Champion of England, a fine variety, 5 ft. 1 6 Prince of Wales, a nne variety, heavy cropper, fine flavoured, an improved Alliance, 3 ft. 2 0 Maelean's Wonderful, a rich-flavoured, free-cropping, productive variety, with large pods, 3 ft. 1 6 The following, 2s. to 2s. 6d. per quart:—Jeyes Conqueror, Cultingford's Champion, Payne's Conqueror, Champion of the World, Edwards' Invincible, Yorkshire Gem, Climax, &c.
British Queen, one of the very best late varieties, an abundant cropper, and fine-flavoured; in some localities it blooms and pods till very late in autumn, 6 ft
Tall very large edible podded Sugar Pea, this is the finest of the class, 4 ft. 20 OUR OWN SELECTION. 24 qts. Peas, 12 successional varieties 30/- to 35/- 12 pts. Peas, 12 successional varieties 8/6 to 10/6 12 ,, 12 ,, 12 ,, 15/- to 20/- 6 ,, 6 ,, 4/6 to 5/6 NEW BROAD BEANS. The Royal Horticultural Society, at their Chiswick Gardens, did good service in their trial of Broad Beans, will give an importunt to improving the stock of this stock of the successional varieties 8/6 to 10/6 NEW BROAD BEANS.
Seville Long Pod, the earliest of the broad beans and the longest podded, height 2 ft.; first-class s. d. certificate pod (Carter), a remarkably well-selected stock of long-pod bean, very productive, and pods well filled, height 3 ft.; first-class certificate. per quart filled, it is an excellent cropper, and a useful variety, 3 ft. per pint 15., per quart for Pedigree "Green Windsor (Hardy), this fine variety differs from the preceding in having green seed, and therefore by some is more highly esteemed, 3 ft. per pint 15., per quart for the productive, and per pint 15., per quart for the preceding in having green seed, and therefore by some is more highly esteemed, 3 ft. per pint 15., per quart for the productive productive, and beans freely, 3 ft. per pint 15., per quart for the productive
mackle's Monarch Long Pod, her flavoured and productive, 3 ft. Johnston's Wonderful Long Pod, fine flavoured and productive, 3 ft. Mackle's Monarch Long Pod, very heavy cropper, fine flavoured, 3 ft. Monpareli Green Long Pod, when cooked of a delicate green colour, 3 ft. I o Nonpareli Green Long Pod, when cooked of a delicate green colour, 3 ft. I o Nonpareli Green Long Pod, when cooked of a delicate green colour, 3 ft. I o Improved Large Windsor, the best for general crop, beans very large, 3 ft. I o Improved Large Windsor, very large pods and productive, 3 ft. Green Windsor, prized on account of its delicate colour when cooked, 3 ft. OUR OWN SELECTION. 6 quarts of Beans, in 6 best varieties 5/6 6 pints of Beans, in 6 best varieties 3/-
NEW DWARF PRENCH BEANS, &c.

NEW DWARF PRENCH BEANS, &c.

The important trial of French Beans at the Royal Horticultural Society's Gardens at Chiswick to determine the 'est varieties and ascertain the synonymes, resulted in the certificating of several sorts. Amongst these the

NEW DWARF FRENCH BEANS - continued. Butter Beans are noteworthy additions to our culinary vegetables. The pods being skinless, are boiled and served whole. On the Continent these varieties are considered a delicacy. New Early Forcing (Osborne), of all the forcing variouss of dwarf beans this is decidently the best, both as to quality and productiveness. per pint 15. 3d., per quart Early Prolific (Williams), remarkable for its earliness, abundant produce, and fine quality, 1 ft...per pint New Early White Canterbury, described as a first-class variety, very productive; valuable for forcing, per pt. New Dwarf Scimitar, valuable for forcing or main crop per pint, 15. 3d., per quart New Dwarf Russian, a very prolific long-podded excellent variety prolific long-podded excellent variety. 2 0 d 6 FRENCH OR DWARF KIDNEY BEANS. Canterbury White, very prolific, well known, 1 ft.

Chinese Long-podded, exceedingly productive, free cropping variety, 1 ft.

Colchester Red Speckled a well-known prolific variety, 1 ft.

Dun, Cream-coloured, or Yellow, much esteemed for its earliness and free cropping, 1 ft. 6 Fulmer's Early Forcing, a fine variety for forcing, very productive, 1 ft. Negro Long Podded, very fine cropper, I ft.

Newington Wonder, the best of all for forcing, very productive, I ft. NEW RUNNERS. Under this heading we enumerate a few sorts of Runners deserving of special attention. Amongst these we would specially notice the Butter Beans, the pods have no inside lining; they are cooked and served up whole, and are considered a very delicate dish. New Zealand Runner, very productiveper pint 1s. 3d., per quart 2 RUNNERS OR TALL FRENCH BEAMS. White Dutch, or Case Knife, very productive Section II.-EDIBLE LEAVED AND EDIBLE FLOWERED PLANTS. (By Edible Flowered Plants are meant those, the inflorescence of which is used as a vegetable, such as Cauliflower, etc.) ARTICHOKE, GLOBE. The Artichoke is an exceedingly ornamental plant, and, as a vegetable, descriving of universal cultivation. The immature heads are boiled till tender, and served up cold or hot. The fleshy lower part of the scale is eaten with a retish usually made from vinegar, pepper, and salt. Butter sance in English cookery books is usually recommended as the accompaniment, but with this the Artichoke is insipid. Green Provenceper packet, 4d.; per oz., 1s. | Purple Provenceper packet, 4d., per oz., 1s. 6d.

For Plants, see page 65. ASPARAGUS. Grayson's Covent Garden Glant

Glant Dutch Purple Top......

Early Purple Glant Argenteuil

Late

""

Conover's American Colossal

The Argentenil and Lenormand's are the varieties so per oz., 4d.; per lb. 4

much esteemed in the Paris market; Conover's, the per pkt., 3d.; per oz. o

American variety, grows to a large size; while

Grayson's is the one prized in Covent Garden Market.

Ket. For roots see bage 66. per pkt. per oz. BEET (EDIBLE LEAVED). For edible-rooted Beet, sec page 57. BORECOLE OR KALE. On all hands it is asserted and accepted as a fact that the varieties of the Brassica family are liable to great variations, and no doubt this is correct, especially in the higher forms, such as Bracoli, Caulidower, and Cabbage. This sportive character is made a pretext, however, for the confusion that exists amongst the names of Kales, but after several years' careful comparative tests—if we are to judge from the extreme purity of the stocks procured from a great variety of sources, and from which we conducted our experiments—we are of opinion that either great care is exercised by the growners in keeping the Kales pure, or they are not liable to sport, as we could see no deviation in our trials from the normal or typical forms of the plants; although there was any amount of variation in the names applied to the same variety of Kales.

The Kales we have enumerated are accurately described, so that any one interested in the subject will readily identify the varieties, and these are the only sorts really morth cultivating for enlinary purposes. The Kates we have enumerated are accurately described, so that any one interested in the subject identify the varieties, and these are the only sorts really worth cultivating for culinary purposes.

Cottager's Kale, plants purple, or green; the leaves in most cases crimped or curled at the margin; the plant tall and robust, yielding in spring a large crop of side shoots, exceedingly delicate in flavour. Meopham Court Kale is simply the green variety selected from this.

Chou de Milan; in respect to height and robustness this resembles Cottager's Kale, the leaves are of a bluish-green tint, and mostly plain: in spring it yields a large supply of side sprouts, which are particularly delicate in flavour. 4...0 3.. 0 0 4...0 9

BORECOLE—continued Egyptian, differs from Buda mainly in its richer green leaves and more prominent white veins; in spring it throws up a large quantity of shoots, which may be used green or blanched as we have		kt. per d. s.	
Jerusalem Green Curled, syn. Acme Kale, the growth is dwarf but sturdy, the margin of the leaves erisped or curled very much, and the partially undeveloped centre leaves are tinged on the	0	40	9
tips with purple, and the veins are of a subdued crimson colour; in the spring this plant throws out numerous long stout succulent shoots, and is believed by many to be the true "Asparagus Kale;" these tender shoots may be cooked either green or blanched	0	40	9
prettily crisped; in spring it yields a large quantity of sprouts of a delicate flavour	0	40	8
Scotch Tall Green Curled, extremely hardy and very productive of side-shoots during spring; this and the other varieties of Scotch Borecoles or Kales are well known and universally appreciated "Dwarf Green Curled or Feathered, a very valuable stock	0	40	8
Prince of Wales, an excellent selection, stem much feathered with sprouts		40 4I 30	0
"Tall Furple Curled, this differs from the green simply in colour, which is dark purple; it boils very tender in the winter, and is very productive of side-shoots in the spring	0	40	
"Dwarf Purple Curled, resembling the tall, but so dwarf as to lay quite on the ground The above Kales are the most desirable for culinary purposes; the coarser-growing cattle ki			
In clearing up the confusion which exists in the names of this section of the Brassica family, the	nc f	ollowir	ng,
in black letter, had no distinct Kales to represent them, one or other of the varieties above des supplied, and the names of such as were supplied are given in italies: For Delaware, were supplied, **Jerusalem* and **Buda.** For Siberlan, **Egyptian*. For Laplane **Buda*, and **Dwarf Purple Carled.** For Victoria Marrow, **Couve Tronchuda.** For Mille			
Egyptian. For Camberwell, Ragged Jack. For Prussian, Jerusalem. Asparagus Kale demands a special notice for itself, Under this name many seedsmen sell Couve Trone.			
is the Portugal or Braganza Cabbage, exceedingly delicate in flavour, and should be grown uni- we object to the name "Asparagus" being attached to it; the leaves are more like blanched sea-	vers	ally; i	but
remarks, page 57. Buda Kale is also sold under this name, and not inappropriately so; in throws up an immense quantity of shoots, which may be blanched and served as asparagus.	Jer	usalem	is
likewise sold under this name, and we think it is the plant to which the name was origina Under this name is also sold Chon de Milan. Even Ragged Jaek is made to do duty, as a Kale. Our object in making this statement is that our customers may select their own Aspara	lso	Egypti	an
Variegated Tripled Curled Improved (Melville). For distant effect, winter beds may be formed	r pl	t. per	or.
of these, likewise groups, or single specimens in flower or shrubbery borders. The colours range from the purest white to the richest purple-crimson, and when lit up			
by the winter sun are splendid. As soon as the plants in the seed bed are large enough, transplant a goodly number into α peor soil and an open situation. In autumn, when the colours are sufficiently developed, where the most beautiful, breaking off the			
large under-leaves, and arrange according to taste, planting sufficiently deep to bring the head close to the surface of the soil	I	02	6
,, Carter's Improved Garnishing , Covent Garden, in many colours	0	o , 4I	
Palm-Tree, extremely ornamental for shrubberies, in appearance resembling an eastern palm	I	0	
BROCCOLI.			
Division I.—FOR CUTTING DURING THE AUTUMN AND EARLY WINTER MONTHS. Early Purple Cape, a most useful, excellent variety, which may be cut from August to December Grange's or Hammond's White Cape, one of the best for succeeding the Cauliflower. If required	I	02	0
walcheren, one of the very best varieties for cutting in September, October, and November. Sow		02	0
in succession from February to May	ı	6	
Division II.—FOR CUTTING DURING THE WINTER MONTHS.		•	
Snow's Superb Winter White, true, this stock has been saved with great care, and is the same as originally sent out by Mr. Snow. If sown in succession from February to May, fine snow-white heads may be cut in November, and during the winter and early spring	I	63	6
Snow's Superb Winter White, a fine stock, such as is usually sold under this name Backhouse's Winter White, distinct from Snow's and Osborn's	0	6I	6
Dancer's Late Pink Cape, a valuable succession to the Early Purple Cape	0	6 I	
Early Purple Sprouting, or Asparagus Broccoli, a very hardy prolific sprouting variety	0	02 4I 02	0
Division III.—FOR CUTTING IN MARCH AND APRIL. Barr's Champion, a very distinct hardy Broccoli; the flower is well protected, and with good culture,			
if allowed to attain its full size, produces very large heads	0	o2 61	6
Matchless (Cooling), a fine protecting variety, very hardy, & coming into use from February to April Adam's Early White, the earliest Spring Broccoli, sometimes ready to cut in February	0	6I 6I	6
Covent Garden Spring White, a first-class early sort, with compact delicate white heads Dalmeny Park, first-rate dwarf hardy variety, with large close heads Early Penzance, or Cornish, turns in very early; fine compact pure white heads	0	4I 6I	0
Imperial Early White, a very superior variety, a fine succession to Adam's	0	61	6
Knight's Protecting, a very useful protecting variety Sulphur or Brimstone, very useful, extremely hardy, and produces fine heads Division IV.—FOR CUTTING IN APRIL, MAY, AND JUNE.	0	4I	0
Barr's "Criterion," this is the best of all the late Broccoli coming into use after the middle of May, and giving a succession till the Cauliflowers are ready to cut	ı	02	6

PPOGGOTT // /	per	pkt, per	0%.
BROCCOLI—continued. Barr's Mayflower, this fine Broccoli comes into use before "Criterion," the heads are small, white as		d. s.	d.
a cauliflower, and may he cut from the latter end of April to the end of May	I	02	
Market		61	6
Cauliflower comes in	0	61	6
Mitchell's Covent Garden Champion, a fine hardy late Broccoli which is brought into Covent Garden very late in the season, the heads are of medium size, and white as a cauliflower	1	02	6
Carter's Summer White, in use from the end of May, till succeeded by the cauliflower	1	02	0
Cattell's Eclipse, obtained the First Prize at the International Exhibition of May, 1866	0	61 41	
Excelsior. Mr. Gilbert calls this, "a glorious broccoli, magnificent and white as snow"	1	02	
Retford Protecting, an extremely hardy fine protecting variety, extensively grown by market gardeners in the North of England	1	02	6
Howden's Large Late Siherian Purple, a valuable hardy variety with purple heads	0	4I	0
Lauder's Superh Protecting Late White Goshen Leamington (Perkins'), a well-protected, first-rate late Broccoli. First-class Certificate, 1873	I	02	0
Mammoth, or Covent Garden Giant White, one of the largest and best late Broccoli	0	4I	0
Richmond Fine Late White, an excellent variety, with fine white heads	0	4I	6
Westwood Park , a fine late new variety, in use during May and June, dwarf and compact, with			
beautiful white heads well protected	1	0	••
and perfectly self-protecting, comes into use from the middle of May to the early part of June	2	б	
OUR OWN SELECTION.		e,	
8 ounces, in 8 best successional varieties 15/0 3 ounces, in 6 best successional varieties 8/0 4 packets, in 4		o/- 3 6	
BRUSSELS SPROUTS.			
The Burghley, this selection of Brussels Sprouts was made by Mr. Gilbert, gardener to the Most			
Noble the Marquis of Exeter, and certainly it is far in advance of anything we have ever seen Imported Seed, a very fine selected stock, with close compact sprouts	1	02 40	
New Pyramidal (Short), this matchless variety is the result of many years' very careful selection;			
it grows about 2½ feet high, and is densely covered with compact sprouts	0	61	6
Scrymger's Glant, a fine variety, with large compact sprouts	I	0	
French Superior, this fine variety is remarkable for its abundance of small compact sprouts Dwarf, a nice compact variety, with neat firm sprouts	Y	02	6
Sutton's Matchless Sprouts, a very fine selected stock	I	0	
HYBRID SPROUTS,			
Melville's Alhert Sprouts, a hybrid between Savoy and Brussels Sprouts, very hardy			
CARDOONS.	Ĭ	7	Ť
Spanish \ The stalks of the inner leaves, blanched till white, are crisp and tender, used like Celery	0	30	6
French \ in stews, soups and salads; or, boiled and skilfully served, they are a delicacy.	0	4I	0
CABBAGE.			
Barr's Dwarf, a very early variety, having small compact heads, delicate in flavour; a continuous supply may be had throughout the year by making successional sowings		02	6
Barr's "Criterion," a valuable medium-sized Cabbage, one of the earliest, and the result of			
many years' very careful selection, being remarkable for its compact, uniform growth, and turning in quickly: this variety and Barr's Dwarf are two of the best in cultivation		02	6
Tom Thumb (Little Pixie), smaller than Barr's Dwarf, extremely early, and of delicate flavour	0	40	
Heartwell Early Marrow, this is a remarkably neat little variety, turning in quickly	0		6
Barr's A 1, larger than Barr's "Dwarf," very early, of compact growth, and remarkably fine quality Nonpareil Improved, a very select stock, extremely early, small, compact, and of fine flavour	0	6I 40	
Covent Garden Superfine Early Dwarf, a small, compact, very early variety of Dwarf York	0	40	8
Enfield Market, a very superior medium-sized variety, turning in early, valuable for general use Imperial, Wheeler's, a very fine selection; the variety is one of the best for general use	0	4o 3o	
Large York, a good useful variety	0	30	6
Red Dutch Improved, this is a large, valuable variety, for pickling	0	61	6
than the Dutch; for pickling it is most desirable, as it forms a valuable succession	0	6r	6
St. John's Day Early Dwarf , for summer and autumn, this valuable variety cannot be too highly recommended; it is tender and delicate in flavour, when other sorts are past use. <i>Sow in spring</i> .		40	8
Sugar Loaf, a very distinct variety, esteemed by some	0		
Winningstadt. The appearance of this variety is not prepossessing, but it boils more tender, and is more delicately flavoured during summer and autumn than most other sorts. Sow in spring.	0	40	8
Colewort Green Rosette	0	40	9
(August for succession, plant thickly, and cut before hearting.) The following, 6d, to od, per oz.:—Cattell's Farly Barnes Cattell's Eclipse, Drumbead Kemi's	nco	40 mparab	ble.
The following, 6d. to 9d. per 02: —Cattell's Early Barnes, Cattell's Eclipse, Drumhead, Kemp's 1 Caur de Bauf, London Market, Futham, Sprotboro', Prince Albert, West Ham, Rast Ha	m,	Ballers	ea,
Champion, Premier, &c. OUR OWN SELECTION.			
8 ounces, in 8 best successional varieties 6/- 4 ounces, in 8 best successional varieties		3/-	
For Agricultural Cabbages, see p. 66			
KOHL RABI, KNOL KOHL, OR TURNIP-ROOTED CABBAGE. Earliest White Vienna, the roots of this variety grown quickly and cooked when small, are excellent	0	30	0
" Purple Vienna ", ", ", ", ", ", ", ", ", ", ", ", ",	0	30	9
Large Green Imperial ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,		0	0

12, King Street, Covent Garden, 1879.] 67			
CABBAGE SAVOY. Dwarf Green Curled, a fine mcdium-sized variety	per p	kt. per	roz.
Dwarf Green Curled, a fine medium-sized variety	0	40	8
New Dwarf Ilm a fine dwarf variety which should be planted a fact anorth	0	30	6
Little Pixie, a very fine selection of Dwarf Ulm, a valuable variety Vienna, early dwarf (Tom Thumb, King Koffee) a nice dwarf compact variety; planted one foot apart Pancaller-Joulin a very superior distinct very dwarf early variety	0	40	9
Vienna, early dwarf (Tom Thumb, King Koffee) a nice dwarf compact variety; planted one foot apart	ī	0	
New Feather Stem, a hybrid, resembling Brussels Sprouts in growth and habit Golden Savoy, syn. Golden Globe and Blamendaal, a very delicately flavoured superior variety		30	6
COUVE TRONCHUDA, OR SEA-KALE CABBAGE.	0	40	δ
ERRONEOUSLY SOLD BY SOME HOUSES AS ASPARAGUS KALE			
Couve Tronchuda, the mellow delicate flavour in autumn of this Cabbage far surpasses all others			
and the sprouts in spring are as tender and delicate in flavour as Sea-kale: successional same			
ings may be made in March, April, and May.	0	41	0
COVERT Corden Forly London on accordingly for start and the second start of the second			
Covent Garden Early London, an exceedingly fine stock, very early and dwarf			
compact heads of superior quality, and turns in the quickest of any	1	02	6
Now Little Dwait Mammoth, a select English stock, being awart and compact	I	6	
Kniekerboeker, a most valuable late variety, possessing the fine qualities of Stadtholder, but with a shorter stem and shorter leaves, producing large, compact, snow-white heads, and resisting			
the heat and drought of summer, the best of any	T	02	6
Stadtholder, esteemed by the London market-gardeners as superior to Walcheren	r	02	o
Fine late Asiatic, a large and very highly-esteemed late variety. Veltch's Autumn Giant, a first-class, perfectly distinct variety, coming into use late in the season			_
WALCHEREN, A Well-known general taxoninite one of the best for general use			-
Hertfordshire Superb Dwarf, large pure white close heads, very hardy Early Snowball, fit to cut in about 12 weeks from the time of sowing"	r	02	6
King of Caulthower	2	6	•••
King of Cauliflower Lenormand's, an exceedingly fine variety, much prized in the Paris market	I	6	
3 ounces, in 6 best successional varieties 6/6 4 packets, in 4 best successional varieties.	3	/6	0
TO VETTE A PROPERTY.			
Myatt's Victoria o 41 o Linnæus o 41 o Emperor per pkt. per oz. pkt. pkt. pkt. pkt. pkt. pkt. pkt. pkt	r pk	t. per	oz.
Prince Albert 0 4 0 Linnæus 0 4 0 Emperor	0	6r	6
Sea-Kale	0	30	6
SPINACH.	nero	z ner	at
Round Flanders, the best for spring and summer sowing per pint ve	٠.	2 . T	0
New Thick-leaved Kound, described as of great morit	-		
	0	32	0
Lee's Giant Orach, inmensely productive, yielding a constant supply of dark-green leaves of a fine	0	31	9
Prickly Flanders, the best for autumn sowing	o er pl	31 t. per	9 oz.
Orach Red, or Mountain Spinach, a highly decorative plant for shrubbery horders	o er pl o o	31 t. per- 40 30	9 oz. 9 6
Orach Red, or Mountain Spinach, a highly decorative plant for shrubbery borders New Zealand, produces fine succulent leaves in great abundance throughout the supmer	o er pl o o	31 t. per	9 oz. 9 6
Orach Red, or Mountain Spinach, a highly decorative plant for shrubbery borders New Zealand, produces fine succulent leaves in great abundance throughout the summer Chenopodium Bonus Henricus, this plant is easily cultivated, and in some parts of this country is extensively used: it furnishes an abundant sumply of green leaves during the greater part of	o er pl o o	31 t. per- 40 30	9 oz. 9 6
Orach Red, or Mountain Spinach, a highly decorative plant for shrubbery borders New Zealand, produces fine succulent leaves in great abundance throughout the summer Chenopodium Bonus Henricus, this plant is easily cultivated, and in some parts of this country is extensively used; it furnishes an abundant supply of green leaves during the greater part of the year, and is a good substitute for spinach	o er pla o o o	31 t. per- 40 30	9 oz. 9 6 9
Orach Red, or Mountain Spinach, a highly decorative plant for shrubbery borders New Zealand, produces fine succulent leaves in great abundance throughout the summer Chenopodium Bonus Henricus, this plant is easily cultivated, and in some parts of this country is extensively used: it furnishes an abundant sumply of green leaves during the greater part of	o er pla o o o	31 tt. per 40 30 40	9 oz. 9 6 9
Orach Red, or Mountain Spinach, a highly decorative plant for shrubbery borders New Zealand, produces fine succulent leaves in great abundance throughout the summer Chenopodium Bonus Henricus, this plant is easily cultivated, and in some parts of this country is extensively used; it furnishes an abundant supply of green leaves during the greater part of the year, and is a good substitute for spinach For perpetual Spinach Beet, by some more highly esteemed than Spinach, see page 54.	o er pla o o o	31 tt. per 40 30 40	9 oz. 9 6 9
Orach Red, or Mountain Spinach, a highly decorative plant for shrubbery borders New Zealand, produces fine succulent leaves in great abundance throughout the summer Chenopodium Bonus Henricus, this plant is easily cultivated, and in some parts of this country is extensively used; it furnishes an abundant supply of green leaves during the greater part of the year, and is a good substitute for spinach For perpetual Spinach Beet, by some more highly esteemed than Spinach, see page 54. Section III.—EDIBLE ROOTED PLANTS.	o er pla o o o	31 tt. per 40 30 40	9 oz. 9 6 9
Orach Red, or Mountain Spinach, a highly decorative plant for shrubbery borders New Zealand, produces fine succulent leaves in great abundance throughout the summer Chenopodium Bonus Henricus, this plant is easily cultivated, and in some parts of this country is extensively used; it furnishes an abundant supply of green leaves during the greater part of the year, and is a good substitute for spinach For perpetual Spinach Beet, by some more highly esteemed than Spinach, see page 54. Section III.—EDIBLE ROOTED PLANTS. BEET.	o er pk o o o	31 tt. per- 40 30 40	9 oz. 9 6 9
Orach Red, or Mountain Spinach, a highly decorative plant for shrubbery borders New Zealand, produces fine succulent leaves in great abundance throughout the summer Chenopodium Bonus Henricus, this plant is easily cultivated, and in some parts of this country is extensively used; it furnishes an abundant supply of green leaves during the greater part of the year, and is a good substitute for spinach For perpetual Spinach Beet, by some more highly esteemed than Spinach, see page 54. Section III.—EDIBLE ROOTED PLANTS. BEET. In our Experimental Grounds the varieties marked * have been tested and found perfectly pare; on may, therefore, confidently rely upon the seed producing fine roots of millings and available.	o er pk	31 tt. per- 40 30 40	9 oz. 9 6 9
Orach Red, or Mountain Spinach, a highly decorative plant for shrubbery borders New Zealand, produces fine succulent leaves in great abundance throughout the summer Chenopodium Bonus Henricus, this plant is easily cultivated, and in some parts of this country is extensively used; it furnishes an abundant supply of green leaves during the greater part of the year, and is a good substitute for spinach For perpetual Spinach Beet, by some more highly esteemed than Spinach, see page 54. Section III.—EDIBLE ROOTED PLANTS. BEET. In our Experimental Grounds the varieties marked * have been tested and found perfectly pare; on may, therefore, confidently rely upon the seed producing fine roots of uniform size and qualit. For Illustrated Report of Beets grown at our Experimental Grounds, see "Gardener," Magazing	o or ph	31 d. per- 40 30 40	9 oz. 9 6 9
Orach Red, or Mountain Spinach, a highly decorative plant for shrubbery borders	o o o o o	31 at. per. 40 30 40 41	9 oz. 9 6 9
Orach Red, or Mountain Spinach, a highly decorative plant for shrubbery borders New Zealand, produces fine succulent leaves in great abundance throughout the summer Chenopodium Bonus Henricus, this plant is easily cultivated, and in some parts of this country is extensively used; it furnishes an abundant supply of green leaves during the greater part of the year, and is a good substitute for spinach For perpetual Spinach Beet, by some more highty esteemed than Spinach, see page 54. Section III.—EDIBLE ROOTED PLANTS. BEET. In our Experimental Grounds the varieties marked * have been tested and found perfectly pare; or may, therefore, confidently rely upon the seed producing fine roots of uniform size and qualic For Illustrated Report of Beets grown at our Experimental Grounds, see "Gardeners' Magazine For In the process of cooking, Beet is frequently made hard and unedible, and the seedsman or gas to bear the consequences of the cook's shortcomings. Following up our experimental trials, we have lo cook's department, and offer to our readers the following conclusions:—	o o o o o o o o o o o o o o o o o o o	3I tt. per 40 30 40 4I	9 oz. 9 6 9
Orach Red, or Mountain Spinach, a highly decorative plant for shrubbery borders New Zealand, produces fine succulent leaves in great abundance throughout the summer Chenopodium Bonus Henricus, this plant is easily cultivated, and in some parts of this country is extensively used; it furnishes an abundant supply of green leaves during the greater part of the year, and is a good substitute for spinach For perpetual Spinach Beet, by some more highly esteemed than Spinach, see page 54. Section III.—EDIBLE ROOTED PLANTS. BEET. In our Experimental Grounds the varieties marked * have been tested and found perfectly pure; or may, therefore, confidently rely upon the seed producing fine roots of uniform size and qualit For Illustrated Report of Beets grown at our Experimental Grounds, see "Gardeners" Magazine In the process of cooking, Beet is frequently made hard and unedible, and the seedsman or gas to bear the consequences of the cook's shortcomings. Following up our experimental trials, we have be cook's department, and offer to our readers the following conclusions: 1. In preparing Beet for cooking, the greatest care must be taken not to bruise the skin, or in any	o o o o o o o o o o o o o o o o o o o	3I tt. per 40 30 40 4I	9 oz. 9 6 9
Orach Red, or Mountain Spinach, a highly decorative plant for shrubbery borders	o er ple	3I tt. per 40 30 40 4I ustome 870. er ma ! into i	9 oz. 9 6 9 o o o o o o o o o o o o o o o o o
Orach Red, or Mountain Spinach, a highly decorative plant for shrubbery borders New Zealand, produces fine succulent leaves in great abundance throughout the summer Chenopodium Bonus Henricus, this plant is easily cultivated, and in some parts of this country is extensively used; it furnishes an abundant supply of green leaves during the greater part of the year, and is a good substitute for spinach For perpetual Spinach Beet, by some more highly esteemed than Spinach, see page 54. Section III.—EDIBLE ROOTED PLANTS. BEET. In our Experimental Grounds the varieties marked * have been tested and found perfectly pare; or may, therefore, confidently rely upon the seed producing fine roots of uniform size and qualit For Illustrated Report of Beets grown at our Experimental Grounds, see "Gardeners' Magazine To the process of cooking, Beet is frequently made hard and unedible, and the seedsman or gas to bear the consequences of the cook's shortcomings. Fotlowing up our experimental trials, we have lo cook's department, and offer to our readers the following conclusions:— 1. In preparing Beet for cooking, the greatest care must be taken not to bruise the skin, or in any the root; and if by accident any injury has been done to the root, bake and not boil it. 2. If a deep crimson has is the colour preferred in the Beet, or a firm flesh, this is her taltained.	o er ple	3I tt. per 40 30 40 4I ustome 870. er ma ! into i	9 oz. 9 6 9 o o o o o o o o o o o o o o o o o
Orach Red, or Mountain Spinach, a highly decorative plant for shrubbery borders New Zealand, produces fine succulent leaves in great abundance throughout the summer Chenopodium Bonus Henricus, this plant is easily cultivated, and in some parts of this country is extensively used; it furnishes an abundant supply of green leaves during the greater part of the year, and is a good substitute for spinach For perpetual Spinach Beet, by some more highly esteemed than Spinach, see page 54. Section III.—EDIBLE ROOTED PLANTS. BEET. In our Experimental Grounds the varieties marked* have been tested and found perfectly pare; or may, therefore, confidently rely upon the seed producing fine roots of uniform size and quality. For Illustrated Report of Beets grown at our Experimental Grounds, see "Gardeners' Magazine In the process of cooking, Beet is frequently made hard and unedible, and the seedsman or gas to bear the consequences of the cook's shortcomings. Following up our experimental trials, we have to cook's department, and offer to our readers the following conclusions: 1. In preparing Beet for cooking, the greatest care must be taken not to bruise the skin, or in any the root; and if by accident any injury has been done to the root, bake and not boit it. 2. If a deep crimson hae is the colour preferred in the Beet, or a firm flesh, this is best attained it 3. If a light, clear bright cotour is desired, or a soft, juicy flesh, then boiting will secure this, 4. If a rich, agreeable flavour is sought for, then select the variety which, before cooking, has the me	o er ple	3I t. per- 40 30 40 4I sustome 4I into i v wour	9. oz. 96 9 0 ers de the in
Orach Red, or Mountain Spinach, a highly decorative plant for shrubbery borders New Zealand, produces fine succulent leaves in great abundance throughout the summer Chenopodium Bonus Henricus, this plant is easily cultivated, and in some parts of this country is extensively used; it furnishes an abundant supply of green leaves during the greater part of the year, and is a good substitute for spinach For perpetual Spinach Beet, by some more highly esteemed than Spinach, see page 54. Section III.—EDIBLE ROOTED PLANTS. BEET. In our Experimental Grounds the varieties marked * have been tested and found perfectly pare; or may, therefore, confidently rely upon the seed producing fine roots of uniform size and quali. For Illustrated Report of Beets grown at our Experimental Grounds, see "Gardeners' Magazine In the process of cooking, Beet is frequently made hard and unedible, and the seedsman or gas to bear the consequences of the cook's shortcomings. Following up our experimental trials, we have lo cook's department, and offer to our readers the following conclusions:— 1. In preparing Beet for cooking, the greatest care must be taken not to bruise the skin, or in any the root; and if by accident any injury has been done to the root, bake and not boit it. 2. If a deep crimson hae is the colour preferred in the Beet, or a firm flesh, this is best attained to 3. If a light, clear bright cotour is desired, or a soft, juicy flesh, then boiting will secure this, 4. If a rich, agreeable flavour as beginned to the variety which, before cooking, has the m it, and the flavour may be discovered by masticating a small portion of an uncooked root.	o er ple	3I t. per- 40 30 40 41 41 41 41 41 41	9 oz. 96 9 o ers de the ind
Orach Red, or Mountain Spinach, a highly decorative plant for shrubbery borders New Zealand, produces fine succulent leaves in great abundance throughout the summer Chenopodium Bonus Henricus, this plant is easily cultivated, and in some parts of this country is extensively used; it furnishes an abundant supply of green leaves during the greater part of the year, and is a good substitute for spinach For perpetual Spinach Beet, by some more highly esteemed than Spinach, see page 54. Section III.—EDIBLE ROOTED PLANTS. BEET. In our Experimental Grounds the varieties marked * have been tested and found perfectly pare; or may, therefore, confidently rely upon the seed producing fine roots of uniform size and quali. For Illustrated Report of Beets grown at our Experimental Grounds, see "Gardeners' Magazine In the process of cooking, Beet is frequently made hard and unedible, and the seedsman or gas to bear the consequences of the cook's shortcomings. Following up our experimental trials, we have to cook's department, and offer to our readers the following conclusions:— 1. In preparing Beet for cooking, the greatest care must be taken not to bruise the skin, or in any the root; and if by accident any injury has been done to the root, bake and not boit it. 2. If a deep crimson hue is the colour preferred in the Beet, or a firm flesh, this is best attained it 3. If a light, clear bright cotour is desired, or a soft, juicy flesh, then boiting will secure this. 4. If a rich, agreeable flavour is sought for, then select the variety which, before cooking, has the m it, and the flavour may be discovered by masticating a small portion of an ancooked root. mark, it will leave a rich agreeable flavour on the palate, without any sensation of astring	o er ple	3I t. per- 40 30 40 41 41 41 41 41 41	9 oz. 96 9 o ers de the ind
Orach Red, or Mountain Spinach, a highly decorative plant for shrubbery borders New Zealand, produces fine succulent leaves in great abundance throughout the summer Chenopodium Bonus Henricus, this plant is easily cultivated, and in some parts of this country is extensively used; it furnishes an abundant supply of green leaves during the greater part of the year, and is a good substitute for spinach For perpetual Spinach Beet, by some more highly esteemed than Spinach, see page 54. Section III.—EDIBLE ROOTED PLANTS. BEET. In our Experimental Grounds the varieties marked * have been tested and found perfectly pare; or may, therefore, confidently rely upon the seed producing fine roots of uniform size and quali. For Illustrated Report of Beets grown at our Experimental Grounds, see "Gardeners' Magazine In the process of cooking, Beet is frequently made hard and unedible, and the seedsman or gar to bear the consequences of the cook's shortcomings. Following up our experimental trials, we have to cook's department, and offer to our readers the following conclusions:— 1. In preparing Beet for cooking, the greatest care must be taken not to bruise the skin, or in any the root; and if by accident any injury has been done to the root, bake and not boil it. 2. If a deep crimson hae is the colour preferred in the Beet, or a firm flesh, this is best attained it 3. If a light, clear bright colour is desired, or a soft, juicy flesh, then boilting will secure this, 4. If a rich, agreeable flavour is sought for, then select the variety which, before cooking, has the m it, and the flavour may be discovered by masticating a small portion of an uncooked root. mark, it will leave a rich agreeable flavour on the palate, without any sensation of astring throat. Barr's selection of Nutting's Reet has the desired quantities in the highest degree. 5. Crimson flesh Reets are all very rich in flavour; but when masticated uncooked, an astring	o er pla o o o o o o o o o o o o o o o o o o o	3I t. per t. per 40 30 40 41 4I usstomu 4I v woun king. v wour ple p to t v in t will	9 oz. 96 9 o o o o o o o o o o o o o o o o o
Orach Red, or Mountain Spinach, a highly decorative plant for shrubbery borders New Zealand, produces fine succulent leaves in great abundance throughout the summer Chenopodium Bonus Henricus, this plant is easily cultivated, and in some parts of this country is extensively used; it furnishes an abundant supply of green leaves during the greater part of the year, and is a good substitute for spinach For perpetual Spinach Beet, by some more highly esteemed than Spinach, see page 54. Section III.—EDIBLE ROOTED PLANTS. BEET. In our Experimental Grounds the varieties marked * have been tested and found perfectly pare; or may, therefore, confidently rely upon the seed producing fine roots of uniform size and quali. For Illustrated Report of Beets grown at our Experimental Grounds, see "Gardeners' Magazine In the process of cooking, Beet is frequently made hard and unedible, and the seedsman or gast to bear the consequences of the cook's shortcomings. Following up our experimental trials, we have to cook's department, and offer to our readers the following conctusions:— 1. In preparing Beet for cooking, the greatest care must be taken not to bruise the skin, or in any the root; and if by accident any injury has been done to the root, bake and not boit it. 2. If a deep crimson hue is the colour preferred in the Beet, or a firm flesh, this is best attained it 3. If a light, clear bright cotour is desired, or a soft, juicy flesh, then boiting will secure this. 4. If a rich, agreeable flavour is sought for, then select the variety which, before cooking, has the m it, and the flavour may be discovered by masticating a small portion of an uncooked root, mark, it will leave a rich agreeable flavour on the palate, without any sensation of astring throat. Barr's selection of Nutting's Reet has the desired qualities in the highest degree. 5. Crimson-flesh Reets are all very rich in flavour; but when masticated uncooked, an astring discovered as above described; this chas of Beets, however, has its advantages, inasmu	or pho o o o o o o o o o o o o o o o o o o	3I t. per t. per d 3 3 3 4 3 4 4	9 oz. 96 9 o ers de he in he he be ovn
Orach Red, or Mountain Spinach, a highly decorative plant for shrubbery borders	or pho o o o o o o o o o o o o o o o o o o	3I t. per t. per d 3 3 3 4 3 4 4	9 oz. 96 9 o ers de he in he he be ovn
Orach Red, or Mountain Spinach, a highly decorative plant for shrubbery borders New Zealand, produces fine succulent leaves in great abundance throughout the summer Chenopodium Bonus Henricus, this plant is easily cultivated, and in some parts of this country is extensively used; it furnishes an abundant supply of green leaves during the greater part of the year, and is a good substitute for spinach For perpetual Spinach Beet, by some more highly esteemed than Spinach, see page 54. Section III.—EDIBLE ROOTED PLANTS. BEET. In our Experimental Grounds the varieties marked * have been tested and found perfectly pare; or may, therefore, confidently rely upon the seed producing fine roots of uniform size and quali. For Illustrated Report of Beets grown at our Experimental Grounds, see "Gardeners' Magazine In the process of cooking, Beet is frequently made hard and unedible, and the seedsman or gast to bear the consequences of the cook's shortcomings. Following up our experimental trials, we have to cook's department, and offer to our readers the following conctusions:— 1. In preparing Beet for cooking, the greatest care must be taken not to bruise the skin, or in any the root; and if by accident any injury has been done to the root, bake and not boit it. 2. If a deep crimson hue is the colour preferred in the Beet, or a firm flesh, this is best attained it 3. If a light, clear bright cotour is desired, or a soft, juicy flesh, then boiting will secure this. 4. If a rich, agreeable flavour is sought for, then select the variety which, before cooking, has the m it, and the flavour may be discovered by masticating a small portion of an uncooked root, mark, it will leave a rich agreeable flavour on the palate, without any sensation of astring throat. Barr's selection of Nutting's Reet has the desired qualities in the highest degree. 5. Crimson-flesh Reets are all very rich in flavour; but when masticated uncooked, an astring discovered as above described; this chas of Beets, however, has its advantages, inasmu	or plant of the state of the st	3I t. per t. per d 3 3 3 4 3 4 4	9 oz. 96 9 o ers de he in he he be ovn
Orach Red, or Mountain Spinach, a highly decorative plant for shrubbery borders	or plant of the control of the contr	3I t. per t.	9 oz. 96 9 o ers de the in he be be nud
Orach Red, or Mountain Spinach, a highly decorative plant for shrubbery borders New Zealand, produces fine succulent leaves in great abundance throughout the summer Chenopodlum Bonus Henricus, this plant is easily cultivated, and in some parts of this country is extensively used; it furnishes an abundant supply of green leaves during the greater part of the year, and is a good substitute for spinach For perpetual Spinach Beet, by some more highly esteemed than Spinach, see page 54. Section III.—EDIBLE ROOTED PLANTS. BEET. In our Experimental Grounds the varieties marked * have been tested and found perfectly pure; or may, therefore, confidently rely upon the seed producing fine roots of uniform size and quality. For Illustrated Report of Beets grown at our Experimental Grounds, see "Gardeners' Magazine For Illustrated Report of Beets grown at our Experimental Grounds, see "Gardeners' Magazine to bear the consequences of the cook's shortcomings. Following up our experimental trials, we have to cook's department, and offer to our readers the following conclusions:— 1. In preparing Beet for cooking, the greatest care must be taken not to braise the skin, or in any the root; and if by accident any injury has been done to the root, bake and not boit it. 2. If a deep crimison hae is the colour preferred in the Beet, or a firm flesh, this is best attained it 3. If a light, clear bright colour is desired, or a soft, juicy flesh, then boiting will secure this, 4. If a rich, agreeable flavour is sought for, then select the variety which, before cooking, has the it, and the flavour may be discovered by masticating a small portion of an uncooked root. mark, it will leave a rich agreeable flavour on the palate, without any sensation of astring throat. Barr's selection of Nutting's Reet has the desired qualities in the highest degree. 5. Crimson flesh Reets are all very rich in flavour; but when masticated uncooked, an astring discovered as above described; this class of Beets, however, has its advantages, inasmu	or plant of the control of the contr	3I tt. per tt. per d0 30 40 30 41 870. er ma into t vous kking, vurple p to t vint vill be sorr rly a1 61	9 oz. 96 9 o ers de che in de he be ound
Orach Red, or Mountain Spinach, a highly decorative plant for shrubbery borders New Zealand, produces fine succulent leaves in great abundance throughout the summer Chenopodium Bonus Henricus, this plant is easily cultivated, and in some parts of this country is extensively used; it furnishes an abundant supply of green leaves during the greater part of the year, and is a good substitute for spinach For perpetual Spinach Beet, by some more highly esteemed than Spinach, see page 54. Section III.—EDIBLE ROOTED PLANTS. BEET. In our Experimental Grounds the varieties marked * have been tested and found perfectly pure; on may, therefore, confidently rely upon the seed producing fine roots of uniform size and qualit For Illustrated Report of Beets groun at our Experimental Grounds, see "Gardeners' Magazine In the process of cooking, Beet is frequently made hard and unedible, and the seedsman or gain to bear the consequences of the cook's shortcomings. Following up our experimental trials, we have be cook's department, and offer to our readers the following conclusions: 1. In preparing Beet for cooking, the greatest care must be taken not to bruise the skin, or in any the root; and if by accident any injury has been done to the root, bake and not boil it. 2. If a deep crimson hue is the colour preferred in the Beet, or a firm flesh, this is best attained it 3. If a light, clear bright colour is desired, or a soft, juicy flesh, then boiling will secure this, 4. If a rich, agreeable flavour is sought for, then select the variety which, before cooking, has the m it, and the flavour may be discovered by masticating a small portion of an uncooked, and as a string throat. Barr's selection of Nutting's Reet has the desired qualities in the highest degree. 5. Crimson-flesh Reets are all very rich in flavour; but when musticated uncooked, an astring discovered as above described; this class of Beets, however, has its advantages, inasmuch as it earlier. Barr's selection of Pine Appte Beet is the most desira	or plant of the control of the contr	3I t. per t.	9 oz. 96 9 o ers de che in de he be ound
Orach Red, or Mountain Spinach, a highly decorative plant for shrubbery borders New Zealand, produces fine succulent leaves in great abundance throughout the summer Chenopodium Bonus Henricus, this plant is easily cultivated, and in some parts of this country is extensively used; it furnishes an abundant supply of green leaves during the greater part of the year, and is a good substitute for spinach For perpetual Spinach Beet, by some more highly esteemed than Spinach, see page 54. Section III.—EDIBLE ROOTED PLANTS. BEET. In our Experimental Grounds the varieties marked * have been tested and found perfectly pure; or may, therefore, confidently rely upon the seed producing fine roots of uniform size and qualit For Illustrated Report of Beets grown at our Experimental Grounds, see "Gardeners' Magazine For In the process of cooking, Beet is frequently made hard and unedible, and the seedsman or gas to bear the consequences of the cook's shortcomings. Following up our experimental trials, we have to cook's department, and offer to our readers the following conclusions:— 1. In preparing Beet for cooking, the greatest care must be taken not to bruise the skin, or in any the root; and if by accident any injury has been done to the root, bake and not boil it. 2. If a deep crimson hae is the colour preferred in the Beet, or a firm flesh, this is best attained it 3. If a light, clear bright colour is desired, or a soft, juicy flesh, then boiting will secure this. 4. If a rich, agreeable flavour is sought for, then select the varietywhich, before cooking, has the m it, and the flavour may be discovered by masticating a small portion of an ancooked root, mark, it will leave a rich agreeable flavour on the palate, without any sensation of astring throat. Barr's selection of Nutting's Reet has the desired quantities in the highest degree. 5. Crimson-flesh Beet are all very rich in flavour; but when masticated uncooked, an astring discovered as above described; this class of Beets, however, has its advantages, ina	or plant of the control of the contr	3I tt. per tt. per d0 30 40 30 41 870. er ma into t vous kking, vurple p to t vint vill be sorr rly a1 61	9 oz. 96 9 o ers de che in de he be ound
Orach Red, or Mountain Spinach, a highly decorative plant for shrubbery borders New Zealand, produces fine succulent leaves in great abundance throughout the summer	or plant of the state of the st	3I tt. per tt. per d0 30 40 30 41 870. er ma into t vous kking, vurple p to t vint vill be sorr rly a1 61	9 oz. 96 9 o ers deethe nd in be bond o 60
Orach Red, or Mountain Spinach, a highly decorative plant for shrubbery borders New Zealand, produces fine succulent leaves in great abundance throughout the summer Chenopodium Bonus Henricus, this plant is easily cultivated, and in some parts of this country is extensively used; it furnishes an abundant supply of green leaves during the greater part of the year, and is a good substitute for spinach For perpetual Spinach Beet, by some more highly esteemed than Spinach, see page 54. Section III.—EDIBLE ROOTED PLANTS. BEET. In our Experimental Grounds the varieties marked* have been tested and found perfectly pare; or may, therefore, confidently rely upon the seed producing fine roots of uniform size and qualit For Illustrated Report of Beets grown at our Experimental Grounds, see "Gardeners' Magazine To the process of cooking, Beet is frequently made hard and unedible, and the seedsman or gas to bear the consequences of the cook's shortcomings. Following up our experimental trials, we have lo cook's department, and offer to our readers the following conclusions:— 1. In preparing Beet for cooking, the greatest care must be taken not to bruise the skin, or in any the root; and if by accident any injury has been done to the root, bake and not boit it. 2. If a deep crimson hae is the colour preferred in the Beet, or a firm flesh, this is best attained it 3. If a light, clear bright colour is desired, or a soft, juicy flesh, then boiting will scare this. 4. If a rich, agreeable flavour is sought for, then select the variety which, before cooking, has the m it, and the flavour may be discovered by masticating a small portion of an ancooked root, mark, it will leave a rich agreeable flavour on the palate, without any sensation of astring throat. Barr's selection of Phine Apple Beet is the most desirable of these; it may be sownver will not run to seed. 6. Scarlet-flesh Beet possesses least of the saceharine flavour, and Nonpareil best represents this ca cattell's Dwarf Purple Top, purple flesh, a good useful	or plant of the state of the st	3I tt. per d. per d0 d0 d1	9 oz. 96 9 o ers deethe nd in be bond o 60
Orach Red, or Mountain Spinach, a highly decorative plant for shrubbery borders New Zealand, produces fine succulent leaves in great abundance throughout the summer Chenopodium Bonus Henricus, this plant is easily cultivated, and in some parts of this country is extensively used; it furnishes an abundant supply of green leaves during the greater part of the year, and is a good substitute for spinach For perpetual Spinach Beet, by some more highly esteemed than Spinach, see page 54. Section III.—EDIBLE ROOTED PLANTS. BEET. In our Experimental Grounds the varieties marked * have been tested and found perfectly pare; or may, therefore, confidently rely upon the seed producing fine roots of uniform size and quality. For Illustrated Report of Beets grown at our Experimental Grounds, see "Gardeners' Magazime For Illustrated Report of Beets grown at our Experimental Grounds, see "Gardeners' Magazime to bear the consequences of the cook's shortcomings. Following up our experimental trials, we have to cook's department, and offer to our readers the following conclusions:— 1. In preparing Beet for cooking, the greatest care must be taken not to bruise the skin, or in any the root; and if by accident any injury has been done to the root, bake and not boit it. 2. If a deep crimson have is the colour preferred in the Beet, or a firm flesh, this is best attained it 3. If a light, clear bright cotour is desired, or a soft, juicy flesh, then boiling will secure this. 4. If a rich, agreeable flavour is sought for, then select the varietywhich, before cooking, has the ii, and the flavour may be discovered by masticating a small portion of an uncooked root, mark, it will leave a rich agreeable flavour on the palate, without any sensation of astring throat. Barr's selection of Nutting's Reet has the desired qualities in the highest degree. 5. Crimson-flesh Reets are all very rich in flavour; but when masticated uncooked, an astring discovered as above described; this class of Beets, however, has its advantage	or plant of the control of the contr	3I tt. per d. per d0 d0 d1	9 oz. 96 9 o ers deethe nd in be bond o 60
Orach Red, or Mountain Spinach, a highly decorative plant for shrubbery borders New Zealand, produces fine succulent leaves in great abundance throughout the summer Chenopodium Bonus Henricus, this plant is easily cultivated, and in some parts of this country is extensively used; it furnishes an abundant supply of green leaves during the greater part of the year, and is a good substitute for spinach For perpetual Spinach Beet, by some more highly esteemed than Spinach, see page 54. Section III.—EDIBLE ROOTED PLANTS. BEET. In our Experimental Grounds the varieties marked * have been tested and found perfectly pure; or may, therefore, confidently vely upon the seed producing fine roots of uniform size and quali For Illustrated Report of Beets grown at our Experimental Grounds, see "Gardeners' Magazine For Inthe process of cooking, Beet is frequently made hard and unedible, and the seedsman or gas to bear the consequences of the cook's shortcomings. Following up our experimental trials, we have to cook's department, and offer to our readers the following conclusions:— 1. In preparing Beet for cooking, the greatest care must be taken not to bruise the skin, or in any the root; and if by accident any injury has been done to the root, bake and not boit it. 2. If a deep crimson hae is the colour preferred in the Beet, or a firm flest, this is best attained it 3. If a light, clear bright toolour is desired, or a soft, juice flesh, then boiling will scare this. 4. If a rich, agreeable flavour is sought for, then select the variety which, before cooking, has the m it, and the flavour may be discovered by masticating a small portion of an uncooked root. mark, it will leave a rich agreeable flavour on the palate, without any sensation of astring throat. Barr's selection of Nutting's fleet has the desired qualities in the highest degree. 5. Crimson-flesh Beet possesses least of the saceharine flavour, and Nonpareil best represents this of cartell's Dwarf Purple Top, purple flesh, a good useful variety for those	o o o o o o o o o o o o o o o o o o o	3I tt. per tt. per d0 30 40 41 41 be sor rly a1 41 41 41 41 41	9 oz. 969 o eers deethe interior of o o o o o o o o o o o o o o o o o
Orach Red, or Mountain Spinach, a highly decorative plant for shrubbery borders New Zealand, produces fine succulent leaves in great abundance throughout the summer Chenopodium Bonnes Henricus, this plant is easily cultivated, and in some parts of this country is extensively used; it furnishes an abundant supply of green leaves during the greater part of the year, and is a good substitute for spinach For perpetual Spinach Beet, by some more highly esteemed than Spinach, see page 54. Section III.—EDIBLE ROOTED PLANTS. BEET. In our Experimental Grounds the varieties marked * have been tested and found perfectly pare; or may, therefore, confidently rely upon the seed producing fine roots of uniform size and quality. For Illustrated Report of Beets grown at our Experimental Grounds, see '' Gardeners' Magazime For Illustrated Report of Beets grown at our Experimental Grounds, see '' Gardeners' Magazime to bear the consequences of the cook's shortcomings. Following up our experimental trials, we have loe cook's department, and offer to our readers the following conclusions:— 1. In preparing Beet for cooking, the greatest care must be taken not to bruise the skin, or in any the root; and if by accident any injury has been done to the root, bake and not boit it. 2. If a deep crimson have its the colour preferred in the Beet, or a firm flesh, this is best attained it 3. If a light, clear bright colour is desired, or a soft, juicy flesh, then boiling will secure this. 4. If a rich, agreeable flavour its sought for, then select the varietywhich, before cooking, has the iit, and the flavour may be discovered by masticating a small portion of an uncooked root, mark, it will leave a rich agreeable flavour on the palate, without any sensation of astring throat. Barr's selection of Nutting's Reet has the desired qualities in the highest degree. 5. Crimson-flesh Beets are all very rich in flavour; but when masticated uncooked, an astring discovered as above described; this class of Beets, however, has its	o o o o o o o o o o o o o o o o o o o	3I tt. per tt. per d0 30 40 30 4X	9 oz. 969 o eers deethe interior of o o o o o o o o o o o o o o o o o

03	LDarr and	Duguen	7
BCET—continued.		pkt. pers. d. s.	oz.
*Nutting's Dwarf Red (Barr's Selection), purple flesh, a pure stock, with roots of a nather the best for sowing latter end of May or June, and surpassing all others for flavour. *Nonpareil Dwarf Green Top (new), scarlet flesh, very dwarf, roots small and well form	r	0 4I I 0	•••
White's Black, very deep crimsou flesh, roots large; a fine sort for those who prefer a la: *Turnip-shaped Dark Red Egyptian, rich in colour and flavour, valuable for shallow : Fine Red	soils	0 4I 0 4I 0 40	0
The following, 6d. & 1s. 6d. per oz.:—Dwarf Waterloo, Belvoir Castle, Perfection Sal Red, Cattell's Bronze-leaved, Osborne's Dark Red, Lobjoit's Covent Garden, New to these Beets we might have added many more names, but those described repre-	Salad, Dwar	t Victor	varf ria ;
For Spinach and Sea-kale Beets, see page 54. For Garnishing Beet, see	page 64.		
CAPROT			

CARROT.			
Earliest French Short Horn, a favourite small carrot for soups, extremely early and of superior			
flavour; the best sort for frames, forcing, late or autumn sowing	0	40	9
Early Scarlet Horn, an exceedingly useful and well-known variety for general use	0	30	
Early Horn Improved (Carter), said to be an advance on the Early Scarlet Horn	0	40	
New Early Flanders Scarlet, this variety is longer than the Early Scarlet Horn, quite as early, and		7	
possesses exceedingly fine qualities	0	4I	0
Early Nantes, a remarkably fine half long variety	0	40	9
Carentan Early Scarlet, flesh bright red throughout, about the same length as Scarlet Horn, and			
quite as early, a valuable variety	0	40	8
New Long Dutch Scarlet, a fine variety, the roots generally without the yellow core, being of a			
uniform colour to the centre, a quality which will be appreciated by cooks	0	40	8
Covent Garden Long Surrey, the richest coloured and best for main crop		30	
James's Intermediate Scarlet, a superior medium-sized variety, valuable for shallow soils		30	
Red Intermediate Meaux, a very fine new strong-rooted variety of superior quality		40	
Long Orange		,,0	
		30	
Altringham, a very careful selection for garden culture	J	30	~

10 ounces in 5 best varieties	OUR OWN SELECTION	2/-
-------------------------------	-------------------	-----

T.EEEE

Ayton Castle New Giant, a very superior large variety large packet	I	0
Henry's Prize Giant, a very superior large variety	I	0
Monstrous Carentan, a first-class very large-growing variety, in the way of Musselburgh	0	4I O
London Flag, large and fine	0	40 9
Musselburgh, this is a fine stock of this superior and greatly esteemed large variety	0	61 6
, , , , , , , , , , , , , , , , , , ,		

ONION.

The Fruit Committee of the Royal Horticultural Society awarded to us in 1869 a special certificate for the largest and finest Collection of onions ever exhibited before them. A report of these at the period will be found in the "Gardeners' Chronicle" and the "Journal of Horticulture." In the "Gardeners' Weekly Magazine," in connection with the report, will be found illustrations of the different types of Onions, from specimens

supplied by us, and grown at our Experimental Grounds.

Our Collection of Onions represented the varieties cultivated in this country, and also in Germany, France, Our Concention of Onions represented the varieties cultivated in this country, and also in Germany, France, Holland, and Portugal (the seed from Portugal being received from the British Consulate at Oporto); our object was to ascertain if the Onion of the grocers was peculiar to Portugal, or had a representative in this country. From a very careful examination we arrived at the conclusion that the Onion of the grocers is fairly represented, both as regards shape, size, and produce, in our brown-skinned varieties of Globe, James Keeping, and Pear-Shaped, a preponderance of the Pear-Shaped being amongst those grown by us from the Oporta seed. We also found that the Triboli varieties of Onion produced with a warder without the Oporta. the Tripoli varieties of Onion produced with us under ordinary treatment much larger bulbs than the Oporto Onion, while the autumn-sown Trebons stood out prominently for sise and symmetry, thus proving that those fine imported Onions of the grocers are the result of a favourable climate, combined with the special attention which is given to the cultivation of this bulb in Portugal. Mr. Standish of Ascot by means of superior cultivation produced from the Oporto seed as fine Onions as any imported.

One of the subjects which the Royal Horticultural Society had in hand during 1875 and 1876 was the Onion. The result of the trial has been fully rejorted in the various gardening periodicals, where the subject has been work which is progressing in connection with this Society, notwithstanding the conflicting interests which have kept it in an unsettled state for the last few years. From the results of this and similar experimental trials which are constantly going on at Chiswick under the able management of Mr. Barron, it is to be hoped that horticulturists will rally round the Society more than they have hitherto done, so that by its operations at Chiswick, it will be able to carry out more fully the great national work for which it was brought into existence.

We have re-arranged our list of Onions, so as to have the allied varieties under their respective heads; this we hope will be found serviceable to our customers in selecting. The first and second groups represent the Flat Onions; the third the Globe-shaped; the fourth the Italian Onions; the fifth the Silver or White Skinned Onions. The last two groups are mostly sown in Autumn for early use; when sown in Spring they should be used early in the Autumn.

s. d. s. d. I 0...2 6 Taplin's Banbury Improved. This is an exceedingly fine selection of Spanish Onion, remarkable for its great size and good keeping qualities

The Oporto Onion. This is the well-known Spanish Onion of the Grocer. The seed offired has been received from Oporto, and is the produce of very select bulbs. When well cultivated, it attains in this country as large a size as in Portugal, and from English grown specimens sent to us this Autumn, the roots have kept equally with those received by us from Portugal 1s. & 0... 2 6...

12, King Street, Covent Garden, 1879.]			
ONION—continued.	rpkt	, per o	z.
1. THE WHITE SPANISH ONION, ITS VARIETIES AND ALLIES.	s. d.	8.	d.
White Spanish of Bedfordshire		0	
Improved Reading the most generally cultivated and most approved cantello's Prize variety; when well grown they attain a large size		I	
Nuneham Park variety; when well grown they attain a large size and are mild and juicy, and when carefully har-		1	
Naseby Mammoth vested keep through the spring months.			
Danver's Yellow These somewhat resemble each other; the German attains the		I	
New German Yellow Glant larger size, but does not keep so long; both are valuable varieties.	1 0	2	0
2. THE BROWN SPANISH OR STRASBURG ONION, ITS VARIETIES AND ALLIES. These differ from the White Spanish mainly in the outer t	0 4	0	Q
Deptford These differ from the White Spanish mainly in the outer { Improved Brown Spanish coatbeing darker, they are mild in flavour and good keepers. }		Y	
Red Wethersfield, a large and handsome American variety		I	
Blood Red, the strongest flavoured and the longest keeping onion	0 4	0	9
3. THE GLOBE ONION AND ITS VARIETIES.		_	0
White Globe		o o 1	
Rrown Globe These differ from each other mainly in the selections and		0	
Brown Globe These differ from each other mainly in the selections and the care taken by the grower in maintaining their shape. James' Long Keeping. They are all excellent keepers, but the Magnum Bonum to the largest the largest and it the magnum grows are the largest and it the largest of many years.		0	
James' Long Keeping		0	
Magnum Bonum keeps the longest, and it shows evidences of many years' Pear-shaped very careful selection. 4. THE TRIPOLI ONION AND ITS VARIETIES.		x	
rear-snaped Jury targut section.	0 4		•
Tripoli Giant Rocca I Inese are the two nnest of the varieties soid under the	0 6	ı	6
of Genoa	0 4		3
F THE SH.VER SKINNED UNION AND ITS VARIETIES.			
White Tripoli or Marzajole		I	
Covent Garden Silver Skinned are harvested; and are the best for salads, and the small			6
New Queen, the smallest and quickest grower) roots the best for pickling			6
White Lisbon, extensively sown by the market gardeners in autumn for bunching in spring 6. SUNDRY VARIETIES OF ONIONS.	o 3	0	•
Welsh or Ciboule, this is a perennial Onion, and, like Chives, the top; or leaves are used	0 3	0	6
Tree Onion of Egypt, this species produces a multitude of small or air bulbs on the top of the	· 3		
even which are much prived for picking; our bulbs per 10°, 75 Od., per 002ch, 15, Od.			
forum, and the Welsh Perennial Onion, Alium fistulosum. On the top of the stems air bulbs are freely produced while the root is of perennial duration. The air bulbs make an excellent pickle, and the stems may be used instead			
of Chives, per dozen, 24, 04,			
Potato or Underground Onion, see page 66. OUR OWN SELECTION.			
12 ounces in 6 best varieties	5/6	5	
PARSNIP.	3/ -		
"The Student" a superior flavoured variety	0 4	0	8
Hollow Crown Improved the most useful for main crop	0 3	30	6
True Jersey Marrow, imported, a large valuable sort	0 3	}o }o.	6
Elcombe's Improved, a first-class variety of excellent flavour New Maltese (Carter), said to be an advance on "The Student"	0 4	0	
New Parsnip Chervil, much esteemed by some. Sow the seed in autumn	I)	
RAMPION.			
Rampion, the roots boiled tender are eaten hot with sauce, or cold with vinegar and pepper	0 6	52	0
SALSIFY.			
Salsify, or Vegetable Oyster, so called from its peculiar oyster-flavour; a salubrious esculent, boiled			
or stewed like parsnip; in preparing the root for cooking, it must not be scraped or bruised	0 4	μx	0
SCORZONERA.			
Scorzonera, one of the most wholesome and agreeable of vegetables; the roots should not be scraped,	_		_
but simply washed, boiled tender, then peeled, and served like asparagus	0 4	ļI	•
SKIRRET.	0 0		6
Skirret, the roots when boiled and served with butter, form an agreeable dish	per pt.	ner c	7
Early White Dutch, sweet and juicy when young, the best for first sowing	IC)0	4
American White Strap-leaf, crisp and sweet, of superior flavour, and rapid growth	I 9	00	4
Red Strap-leaf flavour superior, rapid growth and of tine quality	1 9	00	4
Covent Garden Snowball, a very early, small, compact variety of superior quality	1 9	00	4
Jersey Navet, an oblong white variety, very sweet, fine for late sowing	T 6	00	4
White Stone, a good early, globe-shaped turnip, suitable for late sowing	I	00	4
Red Top American Stone, or Mousetail, very sweet, early, and a good keeper	1 9		4
Orange Jelly a first-rate vellow turnip for autumn sowing	1 9	00	4
Swedish the best to cultivate for "Turnip-tops" in spring	• • • •	0	4
Yellow Malta, a handsome yellow variety, of excellent quality Polley's Early Nonsuch, syn. Fine Early Six- Weeks, a very superior white erisp variety		00	
Chirk Castle Black Stone, white flesh, black skin, good keeper	I 9	00	4
Silverhall (Cattell) flesh pure white, very early, and handsome form	***	0	6
Veltch's Red Clone described as superior to Red American Stone in flavour and shape		0	6
Cattell's Dwarf Purple Top New Green Top "Dry Flesh," this is a continental variety, recommended for its extremely firm	0 1	50	0
New Green Top "Dry Flesh, this is a continental variety, recommended for its extremely firm	2 .		
flock this about the size of the Farly Sir II only with a round meen ton		0	6
flesh: it is about the size of the Early Six-Weeks, with a round given top			6
flesh; it is about the size of the Early Six-Weeks, with a round given top		0	6
flesh; it is about the size of the Early Six-Weeks, with a round green top		0	6
flesh; it is about the size of the Early Six-Weeks, with a round green top Grey Luc "Dry Flesh," in the way of Jersey Navet, but smaller Montmagny Yellow, Red-Top, flesh pale yellow, solid and sweet, an excellent variety Extra esrly French, described as being sweet, and melting during the hottest weather. Teltow Early Yellow. this variety is much used on the Continent for seasoning, and for imparting	2 0	0	6 6
flesh; it is about the size of the Early Six-Weeks, with a round given top Grey Luc "Dry Flesh," in the way of Jersey Navet, but smaller Montmagny Yellow, Red-Top, flesh pale yellow, solid and sweet, an excellent variety Extra esrly French, described as being sweet, and melting during the hottest weather Teltow Early Yellow, this variety is much used on the Continent for seasoning, and for imparting a piquant flavour to ragout; the rind should not be peeled off	2 0	0	6
flesh; it is about the size of the Early Six-Weeks, with a round green top Grey Luc "Dry Flesh," in the way of Jersey Navet, but smaller Montmagny Yellow, Red-Top, flesh pale yellow, solid and sweet, an excellent variety Extra esrly French, described as being sweet, and melting during the hottest weather. Teltow Early Yellow. this variety is much used on the Continent for seasoning, and for imparting	2 0	0	6 6

Section IV.-EDIBLE FRUITED PLANTS.

CAPSICUM AND CHILI.

The Capsicum, when loaded with its beautiful polished fruit, is very decorative in November and December, while
the fruits of the yellow make a nice variety amongst dessert.
One packet each of ten varieties, 2s.

per pkt.—s. d. j per pkt.—	-3.	d.
Chili, small red fruited o 3 Monstrosum, large red fruit		
Cayenne, true East Indian 0 3 Purple	0	3
Cherry, small round scarlet fruit		3
Long Scarlet Fruit o 3 Sweet Spanish, for Salads	0	3 3 6
Long Yellow Fruit o 3 Mixed, from above	U	()
FRAME CUCUMBER.		
Tender and True, 20 to 30 inches long, very symmetrical, and of a beautiful green colour. Received a first-class certificate from the Royal Horticultural Society	2	6
Major Clark, a remarkably fine variety of Telegraph, with black spines, very handsome and prolific	2	6
Cuthbert's Perfection, 20 to 25 inches, deep green and of excellent flavour, equally suitable for summer		
or winter work, a cross between Cuthill's Black Spine and Needle Gun	I	6
Cuthbert's Favourite, a robust free-bearing variety, fruit straight, handsome, and produced at every joint,		
length 24 to 30 inches	I	0
a very small handle, very productive, 22 to 26 inches long	2	6
Carter's Model, a handsome variety, very productive, fine flavour, and a good summer and winter variety	2	6
Adderley's Telegraph, a handsome variety, about 20 inches long, very straight and without handle,		_
valuable for summer or winter	2	6
excellent flavour; good either for summer or winter work	2	6
Prolific Tender and True, a cross between Telegraph and Tender and True, very handsome, fine dark		
green colour, with very little handle, a free setter, and good for summer or winter cropping	2	6
The "Luton Hoo;" certificated in 1871 as a first-class early variety, of good quality and handsome	I	0
Daniel's Duke of Edinburgh, attains a length of 3 ft. to 3 ft.; when quite young, of excellent quality, 15. &	2	6
Monro's Duke of Edinburgh; this is the ideal of a table cucumber, 12 to 14 inches long, dark green colour, with small white spines, the fruit produced in clusters. First-class certificate	ı	6
Barr's International, white spine, the best and the most handsome eucumber for exhibition purposes,	^	U
being long and straight, carrying its blossom when the fruit is 30 inches long	2	6
Barr's Winter Prolific, unsurpassed for flavour, exceedingly productive and very handsome, with a fine		
hardy constitution, fruit olive green, 12 to 15 inches long	2	6
Blue Gown, a first-class variety, of fine form, and very superior quality	2 I	6
Cox's Volunteer, a fine form of Telegraph	X	6
Highgate Rival, 20 to 28 inches, remarkably handsome and exceedingly prolific	ĩ	0
Kelway's Black Knight, black spine, 30 inches, a handsome exhibition variety, with fine constitution	ı	6
Kirklees Hall Defiance, extremely prolific, and of fine quality, valuable for summer and winter use	I	0
Rabley Prolific, the most generally useful for summer and winter cropping, fruiting in clusters, and one of		
Rabley Prolific, the most generally useful for summer and winter cropping, fruiting in clusters, and one of the principal Covent Garden Market cucumbers Ston House Improved, a useful free-bearing, fine-quality variety, valuable for summer and winter work	I	0
RIDGE OR HARDY CUCUMBER.	^	•
	ı	0
Green Chinese, a fine hardy variety	0	6
Stockwood's Selected Long Ridge, a very productive, 12 to 18 inches long	0	6
Greelan Long Green, a most abundant cropper, 18 inches long		6
	0	3
American Tailby's Hybrid, very handsome	0	6
	0	6
Sooly Qua, the Chinese use this in their <i>Chow Chow</i> , it attains a length of 5 ft., and is a great curiosity	Ι	6
EGG PLANT (Aubergine).		
These are all highly ornamental, and equally adapted for the Conservatory and Flower Border. per pkt.—s. d. per pkt.—s. d. per pkt.—s. d. White Fruited		
per pkt,—s, d. per pkt,—s, d. per pkt,—s, d. per pkt,—s. d. Grant string fruited	5.	d.
Violet 0 2 Giant black furted 0 2 Mixed	0	3
MELON,		3
The Prince's Favourite scarlet fiesh, a fortnight earlier than Hero of Bath, when ripe a beautiful golden		
colour, and a great favourite at the Prince of Wales' table	1	6
Whiteknight's Favourite green flesh, very superior flavour	1	6
Lord Beaconsfield green fiesh, slightly netted; when ripe, of a beautiful yellow, and superb flavour	2	6
Bailey's Greenfiesh, "The Squire," a very superior new First Prize variety, above an average size, of delicious flavour, with a robust healthy constitution	2	6
Gilbert's Netted Victory, new white flesh, a free grower, capital setter, deep flesh, of excellent flavour	2	6
Dell's New Hybrid green flesh, first-class certificate, Fruit Committee, Royal Horticultural Society,		
1878	2	6
Carter's Blankney Hero green flesh, a splendid variety Cream Pinc (Carter), a very distinct scarlet flesh, deeply ribbed, flesh very solid and thick, particularly fine	2	6
flavoured and as hardy as I title Heath Melan; units a new type and can be highly recommended	2	6
flavoured, and as hardy as <i>Little Heath Melon</i> , quite a new type, and can be highly recommended Khiva , described as a thin-skinned green flesh, melting and juicy, very prolific, and growing freely in a	-	9
common frame	2	6
Duke of Edinburgh (new), large handsome scarlet flesh, a cross between <i>Orion</i> and <i>Scarlet Gem</i>	x	6
Hero of Bath (new), finely netted, and deliciously flavoured searlet flesh	I	9
Gilbert's green flesh. Flesh of great depth and fine texture, rind clear golden yellow, slightly netted	I	6
Read's scarlet fiesh, ried pale green, finely laced, fiesh bright scarlet, rich and melting	ĭ	6
Bloxholm Hall, described as a grand Melon, delicious in flavour, and juicy	2	6
The above Melons we have selected as the best new varieties, and can confidently recommend them.		_
Gilbert's Eurghley Park green flesh, a standard variety, flesh thick, rich and melting	2	6

Cox's Golden Gem, beautifully nettee Dr. Hcgg pale green flesh, very lus Golden Perfection green flesh, sulp Golden Queen green flesh, round, re King of Italy scarlet flesh, a fine of Meredith's Hybrid Cashmere green Queen Anne's Pocket Garnishing, a Queen Emma, syn. Prince of Wales Paterson's Superb, a highly perfum Royal Ascot, a superb scarlet flesh of Thomson's green flesh, a fine variety Turner's Scarlet Gem, scarlet flesh, Green Climbing Melon, for situation about the size of an ostrich egg, The following will be found	and of darge yellow fruit; flesh whitish gre- cious and with a rich aroma hur rind, beautifully netted, an excell egularly netted, thin-skinned, juicy, te variety from Naples, flesh firm, juicy, n flesh, an excellent sort a fine striped variety for ornamenting to the company of the company of the company to very handsome and fine-flavoured, noted searlet flesh variety yariety, large and very handsome yariety, large and very handsome y finely netted, an excellent small variety the striped variety of the sun, where it will the problem of the sun, where it will the problem of the sun of the company of the company of the company the fully described in former editions of o	and very delicious I O the dessert table I O nelting and juicy, with thin rind I O I O I O I O I O I O I O I O I O I O
Beechwood green flesh, Bousie's Incomparable, Brig o'Allen, Bromham Hall green flesh, Golden Drop, Denbies green flesh,	Duke of Cornwall. Gilbert's Ostrich Egg. Golden Ball. Lord Napier green flesh. Malvern Hall. Green Gem. Orion.	Pine Apple green flesh. Preston Hall. Trentham hybrid. Woodfield Gem Wortley's Incomparable Ward's scarlet flesh.
An old garden favourite; the fruit, ga	NASTURTIUM.	es an excellent pickleper pkt. o 6
Tark crimson	vhen quite young and pickled, form as per pkt. per oz. s. d. s. d. Mived	n excellent substitute for capers. per pkt. per oz. s. d. s. d. 0 3 0 6
TOMATO.	NEW VARIETIES, each 6d.	per packet.
Acme, one of the best. New Hundred Day. New Mammoth cluster.	Valentia red cluster. New White Apple. Blount's Champion.	The Conqueror, the earliest. Golden Trophy.
Large Red Italian, large fruit ,, Yellow, large fruit Greengage, beautiful citron colour, p Vick's Criterion, a large smooth ros Early Gem, very solid, an excellent of Tomato de Laye, or Tree Tomato; a Belle de Leuville, fruit very fleshy a Early Dwarf Red, very early, and p Hepper's Golfath, special certificate New Trophy. Produces fruit of a ve New dwarf broad leaved, very distit Hathaway's Excelsior, round, perfe Nain fructu panachee, a fine dwarf	produced in clusters; and of deheate y crimson variety, the fruit in cluster propper and early. First class certifican upright variety, with large red fruind succulent, shading from red to vicroducing large clusters of full-fleshed by Fruit Committee, 1870. First clasty large size, and considered a most net, beautiful red fruit	y be used for table decoration. 3d. & 0 6 3d. & 0 6 flavour
VEGETABLE I	MARROW, SQUASH, GOURD, VEGETABLE MARROW.	
they begin to yield great numbered to cook when the size of an early erop will find this by the seed Nos. 1, 2, and 3 which	6d. & r o Long Green, fin 3d. & o 6 Mixed, containin No sooner are the plants of this value bers of small elegant oval-formed fru	its, which are of excellent flavour and vegetable marrows under glass for the smallest fruits and have numbered g in length from g to 6 inches
No. 2, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	,, from fruit a little larger, 15. at ,, from still larger-sized fruit, 6d ,, mixture from the above, 15. p	nd 2s. 6d. per packet. . and 1s. per packet.
	"per pkt.—s, d. squash, Crookne rot keeper,	KIN. delicious in Soups; during winter, they ck early bush, resembling the quash, very curious I o Crookneck 0 6 nead 0 6 ma, a superior winter sort 0 6 crookneck 0 6 set extra fine 0 6 n Elector's Cap, yellow 0 6

FRUIT SEEDS.

FRUIT SEEDS.	
per pkts. d. STRAWBERRY.	per pkt,-s, d,
Alpine Red o 6 Comto de Paris o 6 Pr	nce Arthur o 6
,, White o 6 Elton Pine o 6 Pr	ncess Royal o 6
	ollope's Victory o 6 Hericaut de Thury o 6
	xed, large fruited sorts I o
RASPBERRY, Red, per pkt., 1s. CURRANT, per pkt., 1s. GO	SEBERRY, per pkt., 1s.
Section V.—SALAD PLANTS.	
BARBE DE CAPUCIN. A fine winter S	holo-
This is the most wholesome and aprecable of winter salads. Sow in May, and	' in autumn lift the
roots and store them in a dry cool situation. As required for succession	on, plant portions of perpkt. peroz.
them in boxes of soil in a dark warm cellar or mushroom-house. T	ncy soon produce long s. a. s. a.
WITLOEF, A NEW VEGETABLE.	•
Those who are fond of the salad known as Barbe de Capucin, will esteem the	Nitloof highly. The
seed is sown in June, and the roots as required are lifted from the end of They are then divested of their leaves to within two inches of the ground	t October to February. Solanted in a trench
and covered with 2 or 3 feet of stable litter. As the heat generates, the	root throws up from
the erown a pale green head, resembling a Paris Cos Lettuce, which is	s eaten as Salad, or
cooked and served as Scakale	0 01 0
DANDELION.	and substance salad The roots
The blanched leaves of this plant in Spring make a most delicately flavoured nay also be treated in the same way as recommended for Ba	rbe de Capucin.
Improved very earlypcr packet r o New French thick lea	vedper packet I o
CELERY.	
At the Chiswick Gardens of the Royal Horticultural Society, good ser	vice was done in 1874, by a very
earefully conducted trial of Celery, in which was elicited the important fa distinct typical Celeries do not exceed four in number, and that the multitude	of names are enner synonymes, or
echresent mercly trifling variations Celeriae or Turnib rooted Celery, is not	included in the above remark, its
cultivation, we regret to say, being very limited in this country. The examine grown at the trial, showed the importance of eareful selections; still it is noted	tion of the atherent stocks of Cerety
Celevies are only presentable at table in proportion to the care bestowed on their	cultivation; trenening the souland
heavily manuring are indispensable, and during dry weather abundance of w	ater should be given from time to
time, to keep the plants growing. The first four Celeries in our list are represen	
Covent Garden Dwarf White, close habit, very solid, crisp, juicy, and fine flat Covent Garden Dwarf Red, compact, hardy, crisp, and of a very superior nut	voured
Covent Garden Tall White , a first-class, large, solid crisp variety of excellen	t flavour
Covent Garden Tall Red, a first-class, large, solid variety, very hardy, crisp, Barr's Champion Solid White; this valuable variety is robust, very solid,	and nutty-flavour6d. & I o
longer than any other white celery	
Ramsey's Solid Red, a first-class solid variety, large, crisp, and of finc flavour	
", White, a first-class solid variety, large, crisp, and of excellent New Giant White, a very high-class, solid, fine-flavoured variety."	I O
Sandringham Dwarf White, crisp, and fine flavoured, grown for the Prince	of Wales' table I o
Dickson's Superlative Red, very solid, and of a rich nutty flavour	I O
Veitch's Silver White, very crisp and solid, remaining a long time in good c	ondition I o
The following well known varieties 6d. & 1s. per p	acket :-
Wright's Grove red and white. Williams' Matchless red. Seymour's Superb white. Carter's Incomparable crimson.	Turnip Rooted, Celeriac. Leicester red.
Wandless Invincible. Turner's Incomparable white.	Manchester Champion.
Cole's Defiance red and white. Soup Celery.	Ivery's Nonsuch.
The young leaves are much esteemed, they impart a warm aromatic flavour to	souts and stews, and are also in
demand for the piquanev they impart in mixed salads. Sow in succe	ssion from March to July.
Curledper oz. o 6 Sweet Scented	per pkt. 1 o
CORN SALAD, OR LAMBS' LETTU	CE.
Extensively cultivated for the markets of Covent Garden and Paris, fo variety in salads during the autumn, winter, and spri	ng months.
Large leaved	excellent varietyper oz. 1 o
	rge leaved variety ,, I o
Australian Salad, or Golden-Leaved, delicately tender, and with an agree	able bionant flavour.
For summer and autumn use sow in succession from March to Augu	st, watering freely in peroz. perpt.
dry weather, and thinning the plants out sufficiently. For winter use	sow in September and s. d. s. d.
October, thinning out 3 to 6 inches apart. In spring the leaves are success Broad-leaved Garden, larger leaved than "Plain Cress," and by some prefer	cd 0 3 6
	per oz, per pr. per qu
Plain leaved, sow at intervals of a few days all the year round	per oz. per pt.
Extra fine Curled, or Normandy; the flavour of this Cress is very agreeable three cuttings, and on the breakfast table it is always acceptable.	e for the first two or s. d. s. d.
three cuttings, and on the breakfast table it is always acceptable	
July and August, a constant supply may be had throughout the winter	and spring months o 6
Water-Cress, sow in prepared places in sluggish brooks, and moist situations.	per pkt, per oz 0 61 6
Water-Cress, true Erfurt Sweetest, a small delicate green variety, mor	e esteemed than the
ordinary sort, from its being less pungent and of a more agreeable flavor	our13. and 2 0

ENDIVE.			
This valuable plant should be grown by all who devote even a small portion of ground to salads.	Th	e Scar	ole
or Batavian Endive is described in "The Parks, Promenades, and Gardens of Faris," by Mr. W.	Rob	inson,	as
occupying a first position amongst French salads, the Paris markets being supplied abundantly with it	in	autuni	in,
winter, and spring, the growers tying it up to blanch five days before cutting.	er pl	kt. per e	oz.
Fraser's Improved Broad-Leaved, a very hardy superior variety of Batavian	0	4I	0.
Batavian Imperial Green, smooth broad leaves	0	40	0
Batavian Imperial White, large and very superior	0	4 T	0
Graen Curled Extra fine French, very superior variety	0	4I	0
New Moss Green Curied	0	4T	0
Digswell Prize, a very fine green eurled variety	I	0	
White Curled, very useful	0	4I	0
Batavian Improved Round-leaved, growth close and compact, and so full in the centre that nearly			
the entire plant is fit for table	0	61	6
New Intermediate Bourdeaux, a fine winter variety, intermediate between Batavian and Curled	0	4I	0

LETTHCE.

In our Experimental Grounds in 1871, we graw about 600 different samples of Lettuce; and those enumerated are a selection of the best, but any others offered in the trade can be supplied if required.

To have Lettuce of really fine quality, the ground should be trenched and thoroughly enriched with manure,

and during dry weather the plants should receive abundance of water.

COS LETTUCE.	ner r	kt. per e	7
Covent Garden Summer Giant White, a first-class variety, forming large close compact hearts, crisp	PCI }	d a	à
and fine-flavoured, and not soon running to seed	т.	0. 0.	6
Covent Garden Summer Giant Green, a first-class variety, large, crisp, and fine-flavoured, forming	-	0.,.2	•
close compact hearts, like Giant White Cos, and the best of its kind	_		c
Covent Garden Winter Brown, black-seeded, the hardiest and best of the Brown Cos varieties,	1	02	0
specially recommended for autumn sowing; it is crisp, rich, and nutty in flavour, and should			
be tied up for a few days before being cut. In families, where a dry, nutty-flavoured lettuce is			
Are formed this is the one groups throughout the near	_		_
preferred, this is the one grown throughout the year	I	02	0
Covent Garden Winter Giant White. This exceedingly fine variety possesses all the good qualities			
of the Summer Giant White, and with the hardiness of the Winter Brown Cos; it is, therefore,			
confidently recommended both for autumn and spring sowing	Ţ	02	6
Jefferles' Little Queen, described as forming a solid heart much earlier than any other Cos	I	0	
Walker's Covent Garden Sugarloaf, or self-folding Brown Cos, an excellent self-hearting lettuce,			
suitable for summer culture on good soils, but as a winter lettuce it excels. It is very hardy,			
and by far the best of the self-folding Black Seeded Brown Cos	I	02	6
Dimmick's Victoria, a large White Summer Cos of excellent quality	T	0	
Moor Park, syn. Prince of Wales and Bunney's Incomparable, a robust hardy White Cos, for	_		
summer or winter use, forming large, crisp, fine-flavoured hearts, and not soon running to seed	0	61	6
Parls White, a very superior fine hearting variety.	0	61	
Paris Green, a good variety for summer, but more valuable for autumn sowing	o	61	
Bath Cos, black-seeded, very fine, for autumn sowing.	0	01	0
Bath Cos, white seeded, very fine; this variety is self-folding	0	41	0
# Toltus Varta Maraîchèra " the function I attend in Emperature acquire	0	41	0
"Laltue Verte Maraîchère," the favourite Lettuee in France for autumn sowing	I	02	0
"Laitue Blanche Maraichere," the favourite Lettuee in France for spring and summer sowing	I	02	6
The following pravieties to to as he have an and to to her hardet.			

varieties is. to 2s. 6d. per oz.; 4d. to is. per packet:

Hick's Hardy White. Ivery's Nonsuch. Kingsholme.

Scott's Giant White. Sutton's Superb white. Squire's Wiltshire Cos. Alexandra White. Carter's Giant Brown Cos. Carter's White Cos.

OUR OWN SELECTION.

CABBAGE LETTUCE.

theratiy at heart, senter, sweet, activate, and soila	1	02	0
Covent Garden Winter White, larger and finer than "Hardy Hammersmith," turns in more freely,			
is equally hardy and most desirable	0	61	6
Covent Garden Summer White, a fine hearting variety, which does not soon run to seed	0	6I	6
All the Year Round, a very hardy compact summer or winter Lettuce, solid and crisp		6т	
Drumhead Selected, a fine erisp, light green crinkled summer Lettuce		4I	
Neapolitan, large and very fine dark green crinkled summer Lettuce		4I	
Bossin, the largest Lettuce cultivated; a monster variety of White Batavian		0	
Leyden White Dutch, a first-rate compact light green variety, literally all heart	0	4T	0
Leyden Green Dutch, resembles the above, except in colour, which is dark green	0	4 T	o.
Wheeler's Tom Thumb, this Long-stander miniature Lettuce has a nice white solid heart	Ô	6r	
New Gem is said to be exceedingly crisp, sweet, and a long stander	ī	0	
Brown Dutch White Seeded, a very fine variety, for summer and winter use		41	
Hardy Green Hammersmith, the hardiest for winter, but of no use for spring sowing		4I	
Nonsuch, for spring and autumn sowing, a favourite with the London market-gardeners		4I	
Stanstead Park Eclipse, one of the hardiest and best varieties for winter			
Stand Warming Poll a pick of the traduction of the traduction of the standard for the stand	0	61	
Stone Tennis Ball, a nice Lettuce, with a solid white heart, a trifle larger than "Tom Thumb"	0	4I	0
"Laitue Petit Noire," the Parisian "Cloche" Lettuce	I	02	6

The following varieties, 1s. to 2s. 6d. per oz.; 4d, to 1s. per packet:American Gathering. Lee's I

Perpignan. The Hanson. Malta or Ice Cos.

Lee's Hardy Green. Grand Admiral.

OUR OWN SELECTION.

6 packets in 6 best varieties of the above

5/6 [3 packets in 4 best varieties of the above 3/-

```
per oz. per pt, per qt.
 MUSTARD.
                                                           EADISH.
 Long Scarlet Superb Short Top (Beck's), a valuable long salmon variety for main crop ......
                                                                                                                     0 4...2
        White Besides being of excellent quality, these are much prized for their colours, con-
furple trasting as they do nicely with the scarlet varieties.
                                                                                                                     0 4...2 0
                                                                                                                     0 4... ...
                                                                                                                     0 6... ...
 " Mixed
Olive-shaped Scarlet.....)
                                                                                                                         4...2 0
6...3 0
                                                                                                                     0
                                               These are excellent for forcing and general crop, being fleshy, and not readily affected by dry weather; they should be sent to table when about the size of filberts. The "French Breakfast," scarlet tipped white, is the "Rose demi-long a bout blane" of Mr. Robinson, and
                                                                                                                     0
               6...3 0
        ..
                 let, white tipped .....
                                                                                                                         6...3 0
               French Breakfast, pur-
                 ple, white-tipped ...
                                                 is the breakfast radish at the hotels and clubs in Paris and
                 Mixed ...
                                                 London during the winter months. "The French Break-
                                                                                                                         6...3 0
                                              fast," purple-upped white, is the companion radish.

These stand dry hot weather better than most other (varieties, and are estcomed at all seasons. The Rose)
 Rose demi-long a bout blanc ......
                                                                                                                     0 6... ...
 Round or Turnip Red .....
                                                                                                                     0 4...2 0
                      4...2 0
    ,,
               21
                                                 variety so much esteemed by the French. The "Golden Yellow" is a new beautiful variety, specially recom-
                                                                                                                        o...
    ...
               1.2
                      Purple .....
                                                                                                                         6... ...
    ••
               ...
                      Mixed .....
                                                                                                                     0 4...2 0
 Rose rond a bout blanc .....
                                                 mended for summer sowing.
 Winter Black Spanish .....
                                                                                                                     0 6... ...
                                                                                                                     0 6... ...
         Scarlet China .....
                                              Much esteemed for winter salads; should be sown in July,
         0 6... ...
                                                and again in August, the first sowing lifted in November
                                                                                                                     0 6... ...
                                                or December, and stored in dry sand, like carrots, to be
                                                                                                                    I 0... ...
o 6... ...
                                                ready for use.
         Mixed .....
Californian Mammoth Radish, received a First-Class Certificate from the Fruit Committee in 1871, per pkt.

A valuable addition to winter salads; very juicy, with a pleasant, piquant, agreeable s. d. s. d. radish flavour; when mixed with salads it should be thinly sliced. Sow in July and August. O 4...O 9

RAPHANUS CAUDATUS. Indian rat-tailed Radish. Pods fantastically shaped, and rapidly attaining a length of 3 ft.; when quite young, Dr. Hooker says they form a delicate relish for lunch. Per packet, /6 and 1/.
                                                            RAPE.
When small salads are sent from the country, Rape is preferable to Mustard as it keeps longer in condition; hence the reason of its being cultivated for Covent Garden Market, where it is sold as Mustard. per oz. per qt.
For small Salads, sow every few days to maintain a succession
                                                                                                                ... 0 2...1 6
                                                          SORREL.
                                                                                                                  per pkt. per oz.
French broad leaved, for salads, on the continent it is extensively used instead of spinach ...... o 3...o 6
                        Section VI.—POT, SWEET, AND GARNISHING HERBS.
PARSLEY.
                                                                                                                per pkt, per oz.
Covent Garden Garnishing, a very beautifully curled variety 0 3...0 6 , , , Champion Moss Curled, the most beautifully curled of any 0 4...0 9
Dunnett's Garnishing, beautifully curled

Fern Leaved, the finely cut leaves of this variety makes it valuable alike for garnishing and flower garden decoration

Myatt's Extra Fine Curled, very fine

Hamburgh, or Turnip-rooted; the roots of this variety are used for flavouring soups

O 3... o 6

Myatt's Extra Fine Curled, very fine

GARMISTING UPPRS
                                                   GARNISHING HERBS.
                            ICE PLANT-BEET-BORECOLE-CRESS-CURLED MALLOW.
Cress, Triple Curled, used in small salads and for garnishing
                                                POT AND SWEET HERBS.
Curled Mallow, useful for garnishing dishes
             Basil, Bush-Basil, Sweet-Marjoram Sweet-Purslane-Savory, Summer.
Balm, for claret cup or balm wine ..... 0 4......
Burnet, used for salads and soups ...... 0 4...I 0
Horehound, a medicinal herb ...... 0 4... ...
Hyssop, an aromatic herb 0 4....

Lavender, an aromatic herb 0 4....
Borage, used for claret cup 03...0 6 Chicory, for salads 03...0 6
                                                                  Coriander, for garnishing ...... 0 3...0 6
Pot Marigold, the flowers are used in soups 0 4...1 0
Chicory, for salads...... 0 3...0 6 |
ANGELICA—ASPERULA—CARAW
                                                                   AY-CLARY-DILL-FENNEL.
                                                                  Clary, the leaves are used in soups ...... 0 4... 1 0
Dill, used in soups, sances, etc...... 0 4... 1 0
Fennel, for garnishing, and fish soups ... 0 4... 1 0
Angelica, stalks blanched, like celery, or
 in May gathered and candied with sugar
                                                0 3...0 6
Asperula odorata, for flavouring wines. I o... ... Caraway, seeds used in confectionary, &c. o 3... o 6
```

Section VII.—ROOTS, PLANTS, Etc. THE POTATO.

THE POTATO.
HIGH-CLASS NEW VARIETIES OF THE POTATO, Most of which have been awarded First-Class Certificates, and we recommend them with the utmost confidence of giving satisfaction. Besides the following, there is a host of New Potatoes; but they are either untried, or not equal in quality to those quoted by us: "They can, however, be supplied if required. Covent Garden Perfection, Mr. Shirley Hibberd says of this variety:—"It is distinct, of remarkably fine quality, and the very model of a potato for a gentleman's table"
McKinlay's Pride, a very handsome early white kidney, of first-rate quality, remarkable for its uniformity of medium sized potatoes, and possessing the rare merit of coming rapidly to maturity, a heavy cropper, and keeping in good condition till the following year's crop is readyper 1 lb. 2s., per 7 lbs. 12 0
than the Regent
ment on King of Potatoes, and I consider it a most valuable early sort"per lb. is., per peck to 6 Improved Ashtop Fluke, fine form, good cropper, excellent table qualities, and the finest of its class
Select Round Blue, in the way of the old Scotch Blue, but superior, skin dark violet, flesh snow-white, quality superb, a heavy cropper, and a grand sort
Grampian, this fine new potato is unequalted in beauty and quality. It is very productive, and a valuable addition to this important class of vegetables per lb. 9d., per peck 7 6 Porter's Excelsior, very handsome, of excellent quality, a great cropper and very early, equally valuable
for garden and field culture and a first-class exhibition variety
valuable variety. Mr. Barron describes it thus—" A great cropper, even sample of fair-sized tubers, quality all that can be desired, with a fine constitution"
Hero and Onwards, the earliest and handsomest of the Lapstone familyper lb. 9d., per peck 7 6 Fenn's Rector of Woodstock, tubers flattish round, and handsome, one of Mr. Fenn's famous varieties,
poury, and of more than usualty fine havour, second earlyper 10. 6d., per peck 5 6
Fenn's Early Market, large flattish round, of superb quality, dwarf haulmper lb. 9d., per peck 7. 6 Alpha, a high-class dwarf early American potato, adapted for garden or frame culture, flesh very white, dry, and firm, flavour excellent, a good acquisitionper peck 5s., per bush 16
Showhake, above an average size, half round, very even and regular, skin slightly rough; flesh white and floury, very handsome, and an immense cropper, second earlyper peck 3s. 6d., per bush. 12 o Brownell's Beauty (Vermont Beauty), light red and very large; flesh white, and of excellent anality, a very
heavy cropper, in the way of Red-skinned Flourball, but superiorper peck 3s. 6d., per bush. 12 o Ruby, a new first early red kidney, very handsome and of excellent qualityper peck 5s., per bush. 16 o Glmax (Bresce), flesh white, floury, and of exceedingly fine quality; having been in cultivation now several
years, its reputation is established as a high-class variety
ROUND POTATOES, of talks, bush
The following standard varieties are well known and highly esteemed:— s. d. s. d,
superior flavour, a heavy cropper, and uniform in size
Dalmahoy, a very excellent second early Regent 2 9 9 6 Paterson's Victoria, a very heavy cropper, and of excellent quality on light soil 3 0 10 6
YORK Negent, an excellent variety, and more universally cultivated than any other
Red Regent, an exceedingly heavy cropper, and of fine flavour 3 612 6 The Quoen, a selection from Paterson's Victoria, a first-class variety not liable to disease 3 612 0
The Marchioness of Lorne, a heavy cropper, a good cooker, and of excellent quality
Other varieties of round Potatoes can be supplied at the usual prices.
KIDNEY POTATOES. The following standard varieties are well known and highly esteemed:—
Early Ash-leaf, the best for forcing
" Albion Ash-leaf, the finest of the first early kidney potatoes in the London Market
", Gloucestershire Kidney
, River's Royal Ash leaf closely that it has been asserted that the best autho-
aumond's forkshire nero. Wr. Fenn says of this variety: "It is the best garden Potato in culti-
vation, and stands at the top ring of the ladder of the Lapstone section,"per lb., 6d. 5 018 0 Flat King, or Birmingham Prizetaker, second early, a very handsome first-class flat variety 3 612 0
webb's Imperial, or Daw's Matchless, very handsome, and a great cropper for light soils
Red Skinned Fluke, an immense cropper, flavour excellent, and fine constitution
AMERICAN POTATOES.
Bresec's Prolific
Hundredfold fluke
Chinese Yam, or Dioscorea Butatas, a fine esculent, when boiled or roasted the roots have a pleasant rice-
like taste; they should be grown on ridges, and as they are rapid and ornamental climbers they can be advantageously used for covering arbours and archesper doz. tubers 4 6
ARTICHOKES. Per peck per of 14 lbs. bush,
Jerusalem Artichokes, cooked and properly served up, an exceedingly nice vegetable

GRAYSON'S COVENT GARDEN GIANT ASPARAGUS. CULTURE, 6s. By post 6s. 6d.
RHUBARB ROOTS, Johnston's St. Martins. This is one of the finest of all the Rhubarbs; it is early, of fine flavour, and requires less sugar than the Victoria, each 1s., per dozen 10s. 6d. GRASSES, ETC. FOR LAWNS, CROQUET AND CRICKET GROUNDS, PUBLIC PARKS, PLEASURE GROUNDS, ETC. Thames Embankment Grasses. This special mixture has been very successful on the Thames Embankment and various public and private parks around London, and will be found well adapted for renovating or forming new pleasure grounds, Ornamental Pa.ks, People's Parks in large towns, and for enclosures such as Squares in and about London and other populous cities. Three to five bushels are recommended per acre; and for renovating, one to two bushels per acre. Per bushel, 18/; per lb., 15. Lawn Graes Mixture for Improving Old Lawns or Laying Down New Once, Croquet Grounds, and Bowling Greens, 1/- per lb.; 2/6 per gallon; 20/- per bushel. 3 to 5 bushels, or 60 lbs. to 100 lhs. per acre; 60 lbs. is the quantity usually sown, but if the ground is to be clothed quickly 100 lbs. is recommended. Extra fine Lawn Grass Mixture for Improving Old Lawns; or Laying Down New Ones, Croquet Grounds, and Bowling Greens, 1/6 per lb.; 3/6 per gallon; 21/ per bushcl. Dutch Clover, Finest White (as no Clever is included in our mixture of Grasses, those who prefer a little should order separately at the rate of 5lb. per acre), per lb., 1/6. Watson'e Weed-destroying Lawn-Sand, for killing daisies, dandelions, plantains, etc., on Lawns, Croquet Grounds, etc. The Lawn Sand is also a good fertilizer, quickly imparting to the Grass a rich emerald-green colour. The Weed-destroying Lawn-Sand is highly spoken of by those who have used it, and the best testimony we can offer of its appreciation is the increasing annual demand. Price in London, 2/6 and 5/6; per \(\frac{1}{4}\) cwt. 10/6; \(\frac{1}{2}\) cwt. 19/·; 1 cwt. 36/-. AGRICULTURAL SEEDS. Permanent Pasture Graeees in Mixture, expressly selected to suit the particular soils for which they are required—heavy, medium, or light soils, meadows, or pastures, per acre, 30/, and 35/, according to quality. The quantity we supply per acre is 2 bush. light and 12 lbs. heavy seeds. Present Prices of the following, which may vary as the season advances:—
TURNIP— White-fleshed Varieties (3 to 4 lbs. per acre). s. d.per lb. 1 o Red Tankard s. d. 1 0 Green Round Lincolnehire Red Globe ,, I o Early Six-weeke Stone or Stubble ,,,,,

Pomeranian White Globe ,,, I o Grey Stone, true ,,, I O 1 0 0 MANGOLD WURZEL (4 to 6 lbs. per acre).

Elvetham Long Red, sclected stock.....per lb. I o Globe Yellow, improved, selected stock per lb. Elvetham Long Yellow, " I o Improved Red Oval-shaped " Improved Orange Oval-shaped " Carter's Tankard, yellow flesh " Sutton Golden Tankard " " 1 Champion Orange Globe ,,per lb. 5 6

PARLEY.- Plain, for Sheep.....per lb. 1/6 AGRICULTURAL MUSTARD (3 gallons per acre), 3/6 per gallon.

BEET (6 lbs. per acre).—White Sileslan Sugar...per lb 1/6 | New Large Crimeonper lb. 2/6 SUNFLOWER.—Sow March, April, and May... 4/6 per lb., 6d. per oz.

FURZE (12 lbs. per acre).—Engliehper lb. 2/- | Frenchper lb. BROOM, 1/6 per lb. CHICORY (4 lbs. per acre), 3/- per lb. SAINFOIN (4 bushels per acre), market price. RAPE (6 to 8 bs. per acre), 8d. per lb. LUCERNE..... 16 lbs. per acre, per lb. 1/6 | BUCKWHEAT..... bushel per acre, market price.

KOHL RABI (3 lb. per acre, or if transplanted, 1 lb. per acre).

Large Purple, per lb., 3/6 Large Green, per lb., 3/6 | Imperial Green, very select stock, per lb. ... 4/6 PARSNIP (6 lbs. per acre, Large Cattle ...per lb. 1/6 | Large Jereey, imported, per lb. 4/6

FRENCH VARIETIES OF GLADIOLUS GANDAVENSIS.

The following list of Gladioli comprises the most desirable decorative varieties, and they are arranged in groups according to the prevailing colour, to assist purchasers in making their selections. In describing the CULTURE.—Trench the ground as deep as the soil will admit, intermingling as the work proceeds abundance of rotten manure, and plant the roots at a depth of 6 inches.

Time of Planting.—From the middle of April to the beginning of June we consider the best time to plant

TIME OF PLANTING.—From the middle of April to the beginning of June we consider the best time to plant and when one planting only is made, we should recommend early in May, but for successional plantings, commence middle of April, and continue fortnightly till the middle of June.

PLANTING TO ADVANTAGE.—Groups of three to a dozen roots, planted in the flower borders in distinct, or diversified colours, produce an exceedingly fine effect. The roots should be four inches from each other, and when the plants are sufficiently advanced place a stake in the centre of the group, and fasten the plants to it.

In the first Division we give the Crimsons, Scarlets, and deep shades of Red; in the second, the light Scarlets, the warm soft shades of Red, and the Roses shading to Salmon; in the third, the Purples and those which are mottled Purple; in the fourth, the Whites, and Blushes, and in the fifth, the Yellows.

For convenience the prices are quoted for one bulb, but if ordered by the dozen, those offered at 4d. each will be charged per dozen, 3/6; 6d., 5/6; 9d., 7/6; 1/0, 10/6, and so on.

GLADIOLUS ROOTS, VARIETIES OF GANDAVENSIS .- Our own Selections.

It is impossible to over-estimate the decorative value of these splendid varieties of Gladiolus. In groups in the flower garden, they are noble plants, to cut for furnishing vases the flowers are exceptionally fine, and last as long in water as on the plant, while the unopened blossoms expand, and the bright colours are softer and the whites are purer when opened indoors. The selections quoted, we strongly recommend to purchasers.

		••						L	s.	d.
3103	5 bt	ilbs eac.	h of 20 be	autitul	varieties	for grou	ups42/ to	3	3	0
3104	3	,,,	20	,,,	"	23				
3105		"	20	,,	11	,,	1c/6 to	0	15	0
3106	5	,,,	12	**	,,	,,,	30/ to	2	2	0
3107		,,,	12	,,	1)		15/ to	I	I	0
3108	50 in	50 sple	ndid varie	ties		•• •• • • • • •	30/, 42/, 63/ to	5	5	0
3109	25 ,,	25			** * * * * * * * * * * * * * * * * * * *		12/6, 21/, 30/ to	2	IO	0
3110	12 ,,	12					6/, 9/, 12/, 15/, 21/ to			
							-11 21311 -3171			-

Gladioli Roots, varieties of Gandavensis in Special Mixtures.

per 100, per doz.	per Ico. per doz.
3111 Fine mixed from Division 1 25/ 3/6	3116 Splendid mixed from Divisions 3 & 4 30/ 4/6
3112 Splendid mixed ,, ,, 30/ 4/6	3117 Fine mixed from the five Divisions . 25/ 3/6
3113 Fine mixed from Division 2 25/ 3/6	3118 Splendid mixed from the 5 Divisions 30/ 4/6
3114 Splendid mixed 4/6	3119 Fine mixed, all colours
3115 Fine mixed from Divisions 3 and 4 25/ 3/6	3119 Splendid mixed, all colours 30/ 4/6
3120 Unnamed Seedlings of the highest type from wh	

Howers large, the colours ranging from pure white to the richest purple ... per 100. 36s., per dozen 5 0 Division I .- CRIMSONS, SCARLETS, CERISE, AND THE DEEP SHADES OF RED

	each-	-5.	d.	each-s		d.
	Achille, rich, beautiful currant-red	0	IO	3131 Isis, rich vermilion-scarlet, white centre	0	8
3122	Alexandre, intense crimson-scarlet	I	0	0320 Yahm Wyahaman vi ii.	2	0
3123	Antonius, rich scarlet-cerise, white centre	0	4	OSON TO MIAION . T. C.T	I	
3124	Argus, soft-flamed scarlet, white centre		o	3134 Marechal Vaillant, bright scarlet, blotched	^	
	Brenchleyensis, rich vermilion-scarlet,			4.1. h 14.4	2	0
	per 100 10/6, per doz. 1/6	0	3	010E Michael 2011 1 7 %	0	
3126	Comte de Morny, bright red, shaded lake	0	6		0	
	Decaudolle, light cerise, blotched carmine	·			-	
	rosc	_		2120 Domising L.: 112	0	
0100			3	3133 Rolling, orilliant aure rea, write centre	0	4
	Galilée, rich currant-rcd	I	0		2	0
3129	Greuze, intense rich cerise, light centre	0	4	3140 Sir William Hooker, rose-cerise and white	0	9
3130	Horace, rich scarlet, white centre	0	6	2141 Vandrrals		6

Division II.—LIGHT SCARLETS, WARM AND SOFT SHADES OF RED, and ROSES SHADING TO SALMON.

each		d.	each-	·s.	d.
3142 Calypso, blush rose, flaked carmine	0	4	3153 Mdme. Furtado (Souchet), rose-pink,		
3143 Charles Dickens, rose, marbled white	0	6	blazed ruby, very pretty	0	6
3144 Condé, light orange-red, marked white	0	6	3154 Milton, rose-salmon, blazed white		3
3145 Felicien David, delicate rose-cerise		5	3155 Moliere (Souchet), ccrise-scarlet and white	Î	3
3146 James Watt, light vermilion and		3	3156 Ninon de l'Enclos, vermilion-rose	0	6
white	I	3	2787 Dilma 1 7 7 . 1.	ī	
3147 Lamarck, cerise, stained with pure	_	9	3158 Princess Clothilde, rose, flaked purple	÷	0
white	0	8	3159 Rol Leopold, blush rose, outside of flower		9
3148 La Quintinee, orange-salmon	ō	6	3 A	0	6
3149 Linnaus, orange cerise, blotched white		_			
		0	3160 Rosea perfecta, rose violet, veined white.	2	0
3150 Lacipede, rose, tinted cerise-violet	2	0	3161 Rubens, bright vermilion-scarlet	0	8
3151 Laura, rose and white	0	4	3162 Sir Joseph Paxton, delicate scarlet-rose	T	2
3152 Mdme. de Sevigny, rose, white centre		o	3163 Velleda, blush, mottled vermilion		3
The same of the sa		0	order torread, brasis, motted bermetton	T	0
Division III.—PUR	PL	ES.	AND PURPLE MOTTLES.		

				والتوانية			
	each-				each-	⊸s,	d.
3164 Agathe, blush rose, mottle				3174	Dr. Lindley, rich carmine-cerise	I	0
3165 Alcyon, white, flamed car		I	3	3175	Donna Maria, dark violet, feathered white	0	0
3166 Ambroise Verschaffelt,	rose - carmine,			3176	Edulia, rose-violet, and white	I	o
blotched rose	* * * * * * * * * * * * * * * * * * * *	3	6	3177	Elegans, rose-puce, prominent white centre	T	0
3167 Apollon, rose-lilac, with p		ō	6	3178	Eugene Scribe, tight rose-carmine	I	- 2
3168 Arsino, purple-rose, and	white	I	o '	3179	Hortense, rose, mottled rich lake	I	
3169 Athalia, violet flamed pur		2	0	3180	Imperatrice Eugenie, white, blazed rose	ī	
3170 Bernard de Jussieu, viole	t, tinted cherry	0	4		La Favourite, rose-lake, mottled rose	_	6
3171 Cherubini, white, blazed 1	burble		6		Le Dante, beautiful rose, stained white	ī	
3172 Cleopatra, rose-lake, mott	led lake	0		3183	Leonard de Vinci, cherry red, tinted orange		6
3173 Colbert, cerise, tinged ora			6		L'Ornement des Parterres, ruby-rose		0

GLADIOLUS -continued.

GEADION	
each—s. d.	each—s. d.
3185 Livingstone, purple-carmine, shading to	3192 Primatrice, rose, tinged lilac, blazed
violet 2 6	carmine, large flowers, long spike, new I 9
3186 Mdme. Adele Souchet, violet and white I O	3193 Racine, purple-cerise, shaded white I o
3187 Mdme. Vilmorin, silvery rose-lilac 1 6	3194 Rev. Berkeley, rose-lake, tinged violet I O
3188 Martha, carmine and white mottled I O	3195 Stuart Lowe, carmine-rose, mottled white o 6
3189 Mozart, rose-cerise, white centre 0 9	3196 Walter Scott, bright ruby, rose 0 9
3190 Pericles, rose purple and white 0 9	3196 Zenobia, rose, tinted violet, blazed carmine 0 6
3191 Picciola, rose-pink, flaked crimson-ruby 0 9	
	.—WHITES.
3197 Angèle, white, mottled rose-lake o 6	3206 La Fiancee, clear white, striped purple 2 0
3131 Aligere, where, morried reservance	3207 Lady Franklin, white, mottled cerise 2 0
DING Delle dublicite, where, shaden i eee tritter = 3	3208 Mdme. Leseble, white, blotched purple-rose I o
5199 Del tille Itaboul alli, white, motte car ment	3209 Marie, white, blotched carmine 0 6
3200 Gallova, white, motited rose-time	3210 Maria Dumortier, white and ruby-rose 0 . 6
3201 Octob, white, motited rose-parper	3211 Norma, white, blazed lilac I 9
3202 Coralie, white, tinted rose and yellow 1 3	3212 Prince Imperial, white, blotched ruby 0 4
3203 Didon, white, suffused lilac	3213 Reine Victoria, pure white edged rose 0 8
3004 IBAUCHO, White, brother the memorial	
3205 John Bull, white, mottled lilac 0 4	, 0224 223,234, 00000, 000 7700 000 7700
Division \	V.—YELLOW.
3215 Canary, canary, striped purple 0 6	3218 Nestor, light yellow, very large, new I o
3216 Citrinus, sulphur I O	3219 Ophir, yellow, purple mottled 0 6
3217 Lord Granville, canary, variegated lilac 0 6	3220 Sulphureus, sulphur, feathered ruby o 6
	IETIES OF RAMOSUS.
FOR DETAILED LIST,	SEE BULB CATALOGUE.
3221 Fine mixed Seedlings of Ramosus	
3222 Splendid mixed Seedlings of ditto	
3222 Opichaid mixed Decambes of alter	

LILIUM. (Lilies.)

Culture out of doors.-The Lily in its native habitat, is found growing amongst brushwood, long grass, on the margins of plantations, or in ravines, &c., and always where there is more or less shade, and in soil which is sweet and well drained; so that in choosing a situation for planting these, partial shade and perfect drainage should be attended to. The borders of Rhododendron and Azalea beds are found admirably suited for lily culture; they also do well amongst dwarf shrubs, or intermingled with herbaceous plants, and in the proximity of trees. We have seen Lilium auratum alternated with Roses, in the borders of Rhododendron beds, the stems of trees. We have seen Lilium auratum alternated with Roses, in the borders of Rhododendron beds, the stems of the lilies in some cases measuring 3 to 4 inches in circumference, and attaining a beight of 11 feet, surmounted with large heads of flowers, with from 50 to upwards of 100 blossoms. During the past summer we had Auratums blooming magnificently under the shade of, and in proximity to, an old mulberry and a walnuttrec, where the light green stems, the fresh coloured foliage, and the finely developed flowers of the Lily, indicated the most robust health. In preparing ground for Lilies, loosen the soil to a depth of several feet to secure the requisite drainage, intermixing fresh loam, peat, and coarse sand, or leaf soil instead of peat. Care should be taken that the soil is as free as possible from insect life, and the compost should be of such a character as not to cling to the bulb. Plant the bulbs at a depth of 6 inches, and if all things are equal they need not be disturbed for years. The bog or swamp-loving Lilies, Superbum, Canadense, and the varieties of Pardalinum do best in a moist peaty soil.

do best in a moist peaty soil.

Culture In-doors.—The Lily succeeds best in a compost of fibry loam and peat, with plenty of sand, or leaf soil and loam with sand; the top of the bulb should be covered at least one to two inches, and the pots plunged in the and loam with sand; the top of the bulb should be covered at least one to two inches, and the pots plunged in ashes in a cold frame; or the pots may be placed out of doors, and covered with asbes, as recommended in the culture of the Hyacinth, and there allowed to remain till the plants have speared through, or better still, let them remain till the flower buds are formed, then remove to the conservatory, corridor, or sitting-room. While the Lily is growing, a situation should be selected, or measures taken to prevent the sun's rays falling upon the surface soil. A vinery, or the north side of a hedge or wall, are suitable places. Lilies grown in pots, should have a watering of liquid manure twice a week, the drainage perfect and the soil kept sweet. Superbum Canadense, and varieties of Pardalinum, succeed best in sandy peat.

The Lily is a matchless plant for indoor decoration. All the varieties do well under glass. The magnificent Neilgherrense, so admirably figured in the coloured plate of The Gardeners' Chronicle, and Wallichianum are nursely greenhouse plants.

purely greenhouse plants.

We have arranged the Lilies in accordance with Mr. Baker's classification, which is a natural grouping based on the shape of the flower; these groupings with a few exceptions, represent also the order of flowering. If purchasers will therefore select from each group, they will secure both diversity of form and succession of bloom.

```
OUR OWN SELECTIONS OF LILIES FROM THE FOLLOWING FOUR GROUPS.
                    3223
   3224
   3225
   3226
   3227
   3228
   3229
                                                                                                                                                                                                             ......15s., 21s. to 42s.
                                                                                                  12 in 12
   3230
                                                                                                                          ISOLIRION GROUP.
                                                                                                                                                                                                                                                                                             s. d.
 BOLIKION GROUP.

3231 Bulbiferum, crimson shading to orange, and spotted, bulblets in the leaf-axils, 2 ft. ....per doz., 5/6

3232 "umbellatum, crimson-scarlet, shading to yellow, freely spotted, 2½ ft. ...., 7/6

3233 "nanum Louis Phillipe, rich crimson, shading to orange, mottled blood crimson, 1 ft.

3234 Croceum, light orange, freely spotted with black, 3 ft. ...per doz., 3/6

3235 "splendens, rich clear beautiful yellow, freely spotted, 2½ ft. ..., 5/6

3236 Davuricum (Spectabile of Sweet), red, shading to yellow, freely spotted, 2 ft. ...

3237 "Don Juan, salmon rose, shading to orange-scarlet, and spotted, 2½ ft. ...

3238 "Duke of Sutherland, orange-red, shading to bright yellow, 2 ft. ...

3239 "Duke of Wellington, crimson, shading to yellow, 2½ ft. ...

3240 "erectum, rich cerise-scarlet, shading to yellow, 2½ ft. ...

3241 "incomparabile, intense rich crimson, freely spotted, 2 ft. ..., 7/6
                                                                                                                                                                                                                                                                                                  6
                                                                                                                                                                                                                                                                                             0
                                                                                                                                                                                                                                                                                                     9
3232
                                                                                                                                                                                                                                                                                             0
```

	, ,	Covent Garden, 1879.] 69	
		LILIES—continued.	each. s. d.
3242	Dayurioum	multiflorum, scarlet, shading to orange, 2 ft per doz. 7/6	0 9
3243	,,	Sappho, scarlet, shading to orange, moderately spotted, 2 ft	0 9
3244	11	Rubens crimson shading to vellow freely shotted, 2 II	0 9
3245	31	fine mixed varietiesper 100, 40/, ,, 5/6	***
3246	Thilledelphie	fine mixed varietiesper 100, 40/, ,, 5/6 choice mixed varieties, 50/, , 7/6 cum, scarlet, shading to orange, conspicuously marked with large black spots, 1½ ft	2 6
3247	Philadelphic	Waushairicum, a new species resembling the type	3 6
2240	Puichellum	wich scarlet with black spots very rare T ft.	5 6
3250	Thunbergian	num alutaoeum, glowing apricot, freely spotted black, 1 ftper doz., 7/6	
3251	11	Prince of Orange, clear apricot orange, spotted black, I It	o 9 3 6
3252	11	armeniacum, soft rich glowing orange-red, 12 ftper doz., 10/6	IO
3253	12	atrosanguineum, rich blood-crimson, spotted black, 1½ ft. ,, 10/6 bicolor, apricot-orange, flamed scarlet and lilac, very beautiful, 1½ ft. ,, 15/6	7 6
3254	21	atrosanguineum, rich blood-crimson, spotted black, 14 11,, 10/0	1 0
3255	21	bicolor, apricot-orange, flamed scarlet and titac, very beautifut, 13 11. ,, 15/0	1 6 5 6
3256	23		5 6 2 6
3257	11	fulgens, rich crimson, stained tawny yellow, 1½ ftper doz., 10/6	
3258 3259	"	nunctatissinum, blood crimson, freely spotted black	16
3260	"	sanguineum, crimson, shaded tawny yellow, flowers large, 13 ftper doz., 10/6	I O
3261	"	splendens (new), rich apricot, spotted crimson, and flamed carmine, 2 ft 3/6 &	5 6
3262	"	Van Houttei blood crimson blotched gold, It ft.	5 6
3263	,,	Wilsoni, orange, yellow band, spotted crimson (new), 2½ it	7 6
3264	1)	fine mixed varieties	•••
3264	بر <u>ا</u>	choice mixed varieties, 70/-, ,, I2/-	*11
		EULIRION GROUP.	
	F1	unnel or trumpet shaped, and horizontal or slightly drooping. These are all fragrant,	
	Pioners J.	howering in July and August.	each.
DOCE	Condidum .	ner ron orl ner doz ol6	
3266			
3267	" "	flore purpureo-striato, white, tinged purple, 4 ft	0 9
3268		foliis aureo-maculatis, leaves gold-blotched.	1 0
3269	,,,	foliis aureo-maculatis, leaves gold-blotched, 10/6 ,, aureo-maculatis, selected, beautifully gold blotched leaves	3 6
3270	"	, aureo-marginatis, leaves elegantly gold-margined	5 6
3271	"	,, argentoo-marginatis, leaves elegantly margined silvery-white	5 6
3272	39.00	speciosum, small snow-white flowers, 4 ft. per doz., 5/6 giganteum, white, the most majestic of Lilies, 6 to 10 ft 3/6, 5/6, 7/6, 10/6 & 1	0 6
3273	Cordifolium	giganteum, white, the most majestic of Lilies, 6 to 10 it 3/6, 5/6, 7/6, 10/6 & 1	វេត្ត ០
3274	Japonicum !	Browni, white, exterior tinged brown, a magnificent species, 2 ft	9 0
3275		Krameri, delicate blush pink (new), 2 ft. 2/6, 3/6 & 2/6, 1/6 album, white (new), 2 ft. 2/6, 3/6 &	21 0
3276 3277			
0070	***	rubrum deed race-tink (new) 2 ft	O IS
3279	Longiflorum	the pure rubite 14 ft. per doz., 3/6	0 4
3279 3280	Longiflorum	a, pure white, 15 ft. per 100 21/, per doz., 3/6 eximium (Wilsoni), pure white. This plant is taller, and the flowers are longer than	0 4
3279 3280	Longiflorum	, rubrum, deep rose-pink (new), 2 ft. per 100 21/, per doz., 3/6 eximium (Wilsoni), pure white. This plant is taller, and the flowers are longer than in any other variety of Longiflorum, 2 ft. per doz. 15/-	0 4
3279 3280 3281	Longiflorum	Liu Kiu, our white 11 ft	IO
3281 3282	,,	rn any other variety of Longiforum, 2 ft	1 0
3281 3282	,, Neilgherren	Takesimæ (true), pure white, very large flowers, 2 ft. se. The flowers of this magnificent Lily are of great size, substance, and deliciously	IO
3281 3282	Neilgherren	Liu Kiu, pure white, 1½ ft. Takesimæ (true), pure white, very large flowers, 2 ft. se. The flowers of this magnificent Lily are of great size, substance, and deliciously they measure o to 12 inches in length, and are large in proportion, the prevailing	IO
3281 3282	Neilgherren fragrant;	Takesima (true), pure white, very large flowers, 2 ft. The flowers of this magnificent Lily are of great size, substance, and deliciously they measure 9 to 12 inches in length, and are large in proportion, the prevailing white tinged primrose. The plant is of a free robust growth, and admirably adapted	IO
3281 3282	Neilgherren fragrant; colour is v	Takesimæ (true), pure white, 1½ ft. Takesimæ (true), pure white, very large flowers, 2 ft. se. The flowers of this magnificent Lily are of great size, substance, and deliciously they measure 9 to 12 inches in length, and are large in proportion, the prevailing white, tinged primrose. The plant is of a free robust growth, and admirably adapted watery decoration. It comes from the Neilgherries at a high elevation, where it is	IO
3281 3282	Neilgherren fragrant; colour is v for conser found gro From the	In any other variety of Longitorum, 2 it	IO
3281 3282	Nellgherren fragrant; colour is v for conser found gro From the	Takesima (true), pure white, very large flowers, 2 ft. Takesima (true), pure white, very large flowers, 2 ft. Se. The flowers of this magnificent Lily are of great size, substance, and deliciously they measure 9 to 12 inches in length, and are large in proportion, the prevailing white, tinged primrose. The plant is of a free robust growth, and admirably adapted vatory decoration. It comes from the Neilgherries at a high elevation, where it is wing with from 5 to 7 flowers on a plant; it is the hardiest and best of the Indian lilies, consignment received in January, 1876, some flowered in pots as early as July, and others November From the general appearance of this Lily we felt confident it would be	IO
3281 3282	Neilgherren fragrant; colour is for conser found gro From the as late as	Takesima (true), pure white, very large flowers, 2 ft. Se. The flowers of this magnificent Lily are of great size, substance, and deliciously they measure 9 to 12 inches in length, and are large in proportion, the prevailing white, tinged primrose. The plant is of a free robust growth, and admirably adapted vatory decoration. It comes from the Neilgherries at a high elevation, where it is wing with from 5 to 7 flowers on a plant; it is the hardiest and best of the Indian lilies. consignment received in January, 1876, some flowered in pots as early as July, and others November. From the general appearance of this Lily we felt confident it would be foreland and planted some out as a trial test, and found that those planted exposed	IO
3281 3282	Neilgherren fragrant; colour is v for conser found gro From the as late as hardy in it	the Kiu, pure white, 1½ ft. Liu Kiu, pure white, 1½ ft. Takesimæ (true), pure white, very large flowers, 2 ft. se. The flowers of this magnificent Lily are of great size, substance, and deliciously they measure 9 to 12 inches in length, and are large in proportion, the prevailing white, tinged primrose. The plant is of a free robust growth, and admirably adapted vatory decoration. It comes from the Neilgherries at a high elevation, where it is wing with from 5 to 7 flowers on a plant; it is the hardiest and best of the Indian lilies. consignment received in January, 1876, some flowered in pots as early as July, and others November. From the general appearance of this Lily we felt confident it would be England, and planted some out as a trial test, and found that those planted exposed stangard wigorously for a time, and made good bulbs. Our stock of healthy bulbs is	IO
3281 3282	Neilgherren fragrant; colour is v for conser found gro From the as late as hardy in l	In any other variety of Longitorum, 2 it	IO
3281 3282	Neilgherren fragrant; colour is v for conser found gro From the as late as hardy in l to the full large, and	In any other variety of Longitorum, 2 it. Liu Kiu, pure white, 1½ it. Takesimæ (true), pure white, very large flowers, 2 it. se. The flowers of this magnificent Lily are of great size, substance, and deliciously they measure 9 to 12 inches in length, and are large in proportion, the prevailing white, tinged primrose. The plant is of a free robust growth, and admirably adapted vatory decoration. It comes from the Neilgherries at a high elevation, where it is wing with from 5 to 7 flowers on a plant; it is the hardiest and best of the Indian lilies, consignment received in January, 1876, some flowered in pots as early as July, and others November. From the general appearance of this Lily we felt confident it would be England, and planted some out as a trial test, and found that those planted exposed sun grew vigorously for a time, and made good bulbs. Our stock of healthy bulbs is a has been in our possession since January, 1876, and are quoted at very moderato residering the magniference and rative of the Lily. As a conservatory plant it cannot	1 0 1 6
3281 3282	Neilgherren fragrant; colour is v for conser found gro From the as late as hardy in l to the full large, and	In any other variety of Longitorum, 2 it. Liu Kiu, pure white, 1½ it. Takesimæ (true), pure white, very large flowers, 2 it. se. The flowers of this magnificent Lily are of great size, substance, and deliciously they measure 9 to 12 inches in length, and are large in proportion, the prevailing white, tinged primrose. The plant is of a free robust growth, and admirably adapted vatory decoration. It comes from the Neilgherries at a high elevation, where it is wing with from 5 to 7 flowers on a plant; it is the hardiest and best of the Indian lilies, consignment received in January, 1876, some flowered in pots as early as July, and others November. From the general appearance of this Lily we felt confident it would be England, and planted some out as a trial test, and found that those planted exposed sun grew vigorously for a time, and made good bulbs. Our stock of healthy bulbs is a has been in our possession since January, 1876, and are quoted at very moderato residering the magniference and rative of the Lily. As a conservatory plant it cannot	1 0 1 6
3281 3282	Neilgherren fragrant; colour is v for conser found gro From the as late as hardy in l to the full large, and	In any other variety of Longitorum, 2 it. Liu Kiu, pure white, 1½ it. Takesimæ (true), pure white, very large flowers, 2 it. se. The flowers of this magnificent Lily are of great size, substance, and deliciously they measure 9 to 12 inches in length, and are large in proportion, the prevailing white, tinged primrose. The plant is of a free robust growth, and admirably adapted vatory decoration. It comes from the Neilgherries at a high elevation, where it is wing with from 5 to 7 flowers on a plant; it is the hardiest and best of the Indian lilies, consignment received in January, 1876, some flowered in pots as early as July, and others November. From the general appearance of this Lily we felt confident it would be England, and planted some out as a trial test, and found that those planted exposed sun grew vigorously for a time, and made good bulbs. Our stock of healthy bulbs is a has been in our possession since January, 1876, and are quoted at very moderato residering the magniference and rative of the Lily. As a conservatory plant it cannot	1 0 1 6
3281 3282 3283 3283	Neilgherren fragrant; colour is v for conser found gro From the as late as hardy in l to the full large, and prices, co- be too stro Wallichianu	In any other variety of Longitorum, 2 it. Liu Kiu, pure white, 1\frac{1}{2} ft. Takesim\text{\$\infty\$} (true), pure white, very large flowers, 2 ft. se. The flowers of this magnificent Lily are of great size, substance, and deliciously they measure 9 to 12 inches in length, and are large in proportion, the prevailing white, tinged primrose. The plant is of a free robust growth, and admirably adapted vatory decoration. It comes from the Neilgherries at a high elevation, where it is wing with from 5 to 7 flowers on a plant; it is the hardiest and best of the Indian lilies. consignment received in January, 1876, some flowered in pots as early as July, and others November. From the general appearance of this Lily we felt confident it would be England, and planted some out as a trial test, and found that those planted exposed is un grew vigorously for a time, and made good bulbs. Our stock of lealthy bulbs is that been in our possession since January, 1876, and are quoted at very moderato insidering the magnificence and rarity of the Lily. As a conservatory plant it cannot only recommended	1 0 1 6 21 0 21 0 6
3281 3282 3283 3283 3284 3284	Neilgherren fragrant; colour is v for conser found gro From the as late as hardy in l to the full large, and prices, col be too stre Wallichianu extremely Washington	In any other variety of Longitorum, 2 it. Liu Kiu, pure white, 1\frac{1}{2} ft. Takesim\text{\$\infty\$} (true), pure white, very large flowers, 2 ft. se. The flowers of this magnificent Lily are of great size, substance, and deliciously they measure 9 to 12 inches in length, and are large in proportion, the prevailing white, tinged primrose. The plant is of a free robust growth, and admirably adapted vatory decoration. It comes from the Neilgherries at a high elevation, where it is wing with from 5 to 7 flowers on a plant; it is the hardiest and best of the Indian lilies. consignment received in January, 1876, some flowered in pots as early as July, and others November. From the general appearance of this Lily we felt confident it would be England, and planted some out as a trial test, and found that those planted exposed is un grew vigorously for a time, and made good bulbs. Our stock of lealthy bulbs is that been in our possession since January, 1876, and are quoted at very moderato insidering the magnificence and rarity of the Lily. As a conservatory plant it cannot only recommended	1 0 1 6 21 0 21 0 6
3281 3282 3283 3283	Neilgherren fragrant; colour is v for conser found gro From the as late as hardy in l to the full large, and prices, co- be too stro Wallichianu	the May other variety of Longiflorum, 2 it. Liu Kiu, pure white, 1½ it. Takesimæ (true), pure white, very large flowers, 2 ft. se. The flowers of this magnificent Lily are of great size, substance, and deliciously they measure 9 to 12 inches in length, and are large in proportion, the prevailing white, tinged primrose. The plant is of a free robust growth, and admirably adapted vatory decoration. It comes from the Neilgherries at a high elevation, where it is wing with from 5 to 7 flowers on a plant; it is the hardiest and best of the Indian lilies, consignment received in Jamuary, 1876, some flowered in pots as early as July, and others November. From the general appearance of this Lily we felt confident it would be England, and planted some out as a trial test, and found that those planted exposed sun grew vigorously for a time, and made good bulbs. Our stock of healthy bulbs is a has been in our possession since January, 1876, and are quoted at very moderato insidering the magnificence and rarity of the Lily. As a conservatory plant it cannot ongly recommended —each 3/6, 5/6, 7/6, 10/6, 15/- & 2 m, white; Mr. Baker designates this "The Prince of the Longiflorum Series," au handsome and very rare Antumn-flowering indoor Lily, 4 ft. 3/6, 5/6, 7/6, 10/6, 15/- & 2 m, white, shading to lilac, 3 ft	1 0 1 6 21 0 21 0 6
3281 3282 3283 3283 3284 3284	Neilgherren fragrant; colour is v for conser found gro From the as late as hardy in l to the full large, and prices, coo be too str Wallichianu extremely Washington	In any other variety of Longitorum, 2 it. Liu Kiu, pure white, 1\frac{1}{2} ft. Takesim\text{m} (true), pure white, very large flowers, 2 ft. se. The flowers of this magnificent Lily are of great size, substance, and deliciously they measure 9 to 12 inches in length, and are large in proportion, the prevailing white, tinged primrose. The plant is of a free robust growth, and admirably adapted vatory decoration. It comes from the Neilgherries at a high elevation, where it is wing with from 5 to 7 flowers on a plant; it is the hardiest and best of the Indian lilies. consignment received in January, 1876, some flowered in pots as early as July, and others November. From the general appearance of this Lily we felt confident it would be England, and planted some out as a trial test, and found that those planted exposed sun grew vigorously for a time, and made good bulbs. Our stock of healthy bulbs is thas been in our possession since January, 1876, and are quoted at very moderato insidering the magnificence and rarity of the Lily. As a conservatory plant it cannot congly recommended	21 0
3281 3282 3283 3283 3284 3284	Neilgherren fragrant; colour is v for conser found gro From the as late as hardy in l to the full large, and prices, coo be too str Wallichianu extremely Washington	In any other variety of Longitorum, 2 it. Liu Kiu, pure white, 1\frac{1}{2} it. Takesim\text{m} (true), pure white, very large flowers, 2 it. se. The flowers of this magnificent Lily are of great size, substance, and deliciously they measure 9 to 12 inches in length, and are large in proportion, the prevailing white, tinged primrose. The plant is of a free robust growth, and admirably adapted vatory decoration. It comes from the Neilgherries at a high elevation, where it is wing with from 5 to 7 flowers on a plant; it is the hardiest and best of the Indian lilies. Consignment received in January, 1876, some flowered in pots as early as July, and others November. From the general appearance of this Lily we felt confident it would be England, and planted some out as a trial test, and found that those planted exposed sun grew vigorously for a time, and made good bulbs. Our stock of lealthy bulbs is that been in our possession since January, 1876, and are quoted at very moderato insidering the magnificence and rarity of the Lily. As a conservatory plant it cannot mostly recommended	21 0 a1 0 6 15 0 each.
3281 3282 3283 3283 3284 3286	Neilgherren fragrant; colour is v for conser found gro From the as late as hardy in l to the full large, and prices, coo be too str Wallichianu extremely Washington	the Min, pure white, 1\frac{1}{2} ft. Takesim\tilde{m} (true), pure white, very large flowers, 2 ft. se. The flowers of this magnificent Lily are of great size, substance, and deliciously they measure 9 to 12 inches in length, and are large in proportion, the prevailing white, tinged primrose. The plant is of a free robust growth, and admirably adapted vatory decoration. It comes from the Neilgherries at a high elevation, where it is wing with from 5 to 7 flowers on a plant; it is the hardiest and best of the Indian lilies. consignment received in January, 1876, some flowered in pots as early as July, and others November. From the general appearance of this Lily we felt confident it would be England, and planted some out as a trial test, and found that those planted exposed is un grew vigorously for a time, and made good bulbs. Our stock of healthy bulbs is a lass been in our possession since January, 1876, and are quoted at very moderate insidering the magnificence and rarity of the Lily. As a conservatory plant it cannot onely recommendedeach 3/6, 7/6, 7/6, 10/6, 15/- & 2 m, white; Mr. Baker designates this "The Prince of the Longiflorum Series," au handsome and very rare Antumn-flowering indoor Lily, 4 ft. 3/6, 5/6, 7/6, 10/6, 15/- & 2 m, white, shading to lilac, 3 ft	21 0 21 0 21 0 31 0 415 0
3281 3282 3283 3284 3284 3285 3286	Neilgherren fragrant; colour is v for conser found gro From the as late as hardy in l to the full large, and prices, col be too str Wallichianu extremely Washington	In any other variety of Longitorum, 2 it. It Kiu, pure white, 1\frac{1}{2} it. Takesimæ (true), pure white, very large flowers, 2 ft. Se. The flowers of this magnificent Lily are of great size, substance, and deliciously they measure 9 to 12 inches in length, and are large in proportion, the prevailing white, tinged primrose. The plant is of a free robust growth, and admirably adapted vatory decoration. It comes from the Neilgherrics at a high elevation, where it is wing with from 5 to 7 flowers on a plant; it is the hardiest and best of the Indian lilies, consignment received in January, 1876, some flowered in pots as early as July, and others November. From the general appearance of this Lily we felt confident it would be England, and planted some out as a trial test, and found that those planted exposed sun grew vigorously for a time, and made good bulbs. Our stock of healthy bulbs is I has been in our possession since January, 1876, and are quoted at very moderato insidering the magnificence and rarity of the Lily. As a conservatory plant it cannot congly recommended —each 3/6, 5/6, 7/6, 10/6, 15/- & a mandsome and very rare Antumn-flowering indoor Lily, 4 ft. 3/6, 5/6, 7/6, 10/6, 15/- & a mandsome and very rare Antumn-flowering indoor Lily, 4 ft. 3/6, 5/6, 7/6, 10/6, 15/- & a purpureum, white, evenly spotted black, 3 ft	21 0 1 6 21 0 21 0 15 0
3281 3282 3283 3284 3284 3286 3286	Neilgherren fragrant; colour is v for conser found gro From the as late as hardy in l to the full large, and prices, col be too str Wallichianu extremely Washington Flowers with Albanum, II	In any other variety of Longiflorum, 2 it. Liu Kiu, pure white, 1\frac{1}{2} ft. Takesim\text{m} (true), pure white, very large flowers, 2 ft. se. The flowers of this magnificent Lily are of great size, substance, and deliciously they measure 9 to 12 inches in length, and are large in proportion, the prevailing white, tinged primrose. The plant is of a free robust growth, and admirably adapted vatory decoration. It comes from the Neilgherries at a high elevation, where it is wing with from 5 to 7 flowers on a plant; it is the hardiest and best of the Indian lilies, consignment received in January, 1876, some flowered in pots as early as July, and others November. From the general appearance of this Lily we felt confident it would be England, and planted some out as a trial test, and found that those planted exposed sun grew vigorously for a time, and made good bulbs. Our stock of healthy bulbs is I has been in our possession since January, 1876, and are quoted at very moderato noily recommended	21 0 21 0 21 0 6 15 0 6 6 5 2 0
3281 3282 3283 3283 3284 3286 3286 3287 3288 3288	Neilgherren fragrant; colour is v for conser found gro From the as late as hardy in l to the full large, and prices, con be too stre Wallichianu extremely Washington Flowers with Albanum, li Canadense,	In any other variety of Longiflorum, 2 it. It Kiu, pure white, 1\frac{1}{2} ft. Takesim\text{\$\text{m}\$} (true), pure white, very large flowers, 2 ft. se. The flowers of this magnificent Lily are of great size, substance, and deliciously they measure 9 to 12 inches in length, and are large in proportion, the prevailing white, tinged primrose. The plant is of a free robust growth, and admirably adapted vatory decoration. It comes from the Neilgherries at a high elevation, where it is wing with from 5 to 7 flowers on a plant; it is the hardiest and best of the Indian lilies, consignment received in Jamuary, 1876, some flowered in pots as early as July, and others November. From the general appearance of this Lily we felt confident it would be England, and planted some out as a trial test, and found that those planted exposed sun grew vigorously for a time, and made good bulbs. Our stock of healthy bulbs is a has been in our possession since January, 1876, and are quoted at very moderato insidering the magnificence and rarity of the Lily. As a conservatory plant it cannot ongly recommended —each 3/6, 5/6, 7/6, 10/6, 15/- & 2 m, white; Mr. Baker designates this "The Prince of the Longiflorum Series," au handsome and very rare Antumn-flowering indoor Lily, 4 ft. 3/6, 5/6, 7/6, 10/6, 15/- & 2 m, white, shading to lilac, 3 ft. MARTAGON GROUP. the divisions of the perianth rolled back like a Turk's cap, and one or other of the species enumerated are in flower from May till the end of August. sph yellow, sweet scented, introduced by Mr. Leichtlin, 1875 mixed, embracing various shades, a fine variety for Rhododendron bedsper doz. 18/- tellow, shading to orange-scarlet, freely spotted, 3 to 4 ft.	21 0 1 6 21 0 21 0 15 0
3281 3282 3283 3283 3284 3285 3286 3288 3289 3290	Neilgherren fragrant; colour is of for conser found gro From the as late as hardy in l to the full large, and prices, col be too str Wallichianu extremely Washington Flowers with Albanum, li Canadense, " " " " " " " " " " " " " " " " " " "	In any other variety of Longitorum, 2 it. Liu Kiu, pure white, 1\frac{1}{2} it. Takesim\text{m} (true), pure white, very large flowers, 2 it. Se. The flowers of this magnificent Lily are of great size, substance, and deliciously they measure 9 to 12 inches in length, and are large in proportion, the prevailing white, tinged primrose. The plant is of a free robust growth, and admirably adapted vatory decoration. It comes from the Neilgherries at a high elevation, where it is wing with from 5 to 7 flowers on a plant; it is the hardiest and best of the Indian lilies, consignment received in January, 1876, some flowered in pots as early as July, and others November. From the general appearance of this Lily we felt confident it would be England, and planted some out as a trial test, and found that those planted exposed sun grew vigorously for a time, and made good bulbs. Our stock of healthy bulbs is I has been in our possession since January, 1876, and are quoted at very moderato insidering the magnificence and rarity of the Lily. As a conservatory plant it cannot congly recommended	21 0 21 0 31 0 6 15 0 2 0 6 2 0 6 3 6
3281 3282 3283 3283 3284 3285 3286 3288 3289 3291	Neilgherren fragrant; colour is v for conser found gro From the as late as hardy in l to the full large, and prices, coo be too str Wallichianu extremely Washington Flowers with Albanum, li Canadense,	In any other variety of Longiflorum, 2 it. Liu Kiu, pure white, 1\frac{1}{2} ft. Takesim\text{m} (true), pure white, very large flowers, 2 ft. se. The flowers of this magnificent Lily are of great size, substance, and deliciously they measure 9 to 12 inches in length, and are large in proportion, the prevailing white, tinged primrose. The plant is of a free robust growth, and admirably adapted vatory decoration. It comes from the Neilgherries at a high elevation, where it is wing with from 5 to 7 flowers on a plant; it is the hardiest and best of the Indian lilies. consignment received in January, 1876, some flowered in pots as early as July, and others November. From the general appearance of this Lily we felt confident it would be England, and planted some out as a trial test, and found that those planted exposed, sun grew vigorously for a time, and made good bulbs. Our stock of lealthy bulbs is a has been in our possession since January, 1876, and are quoted at very moderato insidering the magnificence and rarity of the Lily. As a conservatory plant it cannot onely recommended	21 0 an 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
3281 3282 3283 3284 3286 3286 3288 3289 3290 3291 3292	Neilgherren fragrant; colour is v for conser found gro From the as late as hardy in l to the full large, and prices, con be too str Wallichianu extremely Washington Flowers with Albanum, li Canadense,	In any other variety of Longiflorum, 2 it. It is Kiu, pure white, 1\frac{1}{2} ft. Takesimæ (true), pure white, very large flowers, 2 ft. se. The flowers of this magnificent Lily are of great size, substance, and deliciously they measure 9 to 12 inches in length, and are large in proportion, the prevailing white, tinged primrose. The plant is of a free robust growth, and admirably adapted vatory decoration. It comes from the Neilgherries at a high elevation, where it is wing with from 5 to 7 flowers on a plant; it is the hardiest and best of the Indian lilies. consignment received in January, 1876, some flowered in pots as early as July, and others November. From the general appearance of this Lily we felt confident it would be England, and planted some out as a trial test, and found that those planted exposed sun grew vigorously for a time, and made good bulbs. Our stock of lealthy bulbs is a has been in our possession since January, 1876, and are quoted at very moderato insidering the magnificence and rarity of the Lily. As a conservatory plant it cannot insidering the magnificence and rarity of the Lily. As a conservatory plant it cannot insidering the magnificence and rarity of the Lily. As a conservatory plant it cannot insidering the magnificence and rarity of the Lily. As a conservatory plant it cannot insidering the magnificence and rarity of the Lily. As a conservatory plant it cannot insidering the magnificence and rarity of the Lily, Aft. 3/6, 5/6, 7/6, 10/6, 15/- & 2 m. white; Mr. Baker designates this "The Prince of the Longiflorum Series," au handsome and very rare Antumn-flowering indoor Lily, 4 ft. 3/6, 5/6, 7/6, 10/6, 15/- & 2 m. white; shading to lilac, 3 ft. MARTAGON GROUP. the divisions of the perianth rolled back like a Tink's cap, and one or other of the species enumerated are in flower from May till the end of August. ght yellow, sweet scented, introduced by Mr. Leichtlin, 1875 mixed, embracing various shades, a fine variety for Rhododendron bedsper doz. 18/- lavo-rubrum, yell	21 0 0 15 0 each. s. d. 5 2 2 6 6 6 6 3 6 6 3 6 6 3 6 6 3 6 6
3281 3282 3283 3284 3286 3286 3288 3289 3290 3291 3292	Neilgherren fragrant; colour is v for conser found gro From the as late as hardy in l to the full large, and prices, con be too str Wallichianu extremely Washington Flowers with Albanum, li Canadense,	In any other variety of Longiflorum, 2 it. It is Kiu, pure white, 1\frac{1}{2} ft. Takesimæ (true), pure white, very large flowers, 2 ft. se. The flowers of this magnificent Lily are of great size, substance, and deliciously they measure 9 to 12 inches in length, and are large in proportion, the prevailing white, tinged primrose. The plant is of a free robust growth, and admirably adapted vatory decoration. It comes from the Neilgherries at a high elevation, where it is wing with from 5 to 7 flowers on a plant; it is the hardiest and best of the Indian lilies. consignment received in January, 1876, some flowered in pots as early as July, and others November. From the general appearance of this Lily we felt confident it would be England, and planted some out as a trial test, and found that those planted exposed sun grew vigorously for a time, and made good bulbs. Our stock of lealthy bulbs is a has been in our possession since January, 1876, and are quoted at very moderato insidering the magnificence and rarity of the Lily. As a conservatory plant it cannot insidering the magnificence and rarity of the Lily. As a conservatory plant it cannot insidering the magnificence and rarity of the Lily. As a conservatory plant it cannot insidering the magnificence and rarity of the Lily. As a conservatory plant it cannot insidering the magnificence and rarity of the Lily. As a conservatory plant it cannot insidering the magnificence and rarity of the Lily, Aft. 3/6, 5/6, 7/6, 10/6, 15/- & 2 m. white; Mr. Baker designates this "The Prince of the Longiflorum Series," au handsome and very rare Antumn-flowering indoor Lily, 4 ft. 3/6, 5/6, 7/6, 10/6, 15/- & 2 m. white; shading to lilac, 3 ft. MARTAGON GROUP. the divisions of the perianth rolled back like a Tink's cap, and one or other of the species enumerated are in flower from May till the end of August. ght yellow, sweet scented, introduced by Mr. Leichtlin, 1875 mixed, embracing various shades, a fine variety for Rhododendron bedsper doz. 18/- lavo-rubrum, yell	21 0 21 0 0 15 0 0 15 0 0 2 2 6 6 6 3 1 6
3281 3282 3283 3284 3286 3286 3288 3289 3290 3291 3292	Neilgherren fragrant; colour is v for conser found gro From the as late as hardy in l to the full large, and prices, con be too str Wallichianu extremely Washington Flowers with Albanum, li Canadense,	In any other variety of Longiflorum, 2 it. It is Kiu, pure white, 1\frac{1}{2} ft. Takesimæ (true), pure white, very large flowers, 2 ft. se. The flowers of this magnificent Lily are of great size, substance, and deliciously they measure 9 to 12 inches in length, and are large in proportion, the prevailing white, tinged primrose. The plant is of a free robust growth, and admirably adapted vatory decoration. It comes from the Neilgherries at a high elevation, where it is wing with from 5 to 7 flowers on a plant; it is the hardiest and best of the Indian lilies. consignment received in January, 1876, some flowered in pots as early as July, and others November. From the general appearance of this Lily we felt confident it would be England, and planted some out as a trial test, and found that those planted exposed sun grew vigorously for a time, and made good bulbs. Our stock of lealthy bulbs is a has been in our possession since January, 1876, and are quoted at very moderato insidering the magnificence and rarity of the Lily. As a conservatory plant it cannot insidering the magnificence and rarity of the Lily. As a conservatory plant it cannot insidering the magnificence and rarity of the Lily. As a conservatory plant it cannot insidering the magnificence and rarity of the Lily. As a conservatory plant it cannot insidering the magnificence and rarity of the Lily. As a conservatory plant it cannot insidering the magnificence and rarity of the Lily, Aft. 3/6, 5/6, 7/6, 10/6, 15/- & 2 m. white; Mr. Baker designates this "The Prince of the Longiflorum Series," au handsome and very rare Antumn-flowering indoor Lily, 4 ft. 3/6, 5/6, 7/6, 10/6, 15/- & 2 m. white; shading to lilac, 3 ft. MARTAGON GROUP. the divisions of the perianth rolled back like a Tink's cap, and one or other of the species enumerated are in flower from May till the end of August. ght yellow, sweet scented, introduced by Mr. Leichtlin, 1875 mixed, embracing various shades, a fine variety for Rhododendron bedsper doz. 18/- lavo-rubrum, yell	21 0 cach. s. d. 52 0 6 6 6 6 6 6 1 0
3281 3282 3283 3283 3284 3286 3286 3288 3289 3291 3292 3293 3293 3294 3295	Neilgherren fragrant; colour is v for conser found gro From the as late as hardy in l to the full large, and prices, coo be too str Wallichianu extremely Washington Flowers with Albanum, li Canadense, """ Carniolicum Chalcedonicum Calumbianu	the May oner white, 1\frac{1}{2} ft. Takesim\(\otimes\) (true), pure white, very large flowers, 2 ft. se. The flowers of this magnificent Lily are of great size, substance, and deliciously they measure 9 to 12 inches in length, and are large in proportion, the prevailing white, tinged primrose. The plant is of a free robust growth, and admirably adapted vatory decoration. It comes from the Neilgherries at a high elevation, where it is wing with from 5 to 7 flowers on a plant; it is the hardiest and best of the Indian lilies. consignment received in January, 1876, some flowered in pots as early as July, and others November. From the general appearance of this Lily we felt confident it would be England, and planted some out as a trial test, and found that those planted exposed sun grew vigorously for a time, and made good bulbs. Our stock of healthy bulbs is a has been in our possession since January, 1876, and are quoted at very moderato insidering the magnificence and rarity of the Lily. As a conservatory plant it cannot make the magnificence and rarity of the Lily. As a conservatory plant it cannot make good make and very rare Antumn-flowering indoor Lily, 4 ft. 3/6, 5/6, 7/6, 10/6, 15/- & 2 m., white; Mr. Baker designates this "The Prince of the Longiflorum Series," aux handsome and very rare Antumn-flowering indoor Lily, 4 ft. 3/6, 5/6, 7/6, 10/6, 15/- & 2 m., white, shading to lilac, 3 ft. MARTAGON GROUP. the divisions of the perianth rolled back like a Tark's cap, and one or other of the species enumerated are in flower from May till the end of August. Ight yellow, sweet scented, introduced by Mr. Leichtlin, 1875 mixed, embracing various shades, a fine variety for Rhododendron beds per doz. 18/- tellow, shading to orange-scarlet, freely spotted, 3 to 4 ft. lavum, yellow, freely spotted crimson, 3 to 4 ft. lavum, yellow, freely spotted crimson, 3 to 4 ft. lavum, rich blood-crimson, 3 to 4 ft. lavum, rich slowed crimson, 3 to 4 ft. lavum, intense deep scarlet, 3 ft. yellow, a miniature form of H	21 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
3281 3282 3283 3283 3284 3286 3286 3288 3289 3291 3292 3293 3293 3294 3295	Neilgherren fragrant; colour is v for conser found gro From the as late as hardy in l to the full large, and prices, coo be too str Wallichianu extremely Washington Flowers with Albanum, li Canadense, """ Carniolicum Chalcedonicum Calumbianu	the May oner white, 1\frac{1}{2} ft. Takesim\(\otimes\) (true), pure white, very large flowers, 2 ft. se. The flowers of this magnificent Lily are of great size, substance, and deliciously they measure 9 to 12 inches in length, and are large in proportion, the prevailing white, tinged primrose. The plant is of a free robust growth, and admirably adapted vatory decoration. It comes from the Neilgherries at a high elevation, where it is wing with from 5 to 7 flowers on a plant; it is the hardiest and best of the Indian lilies. consignment received in January, 1876, some flowered in pots as early as July, and others November. From the general appearance of this Lily we felt confident it would be England, and planted some out as a trial test, and found that those planted exposed sun grew vigorously for a time, and made good bulbs. Our stock of healthy bulbs is a has been in our possession since January, 1876, and are quoted at very moderato insidering the magnificence and rarity of the Lily. As a conservatory plant it cannot make the magnificence and rarity of the Lily. As a conservatory plant it cannot make good make and very rare Antumn-flowering indoor Lily, 4 ft. 3/6, 5/6, 7/6, 10/6, 15/- & 2 m., white; Mr. Baker designates this "The Prince of the Longiflorum Series," aux handsome and very rare Antumn-flowering indoor Lily, 4 ft. 3/6, 5/6, 7/6, 10/6, 15/- & 2 m., white, shading to lilac, 3 ft. MARTAGON GROUP. the divisions of the perianth rolled back like a Tark's cap, and one or other of the species enumerated are in flower from May till the end of August. Ight yellow, sweet scented, introduced by Mr. Leichtlin, 1875 mixed, embracing various shades, a fine variety for Rhododendron beds per doz. 18/- tellow, shading to orange-scarlet, freely spotted, 3 to 4 ft. lavum, yellow, freely spotted crimson, 3 to 4 ft. lavum, yellow, freely spotted crimson, 3 to 4 ft. lavum, rich blood-crimson, 3 to 4 ft. lavum, rich slowed crimson, 3 to 4 ft. lavum, intense deep scarlet, 3 ft. yellow, a miniature form of H	21 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
3281 3282 3283 3283 3284 3286 3286 3288 3289 3291 3292 3293 3293 3294 3295	Neilgherren fragrant; colour is v for conser found gro From the as late as hardy in l to the full large, and prices, coo be too str Wallichianu extremely Washington Flowers with Albanum, li Canadense, """ Carniolicum Chalcedonicum Calumbianu	In any other variety of Longitorum, 2 it. Liu Kiu, pure white, 1\frac{1}{2} ft. Takesimæ (true), pure white, very large flowers, 2 ft. se. The flowers of this magnificent Lily are of great size, substance, and deliciously they measure 9 to 12 inches in length, and are large in proportion, the prevailing white, tinged primrose. The plant is of a free robust growth, and admirably adapted vatory decoration. It comes from the Neilgherries at a high elevation, where it is wing with from 5 to 7 flowers on a plant; it is the hardiest and best of the Indian lilies. consignment received in January, 1876, some flowered in pots as early as July, and others November. From the general appearance of this Lily we felt confident it would be England, and planted some out as a trial test, and found that those planted exposed sun grew vigorously for a time, and made good bulbs. Our stock of lealthy bulbs is that been in our possession since January, 1876, and are quoted at very moderato insidering the magnificence and rarity of the Lily. As a conservatory plant it cannot pagly recommended	21 0 an 6 o cach. s. d. 5 5 0 2 2 6 6 6 6 3 1 6 0 7 6 0
3281 3282 3283 3283 3284 3286 3286 3289 3290 3291 3292 3293 3294 3295 3296 3297 3298	Neilgherren fragrant; colour is v for conser found gro From the as late as hardy in l to the full large, and prices, coo be too str Wallichianu extremely Washington Flowers with Albanum, li Canadense, "" Carniolicum Chalcedonic Columbianu Hansoni, bri Humboldti (In any other variety of Longitorum, 2 it. Liu Kiu, pure white, 1\frac{1}{2} ft. Takesimæ (true), pure white, very large flowers, 2 ft. se. The flowers of this magnificent Lily are of great size, substance, and deliciously they measure 9 to 12 inches in length, and are large in proportion, the prevailing white, tinged primrose. The plant is of a free robust growth, and admirably adapted vatory decoration. It comes from the Neilgherries at a high elevation, where it is wing with from 5 to 7 flowers on a plant; it is the hardiest and best of the Indian lilies, consignment received in January, 1876, some flowered in pots as early as July, and others November. From the general appearance of this Lily we felt confident it would be England, and planted some out as a trial test, and found that those planted exposed sun grew vigorously for a time, and made good bulbs. Our stock of healthy bulbs is I has been in our possession since January, 1876, and are quoted at very moderato insidering the magnificence and rarity of the Lily. As a conservatory plant it cannot congly recommended	each. s. d. 52 0 2 2 6 6 6 3 3 6 6 1 7 6 0 6 6
3281 3282 3283 3283 3284 3286 3286 3288 3289 3291 3292 3293 3293 3294 3295	Neilgherren fragrant; colour is of for conser found gro From the as late as hardy in l to the full large, and prices, col be too str Wallichianu extremely Washington ** Flowers with Albanum, li Canadense, i Carniolicum Chalcedonict Columbianu Hansoni, bri Humboldti (the Mill, pure white, 1½ ft. Takesimæ (true), pure white, very large flowers, 2 ft. Takesimæ (true), pure white, very large flowers, 2 ft. Se. The flowers of this magnificent Lily are of great size, substance, and deliciously they measure 9 to 12 inches in length, and are large in proportion, the prevailing white, tinged primrose. The plant is of a free robust growth, and admirably adapted vatory decoration. It comes from the Neilgherrics at a ligh elevation, where it is wing with from 5 to 7 flowers on a plant; it is the hardiest and best of the Indian lilies, consignment received in January, 1876, some flowered in pots as early as July, and others November. From the general appearance of this Lily we felt confident it would be England, and planted some out as a trial test, and found that those planted exposed sun grew vigorously for a time, and made good bulbs. Our stock of healthy bulbs is that been in our possession since January, 1876, and are quoted at very moderato noildering the magnificence and rarity of the Lily. As a conservatory plant it cannot possibly recommended each each 3/6, 5/6, 7/6, 10/6, 15/-& 2 m, white; Mr. Baker designates this "The Prince of the Longiflow an Series," an handsome and very rare Antumn-flowering indoor Lily, 4 ft. 3/6, 5/6, 7/6, 10/6, 15/-& 2 m, white, shading to lilac, 3 ft. MARTAGON GROUP. the divisions of the perianth rolled back like a Turk's cap, and one or other of the species enumerated are in flower from May till the end of August. [ght yellow, sweet scented, introduced by Mr. Leichtlin, 1875] mixed, embracing various shades, a fine variety for Rhododendron bedsper doz. 18/- wellow, shading to orange-scarlet, 3 ft. "The purpure of the perianth corange, freely spotted, 3 to 4 ft. [avo-rubrum, yellow, shading to orange, freely spotted, 3 to 4 ft. [avo-rubrum, yellow, shading to orange, freely spotted, 3 to 4 ft. [avo-rubrum, yellow, shading to orange, freely spotted, 3 to 4 ft. [avo-rubrum, pellow, freely spotted crimson, very rare [avo-rubrum, spot	each. s. d. 52 0 2 2 6 6 6 3 3 6 6 1 7 6 0 6 6
3281 3282 3283 3283 3284 3285 3286 3287 3292 3293 3294 3295 3296 3297 3298	Neilgherren fragrant; colour is v for conser found gro From the as late as hardy in l to the full large, and prices, coo be too str Wallichianu extremely Washington Flowers with Albanum, li Canadense, " " Carniolicum Chalcedonic Columbianu Hansoni, bri Humboldti (the whole of this magnificent Lily are of great size, substance, and deliciously they measure 9 to 12 inches in length, and are large in proportion, the prevailing white, tinged primrose. The plant is of a free robust growth, and admirably adapted vatory decoration. It comes from the Neilgherrics at a high elevation, where it is wing with from 5 to 7 flowers on a plant; it is the hardiest and best of the Indian lilies, consignment received in January, 1876, some flowered in pots as early as July, and others November. From the general appearance of this Lily we felt confident it would be England, and planted some out as a trial test, and found that those planted exposed is un grew vigorously for a time, and made good bulbs. Our stock of healthy bulbs is a has been in our possession since January, 1876, and are quoted at very moderate insidering the magnificence and rarity of the Lily. As a conservatory plant it cannot congly recommended the magnificence and rarity of the Lily. As a conservatory plant it cannot congly recommended the signates this "The Prince of the Longistoum Series," as tanum, white, Mr. Baker designates this "The Prince of the Longistoum Series," as tanum, white, shading to lilac, 3 ft	each. s. d. 52 0 2 2 6 6 6 3 3 6 6 1 7 6 0 6 6
3281 3282 3283 3283 3284 3286 3286 3289 3290 3291 3292 3293 3294 3295 3296 3297 3298	Neilgherren fragrant; colour is v for conser found gro From the as late as hardy in l to the full large, and prices, coo be too str Wallichianu extremely Washington Flowers with Albanum, li Canadense, " " Carniolicum Chalcedonic Columbianu Hansoni, bri Humboldti (the whole of the periant of Longitorum, 2 ft. Takesimæ (true), pure white, very large flowers, 2 ft. Takesimæ (true), pure white, very large flowers, 2 ft. se. The flowers of this magnificent Lily are of great size, substance, and deliciously they measure 9 to 12 inches in length, and are large in proportion, the prevailing white, tinged primrose. The plant is of a free robust growth, and admirably adapted vatory decoration. It comes from the Neilgherries at a high elevation, where it is wing with from 5 to 7 flowers on a plant; it is the hardiest and best of the Indian lilies, consignment received in January, 1876, some flowered in pots as early as July, and others November. From the general appearance of this Lily we felt confident it would be England, and planted some out as a trial test, and found that those planted exposed sun grew vigorously for a time, and made good bulbs. Our stock of healthy bulbs is a has been in our possession since January, 1876, and are quoted at very moderato neight recommended	21 0 0 15 0 cach. s. d. 5 2 2 6 6 6 6 6 6 6 6 6 6

each, s, d.

3302	Martagon Dalmaticum, rich glossy crimson-purple, a magnificent species, 4 ft	5 6
3303 3304	,, flore pleno, purpte, very double, 4 ft	2 6
	species from the Caucasus, 3 ft	2 6
	Pardalinum, scarlet, shading to rich yellow, freely spotted purple-brown, 5 to 6 ft	5 6
3306	,, var. Bourgæl, rich crimson-scarlet, shading to yellow, spotted crimson-brown; the foliage narrow, the whorls regular, and the flowers larger than any of this	
		5 6
3307	var. Californicum (true), intense crimson-scarlet, shading to yellow, spotted erimson-	
3308	brown, very scarce, 4 to 5 ft	5 6
3309		5 6
	in the flowers being smalter, and not so deeply cotoured, 6 to 7 ft	5 6
3310		
	and the plant altogether of a more massive character than any of the Parda- linum section, 6 to 7 ft	5 6
3311		3 6
3312	Parvum, luteum, yeltow, generally spotted, flowers small, a miniature gem, 2 ft	5 6
3313	Proposition, Fright red, a fine species with elegant foliage, 2 ftper_doz. 15/	16
3314	Pyrenatcum flavum, yellow, spotted black, 3 ft. , 7/6 , rubrum, orange-red, 3 ft. , 10/6	0 9
3316	5 ,, rubrum, orange-red, 3 ft	I o
3317	pyramidale, differing from No. 3316 in the flower spike being more pyramidal, 4 to 7 ft.	r 6
3318	3 Tenuifolium, rich scartet, a beautiful miniature species, very rare, 1\frac{1}{2} ft	5 6
9310	Barestaceum, syn.excelsum, delicate apricot, delightfully fragrant, 4 ft.; per doz. 10/6& 15/6; each 1/ &	1 6.
	ARCHELIRION GROUP. Flowers reflexed, horizontal or slightly drooping; flowering from July to September.	
THE	AURATUM. White, with a central gold band in each petal. The variation in this Lily is endless.	Some
	have small, others medium, and some again have enormous flowers. The gold band in some is faint, in	others
	very conspicuous. In some the spots on the white ground are very profuse, in others they are compara	
	few. Some of the varieties have large spots, and others have the spots small; Virginale has pale primrose It is noteworthy that some of the varieties of this Lily bloom in July, others in August, and some in	spots.
	tember.	each.
		s. d.
3319	Auratum, Ex. 3 ft	1 6
3321		2 6
3322	Ex., Ex., Ex., Ex. 3 ft) spotted have got the largest number of Ex.'s.	5 6
3323	Beautiful varieties imported, for beds, borders, or pot culture per doz., 9/-, 12/-,	
	18/-, 21/-, & 30/-; cach 1/-, 1/6, 2/6, &	3 6
	SPECIOSUM (or more usually though erroneously called Lancifolium) naturally divides itself into two di	3667666
	ions, which are distinguishable by the coloration of the stem.	
30000	ions, which are distinguishable by the cotoration of the stem. 1. Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the fo	
	x. Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the stement deepening pro ratio with the colour of the stem. Rubrum verum has a purplish black stem.	oliage
	1. Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the federening pro ratio with the colour of the stem. Rubrum verum has a purplish black stem. 2. Roseum is characterised by the stem being brownish, ranging to light green, and the shade of the federal colours.	oliage
	x. Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the stement deepening pro ratio with the colour of the stem. Rubrum verum has a purplish black stem.	oliage Oliage
	 Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the fordeepening pro ratio with the colour of the stem. Rubrum verum has a purplish black stem. Roseum is characterised by the stem being brownish, ranging to light green, and the shade of the fipro ratio with the green of the stem. Roseum verum has a pale green stem. SECTION I.—SPECIOSUM RUBRUM AND ITS VARIETIES. 	oliage
3324	 Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the fordeepening pro ratio with the colour of the stem. Rubrum verum has a purplish black stem. Roseum is characterised by the stem being brownish, ranging to light green, and the shade of the fipro ratio with the green of the stem. Roseum verum has a pale green stem. SECTION I.—SPECIOSUM RUBRUM AND ITS VARIETIES. Speciosum album, bure white, 2 ft	coliage cach s. d.
3324 3325	1. Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the fordeepening pro ratio with the colour of the stem. Rubrum verum has a purplish black stem. 2. Roseum is characterised by the stem being brownish, ranging to light green, and the shade of the fupro ratio with the green of the stem. Roseum verum has a pale green stem. SECTION I.—SPECIOSUM RUBRUM AND ITS VARIETIES. Speciosum album, pure white, 3 ft	coliage cach s. d. 2 0 2 6
3324	1. Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the stem deepening pro ratio with the colour of the stem. Rubrum verum has a purplish black stem. 2. Roseum is characterised by the stem being brownish, ranging to light green, and the shade of the stem is characterised by the stem. Roseum verum has a pale green stem. SECTION I.—SPECIOSUM RUBRUM AND ITS VARIETIES. Spectosum album, pure white, 3 st	coliage cach s. d.
3324 3325 3326 3327	1. Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the stem deepening pro ratio with the colour of the stem. Rubrum verum has a purplish black stem. 2. Roseum is characterised by the stem being brownish, ranging to light green, and the shade of the stem being brownish, ranging to light green, and the shade of the stem pro ratio with the green of the stem. Roseum verum has a pale green stem. SECTION I.—SPECIOSUM RUBRUM AND ITS VARIETIES. Speciosum album, pure white, 3 st. per doz., 15/ & 18/; 1/6 & green album, pure white, very storiferous, 3 st. per doz., 15/ & 18/; 1/6 & green album, white, suffused and spotted erimson, 3 st. per doz., 7/6 green green and spotted erimson, having a clearly defined white edge to the segments of the perianths, 3 st	coliage cach s. d. 2 0 2 6 0 9 1 6
3324 3325 3326 3327	1. Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the stem deepening pro ratio with the colour of the stem. Rubrum verum has a purplish black stem. 2. Roseum is characterised by the stem being brownish, ranging to light green, and the shade of the stem is characterised by the stem being brownish, ranging to light green, and the shade of the step pro ratio with the green of the stem. Roseum verum has a pale green stem. SECTION I.—SPECIOSUM RUBRUM AND ITS VARIETIES. Speciosum album, pure white, 3 st	coliage cach s. d. 2 0 2 6 0 9 1 6 2 6
3324 3325 3326 3327 3328 3329	1. Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the stem deepening pro ratio with the colour of the stem. Rubrum verum has a purplish black stem. 2. Roseum is characterised by the stem being brownish, ranging to light green, and the shade of the stem pro ratio with the green of the stem. Roseum verum has a pale green stem. SECTION I.—SPECIOSUM RUBRUM AND ITS VARIETIES. Speciosum album, pure white, 3 st	cach s. d. 2 0 2 6 0 9 1 6 2 6 2 6
3324 3325 3326 3327	1. Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the stem deepening pro ratio with the colour of the stem. Rubrum verum has a purplish black stem. 2. Roseum is characterised by the stem being brownish, ranging to light green, and the shade of the step pro ratio with the green of the stem. Roseum verum has a pale green stem. SECTION I.—SPECIOSUM RUBRUM AND ITS VARIETIES. Speciosum album, pure white, 3 st	coliage cach s. d. 2 0 2 6 0 9 1 6 2 6
3324 3325 3326 3327 3328 3329 3330	1. Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the stem deepening pro ratio with the colour of the stem. Rubrum verum has a purplish black stem. 2. Roseum is characterised by the stem being brownish, ranging to light green, and the shade of the stem pro ratio with the green of the stem. Roseum verum has a pale green stem. SECTION I.—SPECIOSUM RUBRUM AND ITS VARIETIES. Speciosum album, pure white, 3 st	cach s. d. 2 0 2 6 0 9 1 6 2 6 2 6 2 6 cach. s. d.
3324 3325 3327 3328 3329 3330	1. Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the stem deepening pro ratio with the colour of the stem. Rubrum verum has a purplish black stem. 2. Roseum is characterised by the stem being brownish, ranging to light green, and the shade of the stem pro ratio with the green of the stem. Roseum verum has a pale green stem. SECTION I.—SPECIOSUM RUBRUM AND ITS VARIETIES. Speciosum album, pure white, 3 st. per doz., 15/8 18/; 1/6 % " fasciatum, pure white, very storiferous, 3 st. per doz., 7/6 " " " " " " " " " " " " " " " " " " "	cach s. d. 2 0 2 6 0 9 1 6 2 6 6 7 6 cach. s. d. 3 6
3324 3325 3326 3327 3328 3330 3331 3332	1. Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the stem deepening pro ratio with the colour of the stem. Rubrum verum has a purplish black stem. 2. Roseum is characterised by the stem being brownish, ranging to light green, and the shade of the stem pro ratio with the green of the stem. Roseum verum has a pale green stem. SECTION I.—SPECIOSUM RUBRUM AND ITS VARIETIES. Speciosum album, pure white, 3 st	coliage cach s. d. 2 0 2 6 0 9 1 6 2 6 7 6 cach. s. d. 3 6 1 6
3324 3325 3326 3327 3328 3332 3333 3333 3333	1. Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the stem deepening pro ratio with the colour of the stem. Rubrum verum has a purplish black stem. 2. Roseum is characterised by the stem being brownish, ranging to light green, and the shade of the stem pro ratio with the green of the stem. Roseum verum has a pale green stem. SECTION I.—SPECIOSUM RUBRUM AND ITS VARIETIES. Speciosum album, pure white, 3 st. per doz., 15/8 18/; 1/6 % """ """ """ """ """ """ """	coliage cach s. d. 2 0 2 6 0 9 1 6 2 6 2 6 7 6 cach s. d. 3 6 1 6 3 6
3324 3325 3326 3327 3328 3330 3331 3333 3333 3333 3333 3333	1. Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the stem deepening pro ratio with the colour of the stem. Rubrum verum has a purplish black stem. 2. Roseum is characterised by the stem being brownish, ranging to light green, and the shade of the stem pro ratio with the green of the stem. Roseum verum has a pale green stem. SECTION I.—SPECIOSUM RUBRUM AND ITS VARIETIES. Speciosum album, pure white, 3 st. per doz., 15/8 t 18/; 1/6 % """ """ """ """ """ """ """	cach s. d. 2 0 2 6 0 9 1 6 2 6 7 6 each s. d. 3 6 6 1 6 5 6 0 9
3324 3325 3327 3328 3329 3330	1. Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the stem deepening pro ratio with the colour of the stem. Rubrum verum has a purplish black stem. 2. Roseum is characterised by the stem being brownish, ranging to light green, and the shade of the sport pro ratio with the green of the stem. Roseum verum has a pate green stem. SECTION I.—SPECIOSUM RUBRUM AND ITS VARIETIES. Speciosum album, pure white, 3 st	coliage cach s. d. 2 0 2 6 0 9 1 6 2 6 2 6 7 6 cach s. d. 3 6 1 6 3 6
3324 3325 3326 3327 3328 3330 3331 3333 3333 3333 3333 3333	1. Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the stem deepening pro ratio with the colour of the stem. Rubrum verum has a purplish black stem. 2. Roseum is characterised by the stem being brownish, ranging to light green, and the shade of the sport action with the green of the stem. Roseum verum has a pate green stem. SECTION I.—SPECIOSUM RUBRUM AND ITS VARIETIES. Speciosum album, pure white, 3 st. per doz., 75/8 18/; 1/6 % """""""""""""""""""""""""""""""""""	cach s. d. 2 0 2 6 0 9 1 6 2 6 6 7 6 each. s. d. 3 6 6 5 6 6 0 9 1 0 2 6
3324 3325 3327 3328 3329 3330 3333 3333 3333 3333 3333 3333	1. Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the stem deepening pro ratio with the colour of the stem. Rubrum verum has a purplish black stem. 2. Roseum is characterised by the stem being brownish, ranging to light green, and the shade of the stem being brownish, ranging to light green, and the shade of the stem pro ratio with the green of the stem. Roseum verum has a pale green stem. SECTION I.—SPECIOSUM RUBRUM AND ITS VARIETIES. Speciosum album, pure white, 3 st. per doz., 15/8 18/; 1/6 % "" fasciatum, pure white, very storiferous, 3 st. per doz., 7/6 "" verum (typical Speciosum), white, susfused and spotted crimson, having a clearly defined white edge to the segments of the perianths, 3 st "" fasciatum, white, susfused and spotted crimson, very storiferous, 3 st "" macranthum, white, susfused and spotted crimson, edged pure white, the stinest, 3 st. 5/6 % SECTION II.—SPECIOSUM ROSEUM AND ITS VARIETIES. Speciosum album Kraetzeri, pure clear white, very beautiful, 3 st	coliage cach s. d. 2 0 2 6 2 6 7 6 2 6 7 6 3 6 5 6 3 6 7 0 9
3324 3325 3327 3328 3329 3330 3333 3333 3333 3333 3333 3333	1. Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the stem deepening pro ratio with the colour of the stem. Rubrum verum has a purplish black stem. 2. Roseum is characterised by the stem being brownish, ranging to light green, and the shade of the stem being brownish, ranging to light green, and the shade of the stem pro ratio with the green of the stem. Roseum verum has a pale green stem. SECTION I.—SPECIOSUM RUBRUM AND ITS VARIETIES. Speciosum album, pure white, 3 st. per doz., 15/8 18/; 1/6 % "a fasciatum, pure white, very storiferous, 3 st. per doz., 7/6 "by verum (typical Speciosum), white, suffused and spotted crimson, having a clearly defined white edge to the segments of the perianths, 3 st. fasciatum, white, suffused and spotted crimson, very storiferous, 3 st. functions and supplies to the segments of the perianths, 3 st. functions and supplies to the segments of the perianths, 3 st. functions and supplies to the segments of the perianths, 3 st. functions and supplies to the segments of the perianths, 3 st. functions and supplies to the segments of the perianths, 3 st. functions and supplies to the segments of the segments of the segments of the segments of the perianth, 3 st. functions and supplies to the segments of the perianth, 3 st. functions and supplies to the segments of the perianth, 3 st. functions and supplies to the segments of the perianth, 3 st. functions and supplies to the segments of the perianth, 3 st. functions and supplies to the segments of the perianth, 3 st. functions and supplies and spotted rose, very floriferous, 3 st. functions and supplies and spotted rose, very floriferous, 3 st. functions and supplies and spotted rose, very floriferous, 3 st. functions and supplies and spotted rose, very floriferous, 3 st. functions and supplies and spotted rose, very floriferous, 3 st. functions and supplies and spotted rose, very floriferous, 3 st. functions and supplies and spotted rose, very floriferous, 3 st. functions and supplies an	coliage coliage cach s. d. 2 0 2 6 2 6 7 6 2 6 7 6 3 6 9 1 2 6 3 6 9 1 2 6 3 6 7 6
3324 3325 3327 3328 3329 3330 3333 3333 3333 3333 3333 3333	1. Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the stem deepening pro ratio with the colour of the stem. Rubrum verum has a purplish black stem. 2. Roseum is characterised by the stem being brownish, ranging to light green, and the shade of the sport ratio with the green of the stem. Roseum verum has a pale green stem. SECTION I.—SPECIOSUM RUBRUM AND ITS VARIETIES. Speciosum album, pure white, 3 st	coliage coliage cach s. d. 2 0 2 6 2 6 7 6 2 6 7 6 3 6 9 1 2 6 3 6 9 1 2 6 3 6 7 6
3324 3325 3327 3328 3329 3330 3333 3333 3333 3333 3333 3333	1. Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the stem deepening pro ratio with the colour of the stem. Rubrum verum has a purplish black stem. 2. Roseum is characterised by the stem being brownish, ranging to light green, and the shade of the stem pro ratio with the green of the stem. Roseum verum has a pale green stem. SECTION I.—SPECIOSUM RUBRUM AND ITS VARIETIES. Speciosum album, pure white, 3 st. per doz., 15/ & 18/; 1/6 & fasciatum, pure white, very storiferous, 3 st. per doz., 7/6 """""""""""""""""""""""""""""""""""	coliage coliage cach s. d. 2 0 2 0 2 6 7 6 2 6 7 6 3 6 5 6 3 6 7 0 2 6 7 0 0 9
3324 3325 3326 3327 3328 3328 3330 3331 3333 3333 3333 3334 3334 3334	1. Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the stem. 2. Roseum is characterised by the stem being brownish, ranging to purplish black stem. 2. Roseum is characterised by the stem being brownish, ranging to light green, and the shade of the fipro ratio with the green of the stem. Roseum verum has a pale green stem. SECTION I.—SPECIOSUM RUBRUM AND ITS VARIETIES. Speciosum album, pure white, 3 ft	coliage coliage cach s. d. 2 0 2 6 0 9 1 6 2 6 7 6 2 6 7 6 6 cach 3 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7
3324 3325 3326 3327 3328 3333 3333 3333 3333 3333 3334 3343 3344 3344	1. Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the stem deepening pro ratio with the colour of the stem. Rubrum verum has a purplish black stem. 2. Roseum is characterised by the stem being brownish, ranging to light green, and the shade of the sport ratio with the green of the stem. Roseum verum has a pale green stem. SECTION I.—SPECIOSUM RUBRUM AND ITS VARIETIES. Speciosum album, pure white, 3 st	coliage coliage cach s. d. 2 0 2 6 0 9 1 6 2 6 7 6 2 6 7 6 6 cach 3 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7
3324 3325 3326 3327 3322 3330 3333 3333 3333 3334 3334 3344 334	### Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the facepening pro ratio with the colour of the stem. Rubrum verum has a purplish black stem. 2. Roseum is characterised by the stem being brownish, ranging to light green, and the shade of the facepening pro ratio with the green of the stem. Roseum verum has a pale green stem. SECTION I.—SPECIOSUM RUBRUM AND ITS VARIETIES. Bectosum album, pure white, 3 ft. "fasciatum, pure white, very floriferous, 3 ft. "rubrum, white, suffused and spotted crimson, 3 ft. "verum (typical Speciosum), white, suffused and spotted crimson, having a clearly defined white edge to the segments of the perianths, 3 ft. "macranthum, white, suffused and spotted crimson, very floriferous, 3 ft. "mupruratum (Boom), rich blood crimson, deged pure white, the finest, 3 ft. 5/6 & SECTION II.—SPECIOSUM ROSEUM AND ITS VARIETIES. Speciosum album Kraetzeri, pure clear white, very beautiful, 3 ft. "galum novum, pure white, yellow anthers, very beautiful, 3 ft. "galum novum, pure white, yellow anthers, very beautiful, 3 ft. "galum, white, suffused and spotted pink, very floriferous, 3 ft. "galum, white, suffused and spotted rose, green stem, 3 ft. "galum, white, suffused and spotted rose, green stem, 3 ft. "galum, white, suffused and spotted rose, very beautiful, 3 ft. "galum, white, suffused and spotted rose, very floriferous, 3 ft. "galum, white, suffused and spotted rose, very floriferous, 3 ft. "galum, white, suffused and spotted rose, very floriferous, 3 ft. "galum, white, suffused and spotted rose, very floriferous, 3 ft. "galum, white, suffused and spotted rose, very floriferous, 3 ft. "galum, white, suffused and spotted rose, very floriferous, 3 ft. "galum, white, suffused and spotted rose, very floriferous, 3 ft. "galum, rich orange-scarlet, freely spotted crimson-brown, 3 ft. "galum, rich orange-scarlet, freely spotted crimson-brown, 4 ft. "galum, rich orange-scarlet, freely spotted crimson-brown, 4 ft. "galum, rich oran	coliage coliage cach s. d. 2 0 2 0 2 6 7 6 2 6 7 6 6 cach s. d. 3 6 6 5 6 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 7 7 7
3324 3325 3327 3328 3330 3333 3333 3333 3333 3334 3344 334	Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the stem. Rubrum verum has a purplish black stem. Roseum is characterised by the stem being brownish, ranging to light green, and the shade of the for pro ratio with the green of the stem. Roseum verum has a pale green stem. SECTION I.—SPECIOSUM RUBRUM AND ITS VARIETIES. Speciosum album, pure white, 3 ft. per doz., 15/ & 18/; 1/6 & fasciatum, pure white, very floriferous, 3 ft. per doz., 15/ & 18/; 1/6 & fasciatum, pure white, very floriferous, 3 ft. per doz., 16/ werum (typical Speciosum), white, suffused and spotted crimson, having a clearly defined white edge to the segments of the perianths, 3 ft. macranthum, white, suffused and spotted crimson, very floriferous, 3 ft. macranthum, white, suffused crimson, very large, 3 ft. purpuratum (Boom), rich blood crimson, edged pure white, the finest, 3 ft. 5/6 & SECTION II.—SPECIOSUM ROSEUM AND ITS VARIETIES. Speciosum album Kraetzerl, pure clear white, very beautiful, 3 ft. 2, punctatum, white, spotted delicate pink, anthers yellow, a distinct species, 3 ft. per doz. 7/6 macranthym, white, suffused and spotted pink, very floriferous, 3 ft. macranthym, white, suffused and spotted pink, very floriferous, 3 ft. per doz. 7/6 macranthym, white, suffused and spotted rose, green stem, 3 ft. per doz. 7/6 macranthym, white, suffused and spotted rose, precensem, 3 ft. per doz. 7/6 macranthym, white, suffused and spotted rose, very floriferous, 3 ft. macranthym, white, suffused and spotted rose, very beautiful, 3 ft. macranthym, white, suffused and spotted rose, very beautiful, 3 ft. per doz. 7/6 macranthym, white, suffused and spotted rose, very beautiful, 3 ft. per doz. 7/6 macranthym, white, suffused and spotted rose, very floriferous, 3 ft. per doz. 7/6 macranthym, white, suffused and spotted rose, very beautiful, 3 ft., per doz. 15/1 macranthym, white, suffused and spotted rose, very beautiful, 3 ft., per doz. 15/1 macranthym, white, suffused and spotted rose, very beautiful, 3	cach s. d. 2 2 6 2 6 6 2 6 6 7 6 2 6 6 7 6 7 6 7 6
3324 3325 3326 3327 3322 3330 3333 3333 3333 3334 3334 3344 334	*** Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the facepening pro ratio with the colour of the stem. Rubrum verum has a purplish black stem. 2. Roseum is characterised by the stem being brownish, ranging to light green, and the shade of the facepring pro ratio with the green of the stem. Roseum verum has a pale green stem. **SECTION I.—SPECIOSUM RUBRUM AND ITS VARIETIES.** 1. Speciosum album, pure white, 3 ft	coliage coliage cach s. d. 2 0 2 0 2 6 7 6 2 6 7 6 6 cach s. d. 3 6 6 5 6 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 7 7 7
3324 3325 3327 3328 3330 3333 3333 3333 3333 3334 3344 334	x. Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the feepening pro ratio with the colour of the stem. Rubrum verum has a purplish black stem. 2. Roseum is characterised by the stem being brownish, ranging to light green, and the shade of the feepen of with the green of the stem. Roseum verum has a pale green stem. SECTION I.—SPECIOSUM RUBRUM AND ITS VARIETIES. Speciosum album, pure white, 3 ft	cach s. d. 2 2 6 2 6 6 2 6 6 7 6 6 2 6 6 7 6 7 6 7
3324 3325 3320 3320 3330 3331 3332 3333 3333 3344 3344 3344 3344	x. Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the feepening pro ratio with the colour of the stem. Rubrum verum has a purplish black stem. 2. Roseum is characterised by the stem being brownish, ranging to light green, and the shade of the fepro ratio with the green of the stem. Roseum verum has a pale green stem. SECTION I.—SPECIOSUM RUBRUM AND ITS VARIETIES. Speciosum album, pure white, 3 ft	coliage coliage cach s. d. 2 0 2 6 7 6 7 6 8 6 8 6 8 6 9 1 9 2 6 9 1 9 2 6 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1
3324 3325 3327 3322 3322 3330 3333 3333 3334 3334 334 334 334 33	x. Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the stem deepening pro ratio with the colour of the stem. Rubrum verum has a purplish black stem. 2. Roseum is characterised by the stem being brownish, ranging to light green, and the shade of the find pro ratio with the green of the stem. Roseum verum has a pale green stem. SECTION I.—SPECIOSUM RUBRUM AND ITS VARIETIES. Speciosum album, pure white, 3 st	coliage coliage cach s. d. 2 0 2 6 7 6 7 6 8 6 8 6 8 6 9 1 9 2 6 9 1 9 2 6 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1
3324 3325 3326 3327 3328 3330 3333 3333 3333 3334 3344 3344 334	x. Rubrum is characterised by the stem being brownish, ranging to purplish black, the green of the feepening pro ratio with the colour of the stem. Rubrum verum has a purplish black stem. 2. Roseum is characterised by the stem being brownish, ranging to light green, and the shade of the fepro ratio with the green of the stem. Roseum verum has a pale green stem. SECTION I.—SPECIOSUM RUBRUM AND ITS VARIETIES. Speciosum album, pure white, 3 ft	cach s. d. 2 6 6 9 1 6 6 2 6 6 1 6 6 1 6 1 6 1 6 1 6 1 6 1

3391

3392 3393 3394 ,,

IRIS BARBATA, THE BEARDED IRIS, COMMONLY CALLED GERMAN OR FLAG IRIS.

Our collection of this Section of Iris has been pronounced the most complete in England, and in "The GARDEN" of Aug. 29th, 1874, a lengthened, classified, and descriptive list is given of the varieties we have flowered. Those we enumerate in this list are a selection from upwards of 200 varieties. The better to understand our descriptions, we furnish a woodcut, and it will be observed from it that three of the petals are erect—these are called *standards*; the other three droop—these are called *stalls*. The small tongued parts of the flower are the *petaloid stigmas*, under which run the "beards." The flowers in this Section are all large and ways bendeas. in this Section are all large and very bandsome, more or less beautifully mottled in the standards, and reticulated in the falls; the beard sranging from delicate primrose to orange, and the petaloid stigmas frequently enhancing the general effect by their contrast of colour. We furnish these important particulars that our descripto take in these individual points, but to deal with the colours which strike the eye on first looking at the flower. There is no flower, however, that so improves by examination. At first sight its beauty is equal to the Orchid, but, on closer examination, are health on a possibility of interest. we have no besitation in saying it possesses points of interest surpassing the finest Orchid. In colours there are the richest yellows, the intensest purples, the most delicate blues, the softest mauves, and the most beautiful claret-reds. There are whites, and primroses, and bronzes of every imaginable shade-indeed, language fails us in picturing the beauties of this flower; and, consequently our descriptions fall far short of the reality; and this will be readily understood when we state that there may be found in almost any one of the flowers from 10 to 20 different



shades harmonizing and blending in such manner as to make one perfectly enthusiastic. Those who have not used this Iris for surrounding artificial lakes and ponds, or cultivated it in the flower borders, shrubberies, woodland walks, and wild gardens, should do so. It is also most valuable wherever a large quantity of cut Those who have not flowers is required from May to July, as plants when established, will, with good cultivation, increase in size annually till they attain large proportions, each plant yielding 50 to 100 spikes of bloom.

We have arranged the Iris Barbata in natural groups to facilitate amateurs in making selections.

The following commence flowering as the Germanica group goes out of bloom, and continue the succes-

The following commence flowering as the Germanica group goes out of bloom, and continue the s sion till July.

3366 Aphylla (Bol. Mag.), S. creamy while, margined dull lilac, F. while, margined lilae each agathe, S. white, margined and mottled lavender, F. white margined lavender.

3368 "Beauty, S. white, margined lilac, F. white, upper part red-lilac "3369 "Bridesmaid, S. very pale lavender, F. white, margined lavender "3370 "Delicata, S. delicate lavender, F. white, margined luvender "3371 "Gazelle, S. red-lavender, mottled white, F. white, daged purple. "3372 "Madame Chereau, S. white, margined blue, F. white, and lavender "3373 "Swertil (striata), S. white, margined blue, F. white, and lavender "3374 Amona (Sweet), S. white, tinged lavender, F. white, slightly margined blue "3375 "Allee Barr, S. white, F. white, tinged lilac "3376 "Alvarez, S. white, mottled burple, F. erimson, reticulated white "3377 "Aspasia, S. white, striped purple, F. purple-crimson, mottled white "3378 "Galypso, S. white, F. mottled purple, F. purple-crimson, mottled white "3380 "Donna Maria, S. white, F. white, tinged lilac "3381 "Duchess of Nemours, S. white, F. purple, mottled white "3382 "Duchess of Nemours, S. white, F. purple, mottled white "3383 "Glorietta, S. white, linged lilac, F. white, stained crimson "3384 "Morpheus, S. white, tinged lilac, F. roinson-purple, mottled white "3383 "Penelope, S. white, tinged lilac, F. roinson-purple, mottled white "3384 "Penelope, S. white, tinged lavender, F. violet, heavily mottled white "3385 "Penelope, S. white, tinged lavender, F. white, stained crimson "3384 "Penelope, S. white, tinged lavender, F. white, stained crimson "3385 "Penelope, S. white, tinged lavender, F. violet, heavily mottled white "3386 "Penelope, S. white, tinged lavender, F. white, reticulated lilac "3386 "Penelope, S. white, tinged lavender, F. violet, heavily mottled white "3387 Neglecta (Bot. Mag.) S. decided lavender, F. rich purple, mottled with dark lines "3388 "Allce, S. pale lavender, F. rich purple, mottled sion till Inly. 0 6 0 96 90 0 0 6 6 (Bot. Wag.) S. decided lavender, F. purple mottled, with dark lines.

Alice, S. pale lavender, F. rich purple, mottled white.

Atropos, S. lavender-blue, F. rich velvety erimson, upper parl mollled white.

Bocaze, S. lavender, F. claret, mottled white.

Chameleon, S. rich blue, F. light crimson
clarissima, S. purple, shading to blue, F. rich crimson, mottled white.

Cleopatra, S. light livender, F. velvety erimson, reticulated white.

Clio, S. white, F. purple 3389 23 3390 33

Clio, S. while, P. purple

```
IRIS BARBATA—continued.

3395 Neglecta Cordelia, S. violet, F. velvety crimson-black, very large each
3396 De Bois de Milan, S. light lavender, F. rich crimson.
3397 Pairy Queen, S. white, flaked purple-blue, F. purple-blue, heavily reticulated white
3398 halophila, S. lavender blue, F. red purple
3399 Harlequin Milanais, S. white, tinged lavender, F. rich crimson-purple
3400 Irma, S. lavender, F. crimson-purple, heavily motiled white
3401 Juliette, S. white, tinged lavender, F. very rich velvety crimson
3402 Mon. de Seble, S. violet, F. velvety crimson
3403 Nationale, S. purple-blue, F. rich velvety crimson
3404 reticulata purpurea, S. pale lavender, F. velvety crimson, reticulated white
3405 Sir Garnet Woiseley, S. pure white, flaked purple, F. velvety crimson, reticulated
3396 value
3406 white
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  96
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  o
300 Bon 60 Sobile, S. volate, F. volety crimon.
301 Bon 60 Sobile, S. volate, F. vick volvety crimon.
302 Bon 60 Sobile, S. volate, F. vick volvety crimon, reticulated white.
303 volunitate purpurea, S. pale lowender, F. vick volvety crimon, reticulated white.
304 volunitate purpurea, S. pale lowender, F. vick volvety purple, F. volvety crimon, reticulated white.
306 Bultan, S. lawender, F. vick volvety purple, reticulated white.
307 Victorine, S. dwien, met to blue, F. vick volvety-crimon, the will white.
308 Virginie, S. lawender, F. vick volvety-crimon, the will white.
309 Pullida Reids), S. dark lawonder, p. volvety-crimon, the will white.
310 Pullida (Reids), S. dark lawonder, p. volvety-crimon, the will white.
311 Antaries, S. parple-like, F. vick crimon-purple
311 Cytherbe, S. blue, F. violet.
311 auxurea, S. asure blue, F. violet-purple.
311 auxurea, S. asure blue, F. violet-purple.
311 Dalmatica, S. lawender-blue, F. lawender, fliged purple.
312 Cytherbe, S. blue, F. violet.
313 Lindana, S. volvetale, F. volvetale, F. adeeper-shade of claret-red
313 Lindana, S. volvetale, F. volvetale, F. adeeper-shade of claret-red
314 Examinate Committee, S. volvetale, F. adeeper-shade of claret-red
315 Queen of May, S. and F. rote-like.
316 Maerisart, S. manue, F. purple-purple.
317 Tuberlaisma, S. red-purple, F. deep red-purple.
318 Lindana, S. red-purple, F. deep red-purple.
319 Walner, S. deep lawonder-blue, F. purple, motified white.
319 Maerisart, S. volvetale, F. lingth purple.
320 Feed and Reids), S. primone-bronse, F. crimon, preliculated white.
321 Feed and Reids, S. primone-bronse, F. crimon, preliculated white.
322 Feed and Reids, S. primone-bronse, F. crimon, preliculated white.
323 Feed and Reids, S. primone-bronse, F. crimon, preliculated white.
324 Feed and Reids, S. primone-bronse, F. crimon, preliculated white.
325 Feed and Reids, S. primone-bronse, F. crimon, preliculated white.
326 Feed and Reids, S. primone-bronse, F. crimon, preliculated white.
327 Lawender, S. purple-primone, F. purple-primon, 
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  9
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  n
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    6
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    o
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    o
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    906
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    O
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    O
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      6
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      6
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      o
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      0
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      9996
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       O
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         o
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      9906
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         O
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         o
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        o
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        9
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         o
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           6
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           o
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             96
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             o
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             I
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             0
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             0
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               6
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             o
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 0
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 0
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    o
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      6
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    6
                               3468 ,, Versailles, S. yellow, variegated purple, F. rich velvety crimson...
3469 Albicans, S. and F. pure white
3470 Flavescens (Sweet), S. primrose, F. light primrose...
3471 , Munite, S. primrose, F. primrose, reticulated lavender
3472 Florentina (Reich), S. white, F. white (I. Germanica alba)
3473 Ganymedes, S. yellow, mottled purple, F. velvety crimson, beautiful.
3474 Innocenza, S. pure white, F. pure white, slightly reticulated, beautiful.
3475 Kashmirtana (new), S. and F. white, very large, and late flowering
3476 Lurida (Reich), S. bronze-purple, F. rich purple-crimson, scented elder
3477 Sub-biflora (Bot. Mag.), S. and F. very rich deep purple
3471 Sambucina major, S. bronze-primrose, F. purple-crimson, scented elder
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    6
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    0
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    o
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      9665
```

BEARDLESS SPECIES OF FLAG IRIS.

The Iris offered in this section are all perfectly hardy, and are quite distinct from the preceding groups of Iris. The flowers in most eases are smaller, remarkable for their gracefulness, and in some instances there is a degree of refined beauty in the blossoms which is matchless. Some of the species are marsh plants, other and the procedure of the species are marsh plants, others. succeed in dry shallow soils, but, generally speaking, good well-drained garden soil will meet the requirements of most. Cristata is at home on dry banks and rock-work; Iberica and Susiana thrive best in dry hot soils; Factidissina is most at home in a damp shady situation; Ochroleuca, in a moist soil; Pseudo-Acorus, in marshes; Sibirica is happy anywhere, even when grown as an aquatic; Tectorum is found on the thatched roofs of Chinese houses.

Cristata forms a tuft where it is happy, and when covered with its amethystine flowers is a gem. Iberica and Susiana possess a beauty peculiarly their own. Stylosa unfolds its charming blue blossoms in winter; established masses of this plant are recommended to be potted up for indoor decoration. Tuberosa, the snakeshead Iris, is perhaps the most fantastic flower which March produces. Ruthenica is remarkable for its fan-like dwarf growth and elegant blue flowers in July; Versicolor and Virginica are very beautiful; while Orientalis is a form of Sibirica, with flowers larger, more decided in colour, and in refinement unsurpassed by any other flower. Tridentals is also a gen; Naviga produced the support of the support

flower. Tridentata is also a gent' Sauria maior and division of the reincinent unsurpasse	d by	y any	oth	ier
	autif	ul;	Long	gi-
potential, Grantine is remarkable for its graceful foliage and distinctive flowers.			3,	d,
3478 Aurea, golden yellow, a noble species, 4st. 3479 Cristata, rich amethyst-blue, spotted deep blue, striped orange, charming species, 4st. 3480 Cuprea S. and R. orange, 6st.	6	each	7	6
3479 Cristata, rich amethyst-blue, spotted deep blue, striped orange, charming species 1ft	~	JUCII	/	0
			-	6
		2.2	I	
3482 Fætidissima, the scarlet berried seed vessels are prized for Christmas decoration, 11 ft	• • • •	23	I	6
		2.1	0	9
3483 ,, fol. variegatis, an effective variegated winter foliage plant, 13 ft. per doz. 55. 6	od.	21	0	6
3484 Goldenstadtii, white and golden yellow, 3 ft. 3485 Graminea, blue and parble, 1 ft.		2.1	I	6
		23	I	0
		21	I	6
		,,	3	6
and a promise of two chacks, a tweeter, reticulating blue, 2 11.		"	I	0
3489 Monnerii		"	7	6
5450 Ochioleuca, S. pure write. F. white and vellow of		,,	T	0
		"	÷	6
	2	2.2	~	6
3493 Pseudo-Acorus, yellow, 3 ft.	****	3.0	2	0
3333 IRDONICUS fol Variagatio a heartifully and the transfer of the second		"	0	9
3495 pallida, delicate primrose a ft	• • • •	2.2	I	0
3495 pallida, delicate primrose, 3 ft. 3496 Ruthenica, blue, a pretty miniature species, with a distinctive fan-like foliage, \(\frac{3}{2} \) ft.	• • • •	22	I	6
3497 Sibirica, S. bright blue F blue raticulated white	• • •	.,	0	9
3497 Sibirica, S. bright blue, F. blue, reticulated white, 3 ft. per doz. 4s. 6 acuta, S. and F. blue, reticulated white, 1 ft.	od.	,,	0	6
		11	0	9
		,,	0	6
11 Similardia, D. parple, P. parple, relicitated white green heartiful at fi		22	I	0
1) Sidulation of the court of the property of the set o		,,	0	9
		,,	0	á
ii in the state of the partie, P. Blue, reflectioned with the off		,,	0	á
			I	ó
3000 Spuria major, S. lavender burble. F. hlue shotted wellow of		,,	2	6
		"	0	9
The state of the s	3/		I	0
3508 , major, larger and more beautiful than 3507	• • • • • • • • • • • • • • • • • • • •	23		6
3509 Tectorum syn. tomiolopha lovely blue crested flowers beautifully should at a	• • •	"	5	6
		2.1	7	0
		22	2	6
3512 Versicolor, S. red-lilac, F. rose-purple, 1 ft.	•••	22	0	6
3513 major S. red-lilae F rese-purble 11 6	• • •	2.2	0	9
3513 ,, major, S. red-lilac, F. rose-purple, 13 ft	•••	2.2	I	0
3514 Virginioa, S. lilac, F. rich-purple with white spot, 2 ft. 3515 , major, S. pale-lilac, F. red-lilac, with subjected at the	•••	23	0	6
3515 ,, major, S. pale-lilac, F. red-lilac, with white spot, 21 ft.	•••	11	0	9

DWARF IRIS.

Charming varieties, growing from 6 to 12 inches high, and in flower during March, April, and May. For groups in mixed borders, and as edgings to Rhododendron beds, herbaceous borders, etc., the *Primila* varieties are invaluable, succeeding in almost any soil and situation. The permanency of the blossom is enhanced however, in places where they are slightly protected from cutting winds and hot sunshine.

In the descriptions S. is used to signify Standards, or the erect petals; F., Falls, or the drooping petals. 3516 One each of this Section

			3017	Mixed varieties, per 100, 10s, 6d, per doz	20	
per doz,-	-3.	đ.	•			
Pumila, S. and F. rich purple	4	-	1 2507	Intermedia	s.	do
bloolor C autile E sund	4	-	0021	intermediaeach	0	6
" bicolor, S. white, P. purple each		0	3528	Nudicaulis, S. purple, F. crimson-purple		6
,, corulea, S. and F. clear blue	4	6	3529	Olhiencie alha C autit, to	4	U
lutes maculata C wellow E	7	•	0020	ordionolo arba, S. watte, P. primrose,		
,,				sweet-scentedcaeh	T	6
orown, eaged yellow	7	6	3530	atro-purpurea S clavat Aught.	~	~
tristis lutea, S. vellow, F. Aurale	′			L'autorità la la cuarci-purpie,		
edand wallow fromward		_		r. ververy olack, fragrant, each	I	6
Did	7	0	3531	corulea, S. purble F crimson-		
Binorus, S, violet-purple, F, crimson-purple	4			hurple		
gracilis S creama subite E and	- 7	_	orea	parpro caen	0	9
About for treating white, 2', 5'11-			0032	,, lutea, S. yellow, F. greenish-		
pnur, fragrant	3	6		vellow	_	
Chammiris lutescens. S. creamy white R	-		9522	Inter man difference of	1	0
nellow		_	0033	,, into a grandinora, S. rich yellow,		
	7	0		F. greenish-vellow, smeet-scented		
rurcata, S. and P. deep rich purple each	0	6				
4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		•		eaen y	I	6
	Pumila, S. and F. rich purple. , bicolor, S. white, F. purple each , corulea, S. and F. clear blue , lutea maculata, S. vellow, F. brown, edged yellow. tristis lutea, S. yellow, F. purple, cdged yellow, fragrant. Biflorus, S. violet-purple, F. crimson-purple gracilis, S. creamy white, F. sul- phur, fragrant Chammeiris lutescens, S. creamy white, F. yellow	Pumila, S. and F. rich purple	Pumila, S. and F. rich purple """ """ """ """ """ """ """	Pumila, S. and F. rich purple per doz.—s, d. 3527 """""""""""""""""""""""""""""""""""	Pumila, S. and F. rich purple per doz.—s, d. per do	Pumila, S. and F. rich purple """ """ """ """ """ """ """

These new Japanese Iris are truly magnificent, and are a perfectly distinct race. They have large flat Clematis-like flowers, 5 to 7 inches in diameter. The colours are rich and beautiful, and in many diversified shades, from pure white to rose, and from rose to the richest blues and purples, tinted, shaded, and blotched, and trequently elaborately veined, each petal having a distinct orange spot more or less conspicuous. In July, 1877, the Royal Horticultural Society awarded to us three First-class Certificates, for Iris Kæmpferi, as follows:—Alba grandissima, ivory white, spotted orange; Robert Parker, grey lilac, heavily flaked crimson-

purple; Mrs. Barr, delicate lavender, beautifully netted lilac, and blotched orange. These new seedlings we received from our friend Max Leichtlin, Esq., of Baden-Baden.

CULTURE.—Remove the natural soil, and replace with sandy peat and leaf mould, encourage a free growth during summer, and when the plants are fairly established they will flower profusely.

3534 Our own selection, 6 in 6 varieties of Iris Kæmpferi 9s., 12s., and 18s. 3535 ,, 12 in 12 15s., 21s., and 30s.

3536 Kæmpferl, original species, rose purple ... o 6
3537 Alexander Von Humboldt, snow white,
very large each-s. 6 3549 Madame La Greele d'Hanis, rose white, light rose centre

3550 Miguelli, pink, with broad white stripes,
beautiful 6 dark violet 6 3541 Duehess de Belcourt, bright crimson, very 96 3542 Ernest Moritz Arndt, light pink, finely feathered. 9 3543 Gloire de Rotterdam alba plena, milk white, large and very handsome 3555 Reinwardtii, dark grey, spotted purple, very 6 3556 Rutherford Alcock, violet crimson, purple 3544 Glymeii, erimson, with grey stripes 3545 Ida, pink feathered crimson, very large ... centre..... 3546 La Souvenir, rose, very fine

FUNKIA.

These are fine ornamental foliage herbaceous plants from Japan. In the early Spring they push their leaves, and in Summer throw up a profusion of Lily-like spikes of flowers. Amongst herbaceous plants these will always command a prominent position, owing to the great diversity of their foliage, which ranges from the miniature to the gigantic. In sub-tropical gardens Sieboldiana, with its massive glaucous-green foliage and purple flowers, and Subcordata grandiflora, with its large fresh green leaves and white flowers, have for years been extensively used. Ovata and its golden variegated form produce large handsome foliage. Sinensis and its varieties are also conspicuous for their large leaves. These are all valuable for edgings to large beds. Ovata undulata and its varieties are suitable for smaller beds, so also is Ovata viridis and its varieties. Spathulata and its variety make a neat edging. Ovata lanceolata and plantanifolia look well as edgings to Rhododendron beds and the like. For naturalization all the Funkias are most valuable, and the large-leaved varieties are beautiful when grown in pleasure parks in the grass. In shady and somewhat moist situations the foliage attains its when grown in pleasure parks in the grass. In shady and somewhat moist situations the foliage attains its largest size. 1 each of 6 varieties, 3s., 6s., and 9s.; 12 varieties, 9s., 12s., and 18s.

cath-s. 3557 Ovata, foliage green, flowers purple....... 0 9 3558 ,, variegata, golden variegated 3567 Ovata spathulata, small green foliage ... 3568 ,, marginata, white margined foliage, per doz., 7/6 o viridis, foliage green, flowers purple o ,, marginata, foliage conspieufoliage 9 undulata aurea, foliage golden
yellow
,, maculata, golden varie
gated foliage
,, argentea, while and green 3569 3559 ç 6 3570 3571 ,, marginata, foliage conspicuously margined white......
3571 ,, univittata, broad white central line to each leaf
3572 Fortunel, blue green foliage, very distinct
3573 Speciosa, small foliage, pure white flowers
3574 Sieboldiana, large glaueous green foliage,
per doz., 10s. 6d.
3575 ,, marmorata, vellow margined 0 3560 9 3561 variegated foliage ...
lanceolata, green foliage, and
purple flowerspcr doz., 4/6 6 0 plantanifolia, green foliage, and 3563 purple flowersper doz., 7/6 3575 marmorata, yellow margined 0 9 sinensis, foliage green, per doz., 7/6, marmorata, golden marbled 9 foliage 3576 Subcordata grandiflora, large light green 3565 " 6 foliage, and large pure white flowers ... per doz., 10s. 6d. foliage cordifolia, foliage green... 3566

A FEW MISCELLANEOUS PLANTS AND BULBS.

3550 Solomon's Seal, or tall growing variety, for pot culture, each per clump, 1s. and 1s. 6d.
3581 Dielytra spectabilis, for pot culture, 6d., 9d., and 1s. each. Dielytra spectabilis, with variegated foliage,

9d. and 1s. each. eximia, a charming graceful dwarf-growing plant, with bright red flowers, for pots and borders, 3582 6d., 9d., and 1s. each.

3583 Spirea Japonica, white, for pot culture, 6d., 9d., and 1s. each.

palmata, red, is. and 2s. 6d. each.

3585 Amaryllis belladonna, for out doors, 6s. per dozen. Amaryllis longifolia, alba, and rosea, for out doors, 1s. 6d. each.

3586 ... candida," Flower of the West Wind," a fine autumn-flowering plant,7s.6d. per 100,1s. 6d. per doz.

3887 Vallota, splendid greenhouse bulbs; Purpurea, 1s. 6d.; Eximia, 2s. 6d.; Major, 2s. 6d.
8588 Greenhouse Amaryllis in mixture, 2s. 6d. and 3s. 6d. each. In splendid named varieties, 3s. 6d. to 7s. 6d. each.

3589 Greenhouse Amaryllis Gloppatra, crimson scarlet, the central line of each petal white, one of the finest of this grand family, 5s. 6d. to 7s. 6d. each.
3590 Greenhouse Amaryllis formosissima, the beautiful rich crimson Jacobæan Lily, per doz., 5s. 6d.
3591 Nerine corusca major, 2s. 6d.; curvifolia, 2s. 6d.; flexuosa, 2s. 6d.; Fothergilli, 2s. 6d.
3592 Antholyza, 6 beautiful varieties for 2s. 6d.; choice mixed, 2s. 6d. per doz.
3593 Watsonia, 12 beautiful varieties, 4s. 6d.; choice mixed, 2s. 6d. per doz.
3594 Amorphophallus, the Umbrella Arum, a beautiful foliage plant, 1s. each.

3595 Begonias, beautiful new bedding varieties, 1s., 1s. 6d., and 2s. 6d. each. In beautiful mixed varieties, 12s. and 18s. per doz,
3596 Caladiums, beautiful varieties, 2s. 6d. each.

3597 Hyacinthus candicans, a grand conservatory and out door bulb, 6d., 9d., 1s., and 1s. 6d. each.

3598 Schizostylis coccinea, a beautiful autumn-flowering Gladiolus-like plant, pots-full ready to plant out, 1s., 1s. 6d., and 2s. 6d. each.
3599 Sparaxis pulcherrima, a inajestic graceful plant, 1s. 6d. and 2s. 6d. each.
3600 Tritoma grandis, a noble plant, in flower from August till destroyed by frost, flowers bright searlet, 6os. per 100, 10s. 6d. per doz.

THE RANUNCULUS.

DOUBLE PERSIAN	RANUNCULUS,	FOR BEDS,	RIBBONS,	AND	MASSES.
Plant Ran	unculus in Fame	ann Eshanan	a Adamsh a	a Ada	11

s. d.	8. d.	
3601 100 Large-flowered, in 16 beautiful vars. 5 6 3604 25 in 25 beautiful varieties	4 0	,
3602 100 in 100 beautiful varieties		
3603 50 in 50 ,,		
DOUBLE TURKISH OR TURBAN RANUNCULUS, FOR BEDS, RIBBONS AND MASSES.		
3607 100 in 10 beautiful varietiesper 100	3 6	,
NEW DOUBLE TURCO-PERSIAN RANUNCULUS, FOR BEDS, RIBBONS, AND MASSES.		
This new race of Ranunculus are remarkably floriferous, with very large howers; height, 12 to 18 is	nches,	
and with 12 to 15 flowers on a plant.		
3609 100 in 25 beautiful varietiesat rate of 30 o 3610 Splendid mixed varietiesper 100	10 6	5

and with 12 to 15 flowers on a plant.
3609 100 in 25 beautiful varietiesat rate of 30 o 3610 Splendid mixed varietiesper 100 10 6
THE ANEMONE.
SPLENDID DOUBLE ANEMONES, FOR BEDS, RIBBONS, AND MASSES.
Plant the Anemone in January, February, March or April.
3611 100 in 10 beautiful large-flowered vars. 12 6 3620 Splendid double scarlets, in shades per 100 7 6
3612 100 in 100 splendid varieties
3614 25 in 25 ,, ,,
3616 New large-flowered blue varieties ,, 15 0 mixture
3618 Veryfine vars, all colours, inmixture, 3618 veryfine vars, all colours, all colours, inmixture, 3618 veryfine vars, all colours, all c
3619 Splendid vars., all colours, in mixture, 5 6
SPLENDID SINGLE POPPY ANEMONES, FOR BEDS, RIBBONS, AND MASSES.
3624 Blue, purple, red, or white, each per doz. 1 6 3627 Very fine mixed, all coloursper 100 3 6
3625 Interse brilliant scarlet new large-
flowered
3626 New large-flowered varieties, all colours, in mixtureper 100 5 6
mixed
BEAUTIFUL AREMONE STELLATA (THE STARRY WINDFLOWER).
3630 100 in 14 beautiful varieties
3634 BRILLIANT ANEMONE FULGENS (THE SCARLET WINDFLOWER), per doz., 5s. 6d.
BEAUTIFUL AUTUMN-FLOWERING JAPANESE ANEMONES.
3635 Pure white, rose, or rose-purpleeach per doz. 7 6
HEMEROCALLIS (THE DAY-LILY.)
3636 Disticha fi. pl. grange shaded crimson, 2 ft. 1 0 3641 Kwanso, ft. pl., 3 ft. per doz. 7/6 0 9
3636 Disticha, fl. pl., orange, shaded crimson, 2 ft. 1 0 3641 Kwanso, fl. pl., 3 ft
3638 Pilva, orange-crimon 3 ft. per doz. 4/6 0 6 3643 Lutea, rich vellow, very early, 2 ft 0 6
3639 fol variegatis off 1 o 3644 Sieboldiana. orange, outside brown. It ft. o o
3636 Disticha, fl. pl., orange, shaded crimson, 2 ft. 1 0 3641 Kwanso, fl. pl., 3 ft
HERRACEOUS OR PERENNIAL PHLOXES.
3646 50 in 50 beautiful varieties
3647 25 in 25 ,, ,, and 30 0
3648 12 in 12 0/-, 12/-, 15/-, and 18 0
3649 Varieties without names, 4/6 to 6/- per dozen.
PÆONIAS, SINENSIS VARIETIÉS, Etc.
3650 ag in an appliently varieties 42/-, 50/-, and 63 g
20F1 and in an
3652 12 in 12 ., ,, DELPHINIUMS.
DELPHINIUMS.
3653 so in so varieties
3654 2c in 2c30/- to 42 0
3655 r2 in r2
DOURLE POTENTILLAS
2656 20 in 20 varieties
3657 12 in 12
PLANTS IN FLOWER AND COMING INTO FLOWER.
3658 Fine Plants, as above for Conservatory or Table Decoration, including whatever is in season, and in
various sizes, per doz., 21s., 20s., 42s., and upwards; or each, 2s, 6d., 3s, 6d., and upwards,
3659 Hyacinths, Tulips, and Polyanthus Narcissus, fine varieties assorted; Hyacinths one in a pot, Tulips and
Narcissus three in a pot; per doz., 18s., 24s., and 3os.; or each, 2s., 2s. 6d., and 3s. 6d.
FOLIAGE PLANTS, INCLUDING PALMS, ETC.
2550 A Nice Assortment for Conservatory and Table Decoration, according to size, ner doz., 425., 635., 845.

3660 A Nice Assortment for Conservatory and Table Decoration, according to size, per doz., 42s., 63s., 84s.,

105s., and upwards; or each, 5s. 6d., 7s. 6d., 10s. 6d., and upwards.

3661 A Nice Assortment for Stove and Table Decoration, according to size, per doz., 42s., 63s., 84s., 105s., and upwards; or each, 5s. 6d., 7s. 6d., 10s. 6d., and upwards. CHRYSANTHEMUMS. LARGE FLOWERED, DOUBLE.


....9s. to 12s. per doz.

3665 Named kinds, the very best sortsgs. to 125. per dozen.



THE PAXTON NAIL BAG, as above illustrated, was designed by the late William Barnes, of Camberwell, and considered by him to meet all the requirements necessary, 10/6.

THE CHISWICK BAG is larger than the Paxton, and by some preferred, but certainly not so perfect, 7/6.



3 compartments, 25/; extra strong, 33/ --- No. 3. 23 in. by 16 in., 4 compartments, 34/; extra strong, 42/.



GILBERT'S HAND LIGHTS. - These Plant Protectors are of great value to amateurs, and useful in large establishments for Winter Salads, etc.

12in. square5/6 22in. sq. 10/6, hing. 12/6 quare5/6 22in. sq. to,0, inig. 2-,
,6/6 24in. , 11/6, , , 14/
, ,7/6 44in. by 22, 19/ ,, 22/
,, 8/6, hinged 10/6 48in. ... 24, 21/ ,, 24/
,, 9/6, ,, 11/6 5ft. ... 2ft. hinged 29/
6ft. by 2ft. hinged 32/-

Orders received for the above will be executed direct from the manufactory.

IMPROVED PAXTON



BARR'S PORTABLE GARDEN ENGINES. No. 1, 50/; No. 2, 42/.- No. 1 will throw a continuous stream of water 40 feet, and 421.—No. I will throw a commission of water process, and through a \$\frac{1}{2}\$-inch suction-hose draw its supply from a distance of 60 feet. No. 2 will draw water from a distance of 30 feet through a \$\frac{1}{2}\$-inch hose. These engines are constructed on the best principles. They are not liable to get out of order, while their value for washing wall fruit trees, cleansing hops, and watering flower-beds, etc., cannot be overestimated.

Extra hose, 4 inch, 1s. 6d. per foot run.



BARR'S HEATED FRAMES. The Improved Waltonian Forcing Case. For Raising Seeds and Striking Cuttings.

It is impossible to over estimate the value of these frames they take the place of a stove or forcing-house, and where one of these is at work a dung frame is unnecessary, as a sufficient supply of seeds may be raised and cuttings struck to furnish a moderate sized garden. The frame is heated by a Paraffin lamp.

No. 1. 23 by 17 in., on Stand, 90/; on Dwarf Ft., 84/. No. 2. 29 by 20 in., on Stand, 98/; on Dwarf Ft., 92/. No. 3. 35 by 23 in., on Stand, 105/; on Dwarf Ft., 98/.

